

VILLA CARTAP 500 SP

MATERIAL SAFETY DATA SHEET

1. IDENTIFICATION OF PRODUCT AND COMPANY

Product Name: CARTAP 500 SP
 Insecticide
UN No. 3077
Supplier: Villa Crop Protection (Pty) Ltd.
 PO Box 10413
 Aston Manor, 1630, South Africa
Telephone: (011) 3962233
Fax: (011) 3964666
Website: www.villacrop.co.za

Emergency telephone numbers:

24 Hr Transport / Spill emergency no:

Envirosure. +27 31 205 4918
 (Hazcall24) +27 86 044 4411

(Client: Villa Crop Protection)

Griffon Poison Information Centre +27 82 446 8946

(Client: Villa Crop Protection)

Poisoning Emergency telephone numbers:

Griffon Poison Information Centre +27 82 446 8946

Poisons Information Centre +27 861 555 777

Villa Crop Protection Emergency number:

National Safety, Health and Environmental Manager:

+27 63 698 0668

2. COMPOSITION / INFORMATION ON INGREDIENTS

Common Name: CARTAP HYDROCHLORIDE
Chemical Name: S,S'-(2-dimethylamino-trimethylene) bis(thiocarbamate) (IUPAC)
CAS No.: 15263-53-2
Chemical family: 2-dimethylaminopropane-1,3-dithiol
Chemical formula: C₇H₁₆ClN₃O₂S₂
Molecular weight: 273.8
Use: Systemic insecticide with stomach and contact action. Insects discontinue feeding, and die of starvation.

Formulation: CARTAP HYDROCHLORIDE 500 g/kg
 Soluble powder

Hazardous ingredients:	Hazard/Risk:	% present:
CARTAP HYDROCHLORIDE	Xn,	N

filler	-	50 %
		50 %

Symbol: Xn, N
Indication of danger: Harmful, Environmentally Hazardous Substance

Risk Phases: R21, R22, R51

3. HAZARD IDENTIFICATION

Toxicity class: WHO (a.i.) II

Likely routes of exposure: Ingestion, skin and eye contact.

Main hazard: CARTAP is moderately toxic to mammals on acute exposure by several routes of administration.

In case of accidental poisoning, diarrhoea, nausea, vomiting, abdominal pain, sweating, salivation and blurred vision are reported. In severe poisonings, possibility of respiratory depression, pulmonary oedema and convulsions should be anticipated.

4. FIRST AID MEASURES AND PRECAUTIONS

Inhalation: Move the victim to fresh air or remove source of contamination. Keep person warm and at rest. Treat symptomatically and supportively as and when required. Qualified personnel should perform administration of oxygen. Get medical attention immediately.

Skin contact: Move the victim from the source of contamination and remove all contaminated clothing, shoes and leather goods. Gently wipe off excess chemical. Wash affected skin areas gently and thoroughly with water and non-abrasive soap, for at least 15 to 20 minutes. Do not rub the skin. If irritation persists, seek medical advice.

Eye contact: Immediately flush the contaminated eyes with gently flowing clean water for 15 to 20 minutes, occasionally lifting the upper and lower lids. Seek medical advice.

Ingested:

Do not induce vomiting. Never give anything by mouth to an unconscious person. Obtain medical attention immediately. Qualified medical personnel should perform administration of oxygen. If the person is alert, rinse mouth thoroughly with water and give person glass of water to drink.

Advice to physician: Administer cystine as antidote. Consider washing of the stomach with injections of water. Treat symptomatically and supportively.

5. FIRE FIGHTING MEASURES

Extinguishing agents: Use carbon dioxide, dry powder, or alcohol-resistant foam to extinguish fire. Water spray can be used for cooling of unaffected stock, but avoid water coming in contact with the product. Apply water as a fine mist or fog.

Firefighting: Remove spectators from surrounding area. Isolate the fire area and evacuate downwind. Fight fire from maximum distance and use unmanned hose holder or monitor nozzles. Contain fire control agents for later disposal. Avoid inhaling hazardous vapours. Keep

VILLA CARTAP 500 SP

MATERIAL SAFETY DATA SHEET

upwind. Remove container from fire area if possible and without risk.

Dyke fire control water for later disposal. Do not scatter the material. Avoid pollution of waterways. Product is considered a Marine Pollutant.

Do not use high volume water jet, due to contamination risk. Contain water used for fire fighting for later disposal. Avoid the accumulation of polluted run-off from the site.

Personal protective equipment: Fire fighters and others that may be exposed should wear full protective clothing and self-contained breathing apparatus with full-face mask.

6. ACCIDENTAL RELEASE MEASURES (SPILLAGE)

Personal precautions: Do not inhale dust. Avoid contact with skin and eyes. Ventilate area of spill or leak, especially confined areas. Wear appropriate safety clothing and eye/face protection - see Section 8.

Environmental precautions: Do not allow entering drains or watercourses. Spillage or uncontrolled discharges into water courses (or public waters) to be reported immediately to the Police and to the Department of Water/Environmental Affairs. Product is considered a Marine Pollutant.

Occupational spill: For dry spills, shovel up and sweep up with damp earth or sand or other suitable absorbents, taking care not to raise a dust cloud. Place the material into a labelled, clean, dry container and store in a safe place to await proper disposal. All contaminated cleaning materials should be placed in closable receptacles.

In situations where product comes in contact with water, contain contaminated water for later disposal. Do not flush spilled material into drains. Do not contaminate water while cleaning equipment or disposing of wastes. Keep spectators away and upwind.

7. HANDLING AND STORAGE REQUIREMENTS

Handling: Use good personal hygiene. Avoid contact with eyes and skin and inhalation of dust. Use with adequate ventilation. Wash hands before eating, drinking, chewing gum, smoking or using the toilet. Operators should change and wash clothing daily. Remove clothing immediately if the insecticide gets inside. Then wash skin thoroughly using a non-abrasive soap and put on clean clothing. Water used to clean equipment must be disposed of correctly to avoid contamination.

Storage: Store in its original container in isolated, dry, cool and well-ventilated area. Keep from contact with other pesticide, fertilizers and seeds during storage. Store away from incompatible substances. Not to be stored next to foodstuffs and water supplies.

Keep under lock and key out of reach of unauthorized persons, children and animals. Local regulations should be complied with.

8. EXPOSURE CONTROL / PERSONAL PROTECTION

Occupational exposure limits: It is essential to provide adequate ventilation. The measures appropriate for a particular work site depend on how this material is used and on the extent of exposure. Ensure that control systems are properly designed and maintained. Comply with occupational safety, environmental, fire and other applicable regulations.

PERSONAL PROTECTIVE EQUIPMENT:

Respirator: An approved full-face air-purifying respirator suitable for protection from mists of pesticides is required. Limitations of respirator use specified by the approving agency and the manufacturer must be observed.

For emergency conditions, use an approved positive-pressure self-contained breathing apparatus.

Clothing: Employee must wear appropriate protective (impervious) clothing (long-sleeved shirt, long pants and shoes plus socks) and equipment to prevent skin contact with the substance.

Gloves: Employee must wear appropriate chemical resistant protective gloves to prevent contact with this substance.

Eye protection: Employee must wear splash-proof safety goggles and face-shield to prevent contact with this substance.

Emergency eyewash: Where there is any possibility that an employee's eyes may be exposed to this substance, the employer should provide an eye wash fountain or appropriate alternative within the immediate work area for emergency use.

9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance: White to light brown soluble powder.

Odour: Weak characteristic odour.

Flammability: Not flammable.

pH (1% solution): Not available.

Solubility in water: This is a soluble powder formulation.

10. STABILITY AND REACTIVITY

Storage stability: Considered stable for a period of 2 years in normal air, warehouse and light conditions, if kept in closed container.

Incompatibility: Compatible with most commonly used agricultural pesticides, except with alkaline preparations. A compatibility test is required before using with other products. Do not physically mix concentrate directly with

VILLA CARTAP 500 SP

MATERIAL SAFETY DATA SHEET

other herbicides or pesticide concentrates; always dilute first.

Hazardous Decomposition Products:

None under normal conditions of storage and use.

11. TOXICOLOGICAL INFORMATION

Acute oral LD₅₀: (calculated:) 650 mg/kg.

Acute dermal LD₅₀: (calculated): > 2 000 mg/kg.

Acute inhalation LC₅₀:

Technical: LC₅₀ rats: > 0,54 mg/ℓ/6 hours

Acute skin irritation: Not irritant.

Acute eye irritation: Not irritant.

Teratogenicity:

No teratogenic activity at doses above the no effect observed level, were revealed.

Mutagenicity:

Negative results were obtained in several mutagenicity assays.

NOEL: Mouse: 20 mg/kg body weight/day,
 Rat: 10 mg/kg body weight/day.

ADI: 0,1 mg/kg

12. ECOLOGICAL INFORMATION

In rats, the carbonyl carbon is hydrolysed, and the sulphur oxidised with N-demethylation of thiomethyl derivatives. No accumulation occurs in tissues. Is rapidly excreted in the urine. DT₅₀ in soil: 3 days.

ECOTOXICOLOGY:

Fish: Toxic to fish.

LC₅₀ (24h): carp: 1.6 mg/ℓ

LC₅₀ (48h): carp: 1.0 mg/ℓ

Bees: Moderately toxic to honey bees.

Other aquatic species:

LC₅₀: *Moina macrocopa*: 12.5 to 25 mg/ℓ

Product is considered a Marine Pollutant.

13. DISPOSAL CONSIDERATION

Pesticide disposal: Open dumping or burning of this pesticide is prohibited. Waste resulting from the use of this product that cannot be reused or reprocessed. Do not contaminate rivers, dams or any other water sources with the product or used containers.

Package product wastes: Emptied containers retain vapour and product residues. Observe all labelled safeguards. Empty the container of excess product into the container of the applicator. Destroy the emptied containers by perforation and flattening. Bury in an approved dumpsite. Do not re-use the empty container for any other purpose. Comply with any local legislation applying to disposal.

14. TRANSPORT INFORMATION

UN NUMBER: 3077

Road Transport ADR/IRD:

Class: 9

Packing group: III

Shipping name: Environmentally Hazardous
 Substance. N.O.S. (CARTAP 500
 g/kg)

Considered a Marine Pollutant

15. REGULATORY INFORMATION

Symbol: Xn, N

Indication of danger: Harmful, Environmentally
 Hazardous Substance

Risk phrases:

R21 Harmful in contact with skin.

R22 Harmful if swallowed.

R 51 Toxic to aquatic organisms

Safety phrases:

S 2 Keep out of reach of children.

S 24 Avoid contact with skin.

S 25 Avoid contact with eyes.

S 37/39 Wear suitable gloves and eye/face protection.

S 46 If swallowed, seek medical advice immediately and show this container or label.

S 61 Avoid release to the environment. Refer to special instructions/safety data sheets.

16. OTHER INFORMATION

Packaging: Packed in 1, 5, 10 and 25 kg aluminium foil bags, sealed and labelled according to South African regulations and guidelines.

Disclaimer: The information on this sheet is not a specification; it does not guarantee specific properties. The information is intended to provide general guidance as to health and safety based upon our knowledge of the handling, storage use of the product. It is not applicable to unusual or non-standard uses of the product nor where instructions or recommendations are not followed.

All information is given in good faith but without guarantee in respect of accuracy, and no responsibility is accepted for errors and omissions or the consequence thereof.

END OF DOCUMENT

Compiled: July 2002

Revised: March 2019

Revision no: (3)

Next revision: March 2024

For detailed information on revisions, contact the Registration holder.