

# UNIVERSAL D-ZOLE 250EC

# SAFETY DATA SHEET

## 1. CHEMICAL PRODUCT AND COMPANY IDENTIFICATION

**Product Name:** D-ZOLE 250EC  
**Other identifier:** Difenoconazole 250 EC  
**Recommended use:** Fungicide  
**Restrictions on use:** Agriculture

**Supplier:** Universal Crop Protection (Pty) Ltd.  
**Co. Reg. No.:** 1983/008184/07  
 PO Box 801  
 Kempton Park, 1620, South Africa  
**Telephone:** (011) 396 2233  
**Fax:** (011) 396 4666  
**Website:** [www.villacrop.co.za](http://www.villacrop.co.za)

**Emergency telephone numbers:**  
**24 Hr Transport / Spill emergency no:**  
 Envirosure. +27 31 205 4918  
 (Hazcall24) +27 86 044 4411  
 (Client: Villa Crop Protection)  
 Griffon Poison Information Centre +27 82 446 8946  
 (Client: Villa Crop Protection)  
**Poisoning Emergency telephone numbers:**  
 Griffon Poison Information Centre +27 82 446 8946  
 Poisons Information Centre +27 861 555 777  
**Villa Crop Protection Emergency number:**  
**National Safety, Health and Environmental Manager:**  
 +27 63 698 0668

## 2. HAZARDS IDENTIFICATION

UN GHS, Regulation EC 1272/2008 [EU-GHS/CLP] EU & SANS 10234:2008		
Hazard classes	Hazard categories	H-statements
<b>Health</b>		
Oral	Acute toxicity 5	H303
Aspiration toxicity	Aspiration toxicity 1	H304
Dermal	Skin irritation 3	H316
Eye	Eye damage 1	H318
<b>Environment</b>		
Aquatic acute	Aquatic acute 1	H400
Aquatic chronic	Aquatic chronic 1	H410

**The most important adverse effects:**  
**Physicochemical effects:** None known  
**Human health effects:**  
 Causes serious eye damage.  
 May be fatal if swallowed and enters airways.

## Label elements:



**Signal word:** Danger  
**Hazard statements:**  
 H303: May be harmful if swallowed.  
 H304: May be fatal if swallowed and enters airways.  
 H316: Causes mild skin irritation.  
 H318: Causes serious eye damage.  
 H400: Very toxic to aquatic life.  
 H410: Very toxic to aquatic life with long lasting effects.

**Precautionary statements:**  
 P273: Avoid release to the environment.  
 P280: Wear impervious rubber gloves and chemical safety goggles.  
 P301+P310: IF SWALLOWED: Immediately call a POISON CENTER.  
 P305+P351+P338: IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do so. Continue rinsing.  
 P310: Immediately call a POISON CENTRE.  
 P331: Do NOT induce vomiting.  
 P391: Collect spillage.  
 P405: Store locked up.  
 P501: Dispose of contents/container in accordance with local regulations.

**Other hazards:**  
 None known.

**Toxicity:**  
 Classification according to GHS: 5  
 Classification according to WHO: Group III  
 Classification according to GPIC: Category III

## 3. COMPOSITION / INFORMATION ON INGREDIENTS

**Substance / Mixture:** Mixture

Composition:

Chemical name	CAS	Conc. (m/v %)	Classification EC 1272/2008
Difenoconazole	119446-68-3	25 %	Acute Toxicity 4 (H302) Eye Irritation 2 (H319) Aquatic Acute 1 (H400) Aquatic Chronic 1 (H410)
Shellsol - Trisol 150 AB	64742-94-5	< 70 %	Aspiration Toxicity (H304)
Emulson TS 200 (CY8)	99734-09-5	< 5 %	Aquatic Chronic 3 (H412)
Emulson AG/CAL/70	26264-06-2	< 5 %	Acute Toxicity 4 (H302)

# UNIVERSAL D-ZOLE 250EC

# SAFETY DATA SHEET

			Skin Irritation 2 (H315) Eye Damage 1 (H318) Aquatic Chronic 4 (H413)
Emulsion AG/ISD	78330-20-8	< 5 %	Acute Toxicity 4 (H302) Eye Damage 1 (H318)

**Special fire-fighting procedures:** Remove spectators from surrounding area. Isolate the fire area and evacuate all personnel downwind of the fire. Fight fire from maximum distance and use unmanned hose holder or monitor nozzles. Remain upwind of fire. Avoid inhaling hazardous vapours and fumes from burning materials. Remove container from fire area if possible and without risk. Do not use high volume water jet, due to contamination risk. Do not scatter the burning material. Water can be used to cool unaffected containers but must be contained for later disposal. Contain fire control agents for later disposal. Avoid pollution of waterways by run-off from the site.

**Personal protective equipment:** Wear NIOSH / MSHA approved self-contained breathing apparatus and full protective gear.

## 4. FIRST AID MEASURES

Remove the victim from the area of exposure. Wash off remaining material with plenty of water. In the event of any complaints or symptoms, avoid further exposure. Immediately consult a doctor if you feel unwell.

**Inhalation:** Remove person from contaminated area to fresh air and assist breathing as needed. Seek medical attention.

**Skin:** Remove contaminated clothing and shoes. Gently wipe off excess chemical. Wash skin gently and thoroughly with water and non-abrasive soap. Obtain medical attention if irritation persists.

**Eyes:** Flush eyes with clean water for at least 15 – 20 minutes. Lift eyelids to facilitate irrigation. If present, remove contact lenses after 5 minutes and continue rinsing. **Seek medical attention immediately.**

**Ingestion:** Seek medical attention or call a poison control centre for treatment advice. **Do not induce vomiting.** Do not give anything by mouth. If the person is alert, rinse mouth thoroughly with water.

**Anticipated acute effects:**

May be harmful if swallowed.

May be fatal if swallowed and enters airways.

Causes mild skin irritation.

Causes serious eye damage.

**Anticipated delayed effects:** None known.

**Most important symptoms / effects:** None known.

**Advice to physician:** Treat symptomatically and supportively. No specific antidote known. The product contains solvent that may cause chemical pneumonitis if aspirated into lungs. If ingested perform gastric lavage and administer activated charcoal.

## 5. FIRE-FIGHTING MEASURES

**Suitable Extinguishing Media:** Extinguish small fires with carbon dioxide, dry powder, halon or alcohol-resistant foam. Water spray or fog can be used for larger fires or cooling of unaffected stock, but avoid coming into contact with the product. Use as little water as possible.

**Unsuitable Extinguishing Media:** High volume water jet. Use a water jet only to cool heated containers. Use as little water as possible.

**Specific hazards:** Hazards or hazardous products arising from combustion.

## 6. ACCIDENTAL RELEASE MEASURES

**Personal precautions:** Avoid contact with skin and eyes. Do not breathe in spray mist or fumes / vapours. Ventilate area of spill or leak, especially in contained areas.

**Protective equipment:** Refer to Section 8 for personal protective equipment to be worn during containment and clean-up of a spill involving this product.

**Emergency procedures:** Alert firefighting personnel, evacuate unprotected personnel and animals.

**Environmental Precautions:** Prevent spilled product from entering sewers, waterways or ground water. This product is classified as very toxic to aquatic organisms with long lasting effects in the aquatic environment. Any spillages or uncontrolled discharges into watercourses should be reported immediately to the police and the Department of Water / Environmental Affairs.

**Methods and Materials for Containment:** Contain spilled product by diking area with sand or earth.

**Methods and Materials for Clean-up:** Cover contained spill with an inert absorbent material such as sand, vermiculite, earth or other appropriate material. Vacuum, scoop, or sweep up material and place the material into a clean, dry, sealable container. Label containers with the contents and dispose of according to local regulations. Do not place spilled material back in original container. Do not re-use spilled material. Collect washings and add to the drums already collected. Do not flush spilled material or washings into drains or waterways. To decontaminate the spill area, tools and equipment, wash with water and suitable detergent. See section 13 for disposal considerations.

## 7. HANDLING AND STORAGE

**Handling:**

**Precautions for safe handling:** May be harmful if swallowed. Avoid contact with skin and eyes. Ensure adequate ventilation during handling and use. Do not handle broken packages without protective equipment. Immediately clean up spills that occur during handling.

# UNIVERSAL D-ZOLE 250EC

# SAFETY DATA SHEET

Keep containers closed when not in use. In the case of contact with the product refer to First Aid Measures – Section 4.

**General occupational hygiene:** Practice good hygiene when using this material. Wash hands before eating, drinking, chewing gum, smoking, using the toilet or applying cosmetics. Worker should shower at the end of each workday. Launder all clothing before it is re-used.

**Storage:**

**Conditions for safe storage:** Keep under lock and key and out of reach of unauthorised persons, children and animals. Store in its original, labelled container, tightly closed in an isolated, dry, cool and well-ventilated area. Avoid excess heat. Not to be stored next to foodstuffs, feed and water supplies. Avoid cross contamination with other pesticides and fertilisers.

**Incompatible substances and mixtures:** Refer to product label.

**Packaging material:** Fluorinated plastic containers.

## 8. EXPOSURE CONTROLS AND PERSONAL PROTECTION

**Permissible concentration**

Components	Exposure limits	Type of exposure limit	Source
Naphthalene C <sub>10</sub> H <sub>8</sub>	10 ppm 50 mg/m <sup>3</sup>	TWA OEL-RL	"Hazardous Chemical Substances Regulations, 1995"

**Engineering Controls:**

It is essential to provide adequate ventilation. The measures appropriate for a particular worksite depend on how this material is used and on the extent of exposure. Local Exhaust: Provide general or local exhaust ventilation systems to maintain airborne concentrations below OELs or other specified exposure limits. Local exhaust ventilation is preferred. Ensure that control systems are properly designed and maintained. Comply with occupational safety, environmental, fire and other applicable regulations.

**Personal Protective Equipment:**

**Respiratory Protection:** For most well-ventilated conditions, no respiratory protection should be needed. If used in a poorly ventilated area (airborne concentrations exceed exposure limits), use a NIOSH approved, air-purifying respirator with cartridges / canisters approved for organic vapours.

**Hand Protection:** The use of chemically protective impervious gloves is recommended to prevent against skin contact.

**Eye Protection:** Chemical safety goggles must be used to prevent against eye contact. Contact lenses are not protective eye devices.

**Skin and Body Protection:** Employees must wear appropriate protective impervious clothing, rubber boots,

hat and equipment to prevent repeated or prolonged skin contact when working with pesticides. Do not wear leather clothing.

**Emergency eyewash:** Where there is any possibility that an employee's eyes may be exposed to this substance, the employer should provide an eye wash fountain or appropriate alternative within the immediate work area for emergency use.

## 9. PHYSICAL AND CHEMICAL PROPERTIES

**Appearance:** Amber liquid.

**Odour:** Not available.

**Odour threshold:** Not available.

**pH:** Not available.

**Melting point:** Not available.

**Freezing Point:** Not available.

**Boiling Point:** Not available.

**Flash Point:** Not available.

**Flammability:** Not flammable.

**Upper / lower explosion limits:** Not available.

**Vapour Pressure (mm Hg):** Not available.

**Relative Vapour Density:** Not available.

**Density / Relative density:** 1.01 g/ml

**Solubility:** Emulsifies in water.

**n-octanol / water partition coefficient:** Not available.

**Auto-ignition temperature:** Not available.

**Decomposition temperature:** Not available.

**Viscosity:** Not available.

## 10. STABILITY AND REACTIVITY

**Chemical stability:** The product is stable for two years at ambient temperature and pressure, under normal storage and handling conditions. Avoid storage under extreme temperatures and conditions. Store below 50 °C, preferably below 30 °C, and not for prolonged periods in direct sunlight.

**Reactivity:** None known.

**Possibility of hazardous reactions:** Unlikely to occur.

**Conditions to avoid:** Extreme heat or exposure to flames.

**Incompatible materials:** Strong oxidizers, strong bases, strong reducing agents.

**Hazardous decomposition products:** Alcohols. carbon monoxide and carbon dioxide may form under burning conditions or with incomplete combustion.

## 11. TOXICOLOGICAL INFORMATION

**ACUTE TOXICITY:**

**Oral LD<sub>50</sub> (24h) > 3030 mg/kg (rat)**

**Dermal LD<sub>50</sub> > 5000 mg/kg (rabbit)**

**Inhalation LC<sub>50</sub> (4h) > 5 mg/l (rat)**

**Skin Irritation:** Causes mild skin irritation.

**Eye Damage:** Causes serious eye damage.

**Skin Sensitization:** Product is not known to be a skin sensitizer.

# UNIVERSAL D-ZOLE 250EC

# SAFETY DATA SHEET

**Respiratory Sensitization:** Product is not known to be a skin sensitizer.

**Reproductive cell mutagenicity:** Not available.

**Carcinogenicity:** Not available.

**Reproductive toxicity:** Not available.

**Specific target organ toxicity – single exposure:** Not available.

**Specific target organ toxicity – repeated exposure:** Not available.

**Aspiration hazard:** May be fatal if swallowed and enters airways.

**Chronic Effects:** Not available.

**POTENTIAL ADVERSE EFFECTS:**

**Inhalation:** Not available.

**Ingestion:** If large amounts are swallowed and aspiration of the solvent into the lungs occurs, chemical pneumonitis may develop. Small amounts of product aspirated into the respiratory system during ingestion or vomiting, may cause mild to severe pulmonary injury.

## 12. ECOLOGICAL INFORMATION

This product is considered a marine pollutant.

**ECOTOXICITY DATA:**

**Difenoconazole TC**

**Fish:**

LC <sub>50</sub> (96 h)	Rainbow trout	1.1 mg/l
	Bluegill sunfish	1.2 mg/l
	Sheepshead minnows	1.1 mg/l

**Daphnia:**

EC <sub>50</sub> (48 h)		0.77 mg/l
-------------------------	--	-----------

**Algae:**

EC <sub>50</sub> (72 h)	<i>Scenedesmus subspicatus</i>	0.03 mg/l
-------------------------	--------------------------------	-----------

**Birds:**

Acute oral LD <sub>50</sub> (9-11d)	Mallard ducks	>2150 mg/kg
	Japanese quail	>2000 mg/kg
Dietary LC <sub>50</sub> (5d)	Mallard ducks	>5000 mg/kg diet
	Bobwhite quail	>4760 mg/kg diet

**Bees:**

LD <sub>50</sub> contact		>100 µg/bee
LD <sub>50</sub> oral		>177 µg/bee

**Worms:**

LC <sub>50</sub> (14d)	<i>Eisenia fetida</i>	>610 mg/kg soil
------------------------	-----------------------	-----------------

## ENVIRONMENTAL EFFECTS

**Plants:** Two routes of metabolism: one by a triazole route to triazolylalanine and triazolylacetic acid; the other by hydroxylation of the phenyl ring, followed by conjugation.

**Persistence and degradability:** Soil dissipation rate is slow and dependent on application rate; DT50 3 mo-1 y. Hydrolytically stable at pH 5-9 (25 °C). Undergoes indirect photolysis in (sterile)n natural water; DT50 4.6 d. In standard lab. Water-sediment systems (n = 2) in the dark, rapid dissipation from the water, DT50 1-3 d, but slow degradation in whole system, DT50 c 8 mo.

**Bio-accumulative potential:** Not determined.

**Mobility in soil:** Practically immobile in soil, strong adsorption to soil particles (mean adsorption coefficient normalised to organic carbon, K<sub>oc,ads</sub> 4.545 ml/g), low potential to leach below top soil layer.

**Other adverse effects:** Not determined.

## 13. DISPOSAL CONSIDERATIONS

**Waste:** Open dumping or burning of this pesticide is prohibited. Waste resulting from the use of this product cannot be reused or re-processed. Never pour untreated waste or surplus product into public sewers or where there is any danger of run-off or seepage into water systems. Do not contaminate rivers, dams or any other water sources with the product or used containers. Comply with local legislation applying to waste disposal. The product may be taken to a registered waste disposal site or incineration plant.

**Container:** Emptied containers retain product residues. Do not re-use the empty container for any other purpose. Triple rinse empty containers by inverting the empty container over the spray or mixing tank and allow draining for at least 30 seconds after the flow has slowed down to a drip. Thereafter, rinse the container three times with a volume of water equal to a third of that of the container. Add the rinsings to the contents of the spray tank before destroying the container in the prescribed manner. Destroy the container by perforating and flattening and dispose of through an approved waste dump site, incineration plant or recycling company. Observe all labelled safeguards until container is destroyed.

## 14. TRANSPORT INFORMATION

**UN Number: 3082**

**Road Transport ADR / ORD:**

Class:	9
Packaging group:	III
UN Proper Shipping Name:	ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (Difenoconazole 250 g/l)

**Maritime Transport IMDG / IMO:**

Class:	9
Packaging group:	III
UN Proper Shipping Name:	ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (Difenoconazole 250 g/l)

**Marine pollutant (Y/N):** Yes.

**Air Transport IATA / ICAO:**

Class:	9
Packaging group:	III
UN Proper Shipping Name:	ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (Difenoconazole 250 g/l)

**Special / Environmental Precautions:** Wedge drums tightly to avoid movement.

## UNIVERSAL D-ZOLE 250EC

## SAFETY DATA SHEET

**Transport in bulk:** Refer to MARPOL 73/78, Annex II and the IBC code.

For detailed information on revisions, contact the Registration holder.

### 15. REGULATORY INFORMATION

**Safety, health and environmental regulations / legislation for the mixture:**

OHSA 1993 Regulations for Hazardous Chemical Substances.

**Relevant information regarding restrictions:** None.

**EU regulation:** Regulation EC1272/2008 (EU-GHS/CLP)

**Other national regulations:** None.

**Chemical Safety Assessment carried out?** No

### 16. OTHER INFORMATION

**Packaging:** Packed in 1, 5, 10, 20 and 25 litres fluorinated plastic containers labelled according to South African regulations and guidelines.

**Other hazard statements, abbreviations and explanations:**

**H302:** Harmful if swallowed.

**H315:** Causes skin irritation.

**H319:** Causes serious eye irritation.

**H412:** Harmful to aquatic life with long lasting effects.

**H413:** May cause long lasting harmful effects to aquatic life.

**IATA:** International Air Transport Association.

**IBC:** International Bulk Chemical.

**ICAO:** International Civil Aviation Organization.

**IMDG:** International Maritime Dangerous Goods

**IMO:** International Maritime Organization.

**LD<sub>50</sub> value:** The median lethal dose or the amount of a toxic agent that is sufficient to kill 50 percent of a population within a certain period of time.

**OEL/RL:** Occupational exposure limit-recommended limit.

**TWA:** Time-weighted average – The average exposure over a specified period, usually a nominal eight hours.

**ST/STEL:** Short-term exposure limits.

**Disclaimer:** The information on this sheet is not a specification; it does not guarantee specific properties. The information is intended to provide general guidance as to health and safety based upon our knowledge of the handling, storage and use of the product. It is not applicable to unusual or non-standard uses of the product nor where instructions or recommendations are not followed. All information is given in good faith but without guarantee in respect of accuracy, and no responsibility is accepted for errors and omissions or the consequence thereof.

### END OF DOCUMENT

**Compiled:** September 2019

**Reviewed:** September 2019

**Revision no.:** (1)

**Next revision date:** September 2024