

BEFORE USING THIS PRODUCT READ THE LABEL CAREFULLY!

Adjuvant



SUMMIT

Reg. No. L 8328 Act/Wet No. 36 of/van 1947

1:26/02/09-Feb2017

*An adjuvant for use with Bipyridylum and Sulfonyleurea herbicides as listed.  
'n Byvoegmiddel vir gebruik met Bipiridylum en Sulfonielureum onkruidodders  
soos aangedui.*

**ACTIVE INGREDIENT / AKTIEWE BESTANDEEL**

diaminomethanal / ammonium salt **957 g/l** diamienometanal / ammoniumsout



villa



Registration holder / Registrasiehouer:

Villa Crop Protection (Pty) Ltd.

Co. Reg. No. / Mpy. Reg. Nr. 1992/002474/07

PO Box / Posbus 10413, Aston Manor, 1630

Tel: 011 396 2233

Website / Webblad: [www.villacrop.co.za](http://www.villacrop.co.za)

UN Number: Not Regulated

Willow Set & Print 011 394-4486



CAUTION  
VERSIGTIG



GEBRUIKSAANWYSINGS INGESLUIT

VERWYS NA BESONDERHEDE  
GEDRUK OP HOUER/SAK

Date formulated:

Formuleringsdatum:

DIRECTIONS FOR USE ENCLOSED

REFER TO DETAILS PRINTED

ON CONTAINER/BAG

Batch number:

Lotnommer:

**SUMMIT**

Reg. No. L 8328 Act/Wet No. 36 of/van 1947

**ACTIVE INGREDIENT / AKTIEWE BESTANDEDEEL:**

diaminometanal / ammonium salt (diamienometanal / ammoniumsout).....957 g/l

Registration holder / Registrasiehouer:

**VILLA CROP PROTECTION (PTY) LTD.**

Co. Reg. No. 1992/002474/07

PO Box 10413,

ASTON MANOR, 1630,

Tel. (011) 396 2233

**CAUTION / VERSIGTIG****WARNINGS**

- Adhere to all label warnings that apply to the product or products with which **SUMMIT** is to be used.
- Store in a cool, dry, well-ventilated place.
- Store away from food, feeds, seed, fertilizers and other agricultural remedies.
- Can cause eye irritation.
- Keep out of reach of children, uninformed persons and animals.
- Re-entry: Adhere to the re-entry interval and requirements as indicated on the herbicide label.

**Aerial application:**

Notify all the inhabitants in the immediate vicinity of the area to be sprayed and issue the necessary warnings.

**Although this remedy has been extensively tested under a wide variety of conditions, the registration holder does not warrant that it will be efficacious under all conditions, because the action and effect thereof may be affected by factors such as abnormal soil, climatic and storage conditions, quality of dilution water, compatibility with other substances not indicated on the label as well as by the method, time and accuracy of application. The registration holder furthermore does not accept responsibility for damage to crops, vegetation, the environment or harm to man or animal for any reason whatsoever or for lack of performance of the remedy concerned, due to failure of the user to follow the instruction or to the occurrence of conditions, which could not have been foreseen in terms of the registration. Consult the supplier in the event of any uncertainty.**

**PRECAUTIONS**

- Avoid inhalation of the spray mist.
- Wear a face shield and gloves when handling the product.
- After use and in case of accidental skin contact, wash thoroughly with soap and water.
- In the case of eye contact, flush eyes with copious amounts of water for at least 15 minutes.
- Wash contaminated clothing after use.
- Do not eat, drink or smoke whilst mixing or applying or before washing hands and face and change of clothing.
- Prevent drift of spray mist onto other crops, grazing, rivers, dams and areas not under treatment.
- Thoroughly clean the applicator after use and dispose of wash water in a way that will not contaminate the environment, food, grazing and water sources.
- **TRIPLE RINSE** empty containers in the following manner: Invert the empty container over the spray or mixing tank and allow draining for at least 30 seconds after the flow has slowed down to a drip. Thereafter rinse the container three times with a volume of water equal to a minimum of a third of that of the container. Add the rinsing to the contents of the spray tank before destroying the container in the prescribed manner.
- Destroy the container by perforation and flattening and dispose of it in a safe way.
- **Never** re-use the empty container for any other purpose.
- Prevent contamination of food, feeds, drinking water and eating utensils.

**PRODUCT PROPERTIES**

- **SUMMIT** contains humectant and absorption properties, which enhances herbicidal performance.
- **SUMMIT** has been formulated specifically for use with the **Bipyridylum** group of herbicides, but will also enhance the activity of **Sulfonylurea** herbicides.

**USE RESTRICTIONS**

- Test the mixture on a small scale before applying it commercially.

**DIRECTIONS FOR USE: Use only as directed.****Compatibility:**

- **SUMMIT** should be used only in conjunction with non-ionic surfactants that are recommended for use with **Paraquat dichloride**-containing herbicides and adjuvants that are used with **Sulfonylureas**.
- Adhere to the “**Mixing instructions**” and “**DIRECTIONS FOR USE**” for the product with which **SUMMIT** is to be used.

**Mixing Instructions:**

- Half fill the spray tank with clean water.
- Add the required amount of **SUMMIT** prior to the herbicide. The rest of the water can then be added while stirring.
- In the event of tank mixes, strictly adhere to all the recommendations of the tank-mix components.
- Prepared mixture must not be left in the spray tank for any length of time.
- **SUMMIT** is corrosive therefore the sprayer, tank and system should be rinsed thoroughly after the use of **SUMMIT**, to remove all ammonium salt residues.

**Application Instructions:****Ground application:**

**SUMMIT** can be used with any correctly calibrated spray equipment as recommended on the herbicide label.

**Aerial application:**

Adhere to all necessary precautions associated with aerial spraying of herbicides, especially with regard to control of drift. If in any doubt, consult with the supplier and/or aerial application operator.

**APPLICATION RATES**

<i>Herbicide</i>	<i>SUMMIT Dosage Rate for all herbicides</i>
<b>Bipyridylum herbicides such as:</b> <b>Paraquat dichloride - SKOFFEL® 145</b> <b>SL</b> (L 4347)	<b>Spray volume up to 200 ℓ / ha: 0.5 ℓ / 100 ℓ water (0.5 % v / v)</b> <b>Spray volume +200 ℓ to 400 ℓ / ha: 1.0 ℓ / ha</b>
<b>Sulfonylurea herbicides</b>	

**SKOFFEL®** is a registered trademark of / is 'n geregistreerde handelsmerk van  
**VILLA CROP PROTECTION (PTY) LTD.**