



# ADDITION 150 SC


Active ingredient: Indoxacarb (oxadiazine) 150 g/l

A suspension concentrate stomach and contact insecticide for the control of maize stalk borer (*Busseola fusca*), sorghum stem borer (*Chilo partellus*) and African bollworm (*Helicoverpa armigera*)

INSECTICIDE



Summary of trials showing the percentage efficacy of ADDITION 150 SC



## Features

- ADDITION 150 SC is an IRAC Insecticide Group code 22
- Stomach and contact action
- Strong anti-feeding action
- Low dosage rates for effective control
- Centre pivot registration
- Tank-mix compatible with lambda-cyhalothrin
- Highly effective against all larval instar stages
- Effective under hot climatic conditions.
- Safe to non-target insect species

## Label recommendations

Maize stalk borer, sorghum stem borer & African bollworm:

- 300 mL/ha ADDITION 150 SC plus
- 120 mL/ha Lambda 50 EC plus
- approved Villa Buffer

## Do's and don'ts

- Start the application before 5% infestation
- Under conditions of repeated infestation apply ADDITION 150 SC in a 10-14 day program
- Do not exceed the maximum of 3 applications per season
- The absence of rain or irrigation within 3 days of application can lead to a decrease in control

ALWAYS READ THE LABEL BEFORE USE

ADDITION 150 SC Active ingredients: Indoxacarb (oxadiazine) 150 g/l, Reg. No. L9146 (harmful), Act 36 of 1947  
 Registration holder: Villa Crop Protection (Pty) Ltd., Co. Reg. No. 1992/002474/07, PO Box 10413, Aston Manor, 1630. Tel. (011) 396-2233