

# VILLA FUNGAWAY® 250 SC

# SAFETY DATA SHEET

## 1. CHEMICAL PRODUCT AND COMPANY IDENTIFICATION

**Product Name:** FUNGAWAY® 250 SC  
**Other identifier:** Azoxystrobin 250 SC  
**Recommended use:** Fungicide  
**Restrictions on use:** Agriculture

**Supplier:** Villa Crop Protection (Pty) Ltd.  
PO Box 10413, Aston Manor  
1630, South Africa

**Telephone:** (011) 396 2233

**Fax:** (011) 396 4666

**Website:** [www.villacrop.co.za](http://www.villacrop.co.za)

### Emergency telephone numbers:

#### 24 Hr Transport / Spill emergency no:

Envirosure. +27 31 205 4918

(Hazcall24) +27 86 044 4411

(Client: Villa Crop Protection)

Griffon Poison Information Centre +27 82 446 8946

(Client: Villa Crop Protection)

#### Poisoning Emergency telephone numbers:

Griffon Poison Information Centre +27 82 446 8946

Poisons Information Centre +27 861 555 777

#### Villa Crop Protection Emergency number:

**National Safety, Health and Environmental Manager:**

+27 63 698 0668

## 2. HAZARDS IDENTIFICATION

UN GHS, Regulation EC 1272/2008 [EU-GHS/CLP] EU & SANS 10234:2008		
Hazard classes	Hazard categories	H-statements
<b>Health</b>		
Inhalation	Acute Tox. 4	H332
<b>Environment</b>		
Aquatic Acute	Aquatic Acute 1	H400
Aquatic Chronic	Aquatic Chronic 1	H410

### The most important adverse effects:

#### Physiochemical effects:

None known.

#### Human health effects:

Harmful if inhaled.

#### Label elements:



**Signal word:** Warning.

### Hazard statements:

H332: Harmful if inhaled.

H400: Very toxic to aquatic life.

H410: Very toxic to aquatic life with long lasting effects.

### Precautionary statements:

P271: Use only outdoors or in a well-ventilated area.

P273: Avoid release into the environment.

P391: Collect spillage.

P501: Dispose of contents/container to suitable landfill in accordance with local regulations.

### Special labelling of certain mixtures:

None known.

### Other hazards:

None known.

### Toxicity:

Classification according to GHS: Category 4

Classification according to WHO: III

Classification according to GPIC (Active): Unclassified

## 3. COMPOSITION / INFORMATION ON INGREDIENTS

**Substance/Mixture:** Mixture.

### Composition:

Chemical Name	CAS	Conc. (m/v %)	Classification EC 1272/2008
Azoxystrobin tech 96 %	131860-33-8	25 %	Acute Tox. 3 (H331) Aquatic Acute 1 (H400) Aquatic Chronic 1 (H410)
Anti-freeze	107-21-1	<10 %	Acute Tox. 4 (H302)
Dispersant	78330-20-8	<1 %	Acute Tox. 4 (H302) Eye Dam. 1 (H318)
Preservative	2634-33-5	<0,5 %	Acute Tox. 4 (H302) Skin Irrit. 2 (H315) Eye Dam. 1 (H318) Aquatic Acute 1 (H400)
Citric Acid	77-92-9	<0.1 %	Eye Irrit. 2 (H319)

## 4. FIRST AID MEASURES

Remove the victim from the area of exposure. Wash off remaining material with plenty of water. In the event of any complaints or symptoms, avoid further exposure and if symptoms persist consult a doctor.

# VILLA FUNGAWAY® 250 SC

# SAFETY DATA SHEET

**Inhalation:** If vapours or mists have been inhaled, move victim to fresh air and remove source of contamination if safe to do so. Administer artificial respiration if patient is not breathing; if breathing is laboured supply oxygen. Only qualified personnel should administer oxygen. Immediately obtain medical attention.

**Skin:** Remove contaminated clothing and shoes. Wash skin gently and thoroughly with cold water and non-abrasive soap. Obtain medical attention if irritation occurs.

**Eyes:** Flush eyes with clean water. Lift eyelids to facilitate irrigation. If present, remove contact lenses and continue rinsing. Seek medical attention if irritation develops.

**Ingestion:** Rinse mouth thoroughly with water if person is alert. Have person drink plenty of water if able to swallow. Never give anything by mouth to an unconscious person. Do not induce vomiting, unless instructed to do so by a physician. If vomiting occurs, keep head lower than hips to prevent aspiration. Obtain medical attention of the affected person is not feeling well.

**Anticipated acute effects:** Harmful if inhaled.

**Anticipated delayed effects:** None known.

**Most important symptoms/effects:** None known.

Advice to physician: There is no specific antidote available. Treat symptomatically and supportively.

## 5. FIRE-FIGHTING MEASURES

**Suitable Extinguishing Media:** Extinguish fires with carbon dioxide, dry powder, water fog or alcohol-resistant foam.

**Unsuitable Extinguishing Media:** Water jet.

**Specific hazards:** In case of fire and/or explosion do not breathe fumes.

**Special Fire Fighting Procedures:** Remove spectators from surrounding area. Isolate the fire area and evacuate all personnel downwind of the fire. Fight fire from maximum distance and use unmanned hose holder or monitor nozzles. Keep upwind. Avoid inhaling hazardous vapours and fumes from burning materials. Remove container from fire area if possible and without risk. Do not use high volume water jet, due to contamination risk. Do not scatter the burning material. Water can be used to cool unaffected containers but must be contained for later disposal. Contain fire control agents for later disposal. Avoid pollution of waterways by run-off from the site.

**Personal protective equipment:** Wear NIOSH/MSHA approved self-contained breathing apparatus and full bunker gear.

## 6. ACCIDENTAL RELEASE MEASURES

**Personal Precautions:** Ventilate area of spill or leak, especially in contained areas.

**Protective equipment:** Refer to Section 8 for personal protective equipment to be worn during containment and clean-up of a spill involving this product.

**Emergency procedures:** Alert firefighting personnel, evacuate unprotected personnel and animals.

**Environmental Precautions:** Prevent spilled product from entering sewers, waterways or ground water. This product is classified to be toxic to aquatic organisms and causes long-term adverse effects in the aquatic environment. Any spillages or uncontrolled discharges into watercourses should be reported immediately to the police and the Department of Water/Environmental Affairs.

**Methods and Materials for Containment:** Contain spilled product by diking area with sand, earth or silica gel.

**Methods and Materials for Clean-up:** Cover contained spill with an inert absorbent material such as sand, earth or other appropriate non-combustible material. Vacuum, scoop, or sweep up material and place the material into a clean, dry, sealable container. Label containers with the contents and dispose of according to local regulations. Do not place spilled material back in original container. Do not re-use spilled material. Collect washings and add to the drums already collected. Do not flush spilled material or washings into drains or waterways. To decontaminate the spill area, tools and equipment, wash with water and suitable detergent (i.e. organic solvent, detergent bleach or caustic). Add the solution to the drums already collected. Open burning or dumping of this material is prohibited. See section 13 for disposal considerations.

## 7. HANDLING AND STORAGE

**Handling:**

**Precautions for safe handling:** Ensure adequate ventilation during handling and use. Do not handle broken containers without protective equipment. Immediately clean up spills that occur during handling. Keep containers tightly closed when not in use. In the case of contact with the product refer to First Aid Measures – Section 4.

**General occupational hygiene:** Practice good hygiene when using this material. Wash hands before eating, drinking, chewing gum, smoking, using the toilet or applying cosmetics. Worker should shower at the end of each workday. Launder all clothing before it is re-used.

**Storage:**

**Conditions for safe storage:** Keep out of reach of unauthorised persons, children and animals. Store in its original labelled container tightly closed, in an isolated, dry, cool and well-ventilated area. Avoid excessive heat. Avoid cross contamination with other pesticides and fertilisers.

**Incompatible substances and mixtures:** Refer to product label.

## VILLA FUNGAWAY® 250 SC

## SAFETY DATA SHEET

Packaging material: Plastic bottles.

### 8. EXPOSURE CONTROLS AND PERSONAL PROTECTION

#### Permissible concentration

Components	Exposure limits	Type of exposure limit	of	Source
Sodium hydroxide	(C) 2 mg/m <sup>3</sup>	TWA (hours)	(8)	OSHA PEL

**Engineering Controls:** It is essential to provide adequate ventilation. The measures appropriate for a particular worksite depend on how this material is used and on the extent of exposure. Local Exhaust: Provide general or local exhaust ventilation systems to maintain airborne concentrations below OSHA PELs or other specified exposure limits. Local exhaust ventilation is preferred. Ensure that control systems are properly designed and maintained. Comply with occupational safety, environmental, fire, and other applicable regulations.

#### Personal Protective Equipment:

**Respiratory Protection:** Wear an organic cartridge respirator suitable for protection from mists/ vapours of pesticides if inhalation is likely to occur.

**Hand Protection:** No skin irritation or symptoms due to skin exposure should occur, but as a safety precaution, the use of gloves is recommended to prevent against skin contact.

**Eye Protection:** No eye irritation should occur, but use of chemical safety goggles is recommended to prevent against eye contact. Contact lenses are not protective eye devices.

**Skin and Body Protection:** The use of protective (impervious) clothing e.g. coveralls is recommended as a general rule to prevent skin contact when working with pesticides.

**Emergency eyewash:** Where there is any possibility that an employee's eyes may be exposed to this mixture; the employer should provide an eyewash fountain or appropriate alternative within the immediate work area for emergency use.

### 9. PHYSICAL AND CHEMICAL PROPERTIES

**Appearance:** Off-white soluble concentrate.

**Odour:** Not available.

**pH (1% aqueous dilution):** 5.

**Melting point:** Not available.

**Freezing Point:** Not available.

**Boiling Point:** Not available.

**Flash Point:** Not applicable.

**Flammability:** Not flammable.

**Upper/lower explosion limits:** Not explosive.

**Vapour Pressure (mm Hg):** Not available.

**Relative Vapour Density:** Not available.

**Density:** 1.056 g/l @ (20°C).

**Solubility:** Forms a suspension.

**n-octanol/water partition coefficient:** Not available.

**Auto-ignition temperature:** Not available.

**Decomposition temperature:** Not available.

**Viscosity:** Not available.

### 10. STABILITY AND REACTIVITY

**Chemical Stability:** The product is stable for two years at ambient temperature and pressure, under normal storage and handling conditions. Avoid storage under extreme temperatures and conditions. Store below 50°C, preferably below 30°C, and not for prolonged periods in direct sunlight.

**Reactivity:** None known.

**Possibility of Hazardous Reactions:** None known.

**Conditions to Avoid:** None known.

**Incompatible Materials:** Avoid contact with strong oxidizing agents and strong acids.

**Hazardous Decomposition Products:** None known.

### 11. TOXICOLOGICAL INFORMATION

#### ACUTE TOXICITY:

**Calculated according to GHS.**

**Oral LD<sub>50</sub> (24 h) rat >11000 mg/kg.**

**Dermal LD<sub>50</sub> (24 h) rat >7900 mg/kg.**

**Inhalation LC<sub>50</sub> (4 h) rat > 1,5 mg/l.**

**Skin Irritation/Corrosion:** Not available.

**Eye Damage/Irritation:** Not available.

**Skin Sensitization:** Not available.

**Respiratory Sensitization:** Not available.

**Reproductive cell mutagenicity:** Not available.

**Carcinogenicity:** Not available.

**Reproductive toxicity:** Not available.

**Specific target organ toxicity – single exposure:** Not available.

**Specific target organ toxicity – repeated exposure:** Not available.

**Aspiration hazard:** Not available.

**Chronic Effects:** Not available.

#### POTENTIAL ADVERSE EFFECTS:

**Inhalation:** Harmful by inhalation.

**Skin contact:** Not expected to be a skin sensitizer or cause irritation.

**Eye contact:** Not expected to cause eye irritation.

**Ingestion:** Do not ingest.

# VILLA FUNGAWAY® 250 SC

# SAFETY DATA SHEET

## 12. ECOLOGICAL INFORMATION

This product is very toxic to aquatic life with long lasting effects.

### ECOTOXICITY DATA: Active ingredient

**Fish:**

LC <sub>50</sub> (96 h)	Rainbow trout	0.47 mg/l
	Bluegill sunfish	1.1 mg/l
	Carp	1.6 mg/l
	Sheepshead minnows	0.66 mg/l

**Daphnia:**

EC <sub>50</sub> (48 h)		0.28 mg/l
-------------------------	--	-----------

**Algae:**

EC <sub>50</sub> (72 h)	<i>Pseudokirchneriella subcapitata</i>	0.18 mg/l
EC <sub>50</sub> (72 h)	Diatom <i>Navicula pelliculosa</i>	0.028 mg/l

**Birds:**

Acute oral LD <sub>50</sub>	Mallard ducks and Bobwhite quail	>2000 mg/kg
Dietary LC <sub>50</sub> (5 d)	Bobwhite quail and Mallard ducks	>5200 mg/kg

**Bees:**

LD <sub>50</sub>	(oral)	>25 ug/bee
	(contact)	>200 ug/bee

**Worms:**

LC <sub>50</sub> (14 d)	Earthworms	283 mg/kg
-------------------------	------------	-----------

**Plants:**  
 In wheat, grapes and peanuts, metabolism was extensive, but parent azoxystrobin was the only major (>10 %) residue. Metabolism followed similar pathways in all three crops.

### ENVIRONMENTAL EFFECTS:

**Persistence and degradability:** In soil, DT<sub>50</sub> (lab.) 70 d (geometric mean; normalised to 20°C, pF2; SFO kinetics). In soil, in the dark, up to six identified metabolites were formed; over 120 d, up to 27% of applied radiolabel is evolved as CO<sub>2</sub>. Dissipation in the field is faster; DT<sub>50</sub> (geometric mean; SFO) 28 d, DT<sub>90</sub> 94 d (best fit, HS kinetics: DT<sub>50</sub> 13 d, DT<sub>90</sub> 236 d). On soil, photolysis DT<sub>50</sub> 11 d. **Azoxystrobin** is classified as moderately mobile in soil; average K<sub>foc</sub> for azoxystrobin c. 430. Field dissipation studies showed that neither azoxystrobin nor its major degradates were typically found in soil below the top 15 cm. In water-sediment systems (lab., 20°C, dark), water phase ave. DT<sub>50</sub> 6.1 d (SFO), total system ave. DT<sub>50</sub> 214 d (SFO). Degradation in atmosphere occurs by reaction with hydroxyl radicals (AOP model), DT<sub>50</sub> 2.7h.

**Bio-accumulative Potential:** Not determined.

**Mobility in soil:** Not determined.  
**Other adverse effects:** Not determined.

## 13. DISPOSAL CONSIDERATIONS

**Waste:** Open dumping or burning of this pesticide is prohibited. Waste resulting from the use of this product cannot be reused or re-processed. Never pour untreated waste or surplus product into public sewers or where there is any danger of run-off or seepage into water systems. Do not contaminate rivers, dams or any other water sources with the product or used containers. The product may be taken to a registered waste disposal site or incineration plant. Where possible, recycling is preferred to disposal or incineration. If recycling is not practicable, dispose of in compliance with local regulations.

**Container:** Emptied containers retain product residues. Do not re-use the empty container for any other purpose. Invert the empty container over the spray or mixing tank and drain for at least 30 seconds after the flow has slowed down to dripping. Thereafter rinse the empty container three times in succession with one quarter of the container volume fresh water and decant the rinsate into the spray or mixing tank. Puncture the triple rinsed container and dispose of via an approved collector or recycler ([www.croplife.co.za](http://www.croplife.co.za)). Do not bury, burn or donate the container to any other parties that may use it as a container for food or beverages. Observe all labelled safeguards until container is destroyed.

## 14. TRANSPORT INFORMATION

<b>UN Number:</b>	3082
<b>Road Transport ADR/IRD:</b>	
Class:	9
Packaging group:	III
UN Proper Shipping Name:	<b>Environmentally Hazardous Substance, Liquid, N.O.S. (Azoxystrobin 25 %)</b>
<b>Maritime Transport IMDG/IMO:</b>	
Class:	9
Packaging group:	III
UN Proper Shipping Name:	<b>Environmentally Hazardous Substance, Liquid, N.O.S. (Azoxystrobin 25 %)</b>
<b>Marine Pollutant (Y/N):</b>	Yes, Considered a marine pollutant.
<b>Air transport IATA/ICAO:</b>	
Class:	9
Packaging group:	III
UN Proper Shipping Name:	<b>Environmentally Hazardous Substance, Liquid, N.O.S. (Azoxystrobin 25 %)</b>

## VILLA FUNGAWAY® 250 SC

## SAFETY DATA SHEET

**Special/Environmental Precautions: None known.**

**Transport in bulk** (according to MARPOL 73/78, Annex II and the IBC code): Not available.

### 15. REGULATORY INFORMATION

**Safety, health and environmental regulations/legislation for the mixture:**

OHSA 1993 Regulations for Hazardous Chemical Substances.

**Relevant information regarding restrictions:** None.

**EU regulation:** Regulation EC1272/2008 (EU-GHS/CLP)

**Other national regulations:** None.

**Chemical Safety Assessment carried out?** No

### 16. OTHER INFORMATION

**Packaging:** Packed in 50, 100, 250, 500 ml & 1, 4, 5, 10, 20 or 25 litres plastic bottles and labelled according to South African regulations and guidelines.

**Additional H-statement (s) (formulants)**

**H302:** Harmful if swallowed.

**H315:** Causes skin irritation.

**H318:** Causes serious eye damage.

**H319:** Causes serious eye irritation.

**H331:** Toxic if inhaled.

**Disclaimer:** The information on this sheet is not a specification; it does not guarantee specific properties. The information is intended to provide general guidance as to health and safety based upon our knowledge of the handling, storage and use of the product. It is not applicable to unusual or non-standard uses of the product nor where instructions or recommendations are not followed. All information is given in good faith but without guarantee in respect of accuracy, and no responsibility is accepted for errors and omissions or the consequence thereof.

### END OF DOCUMENT

**Compiled:** July 2017

**Reviewed:** October 2020

**Revision no.:** (6)

**Next revision date:** October 2025

For detailed information on revisions, contact the Registration holder.