

## VILLA ACETOCHLOR 900 EC

## MATERIAL SAFETY DATA SHEET

### 1. IDENTIFICATION OF PRODUCT AND COMPANY

**Product Name:** ACETOCHLOR 900 EC  
 Herbicide  
**UN No.** 1993  
**Supplier:** Villa Crop Protection (Pty) Ltd.  
 PO Box 10413  
 Aston Manor, 1630, South Africa  
**Telephone:** (011) 3962233  
**Fax:** (011) 3964666  
**Website:** [www.villacrop.co.za](http://www.villacrop.co.za)

**Emergency telephone numbers:**

**24 Hr Transport / Spill emergency no:**

Envirosure. +27 31 205 4918  
 (Hazcall24) +27 86 044 4411

(Client: Villa Crop Protection)

Griffon Poison Information Centre +27 82 446 8946

(Client: Villa Crop Protection)

**Poisoning Emergency telephone numbers:**

Griffon Poison Information Centre +27 82 446 8946

Poisons Information Centre +27 861 555 777

**Villa Crop Protection Emergency number:**

**National Safety, Health and Environmental Manager:**

+27 63 698 0668

### 2. COMPOSITION / INFORMATION ON INGREDIENTS

**Common Name:** ACETOCHLOR  
**Chemical Name:** 2-chloro-*N*-ethoxymethyl-6'-ethylaceto-0-toluidide (IUPAC)  
**CAS No.:** [34256-82-1]  
**Chemical Family:** chloroacetamide  
**Chemical Formula:** C<sub>14</sub>H<sub>20</sub>ClNO<sub>2</sub> (Mol. wt.: 269.8)  
**Formulation:** ACETOCHLOR: 900 g/l  
 Emusifiable concentrate

**Use / Mode of Action:** Selective pre-emergence herbicide, absorbed mainly by germinating plant shoots and secondly by roots. Inhibits protein synthesis.

**Hazardous Ingredient:** ACETOCHLOR – 90 %  
 Xylene – 2 %

**SYMBOLS:** Xn, N, F

**RISK-PHASE(S):** R 11, 22, 36/37/38, 40, 41, 43, 50

### 3. HAZARD IDENTIFICATION

**Toxicity class:** WHO III (a.i.). Slightly hazardous.  
 Cause irritation to the skin and eyes.  
 May cause skin sensitisation by contact.  
 Aspiration into lungs may cause chemical pneumonitis.  
 Combustible.  
 Very toxic to fish.

### 4. FIRST AID MEASURES AND PRECAUTIONS

Irritant effects on skin and mucous membrane are the most common reactions. Large ingestions can cause nausea, vomiting, abdominal distress and diarrhoea.

**Inhalation:** Immediately remove source of contamination or move victim to fresh air. If breathing has stopped, perform artificial respiration and administer oxygen. Avoid mouth to mouth resuscitation. Keep person warm and at rest. Treat symptomatically and supportively as and when required. **Seek medical advice immediately.**

**Skin contact:** Remove contaminated clothing, shoes and leather goods immediately. Gently wipe off excess chemical. Wash skin gently and thoroughly with non-abrasive soap or mild detergent and large amounts of water until no evidence of chemical remains (approximately 15 to 20 minutes). Seek medical advice if necessary.

**Eye contact:** Flush eyes immediately with large amounts of gently flowing cold water or normal saline solution, occasionally lifting upper and lower lids, until no evidence of chemical remains (approximately 15 to 20 minutes). If irritation persists, get medical attention.

**Ingestion:** Have victim rinse mouth thoroughly with water. **Do not induce vomiting, due to the aromatic solvent.**

**Seek medical advice immediately.** If the person is alert and respiration is not depressed, give large quantity of water to drink. Never give anything by mouth to an unconscious person. Establish and maintain airway. Treat respiratory difficulty with artificial respiration and oxygen. Qualified medical personnel should perform administration of gastric lavage or oxygen.

**Advice to physician:** Due to the solvent present, if small amount of the product is aspirated into the respiratory system during ingestion or from vomiting, bronchopneumonia or pulmonary edema may be caused. No specific antidote. Keep patient under observation and treat symptomatically as indicated by his/her condition.

### 5. FIRE FIGHTING MEASURES

**Fire/Explosion hazard:**

**Flammable. Combustible.**

**Flash point:** 23 °C

Combustion products are toxic and/or irritant. Inhalation of material could be harmful.

**Extinguishing agents:** Extinguish fires with carbon dioxide, dry powder, or alcohol-resistant foam. Water spray can be used for cooling of unaffected stock, but avoid water coming in contact with the product. Use as little water as possible. Use spray or fog. Solid stream may cause spreading. Contain water used for fire fighting for later disposal. Avoid the accumulation of polluted runoff from the site.

## VILLA ACETOCHLOR 900 EC

## MATERIAL SAFETY DATA SHEET

**Fire fighting:** Remove spectators from surrounding area. Isolate the fire area and evacuate downwind. Use a recommended extinguishing agent for the type of surrounding fire.

Fight fire from maximum distance and use unmanned hose holder or monitor nozzles. Contain fire control agents for later disposal. Avoid inhaling hazardous vapours and fumes from burning materials. Keep upwind.

Remove container from fire area if possible and without risk. Water can be used to cool unaffected containers but must be contained for later disposal.

Dyke fire control water for later disposal. Do not scatter the material. Avoid pollution of waterways.

Do not use high volume water jet, due to contamination risk. Contain water used for fire fighting for later disposal. Avoid the accumulation of polluted run-off from the site.

**Personal protective equipment:** Fire may produce irritating or poisonous vapours or gases (oxides of chlorine and sulphur) or other products of combustion. Fire fighters and others that may be exposed should wear full protective clothing and self-contained breathing apparatus.

### 6. ACCIDENTAL RELEASE MEASURES (Spillage)

**Personal precautions:** Avoid contact with skin and eyes. Do not breathe in fumes. For personal protection see Section 8.

**Environmental precautions:** ACETOCHLOR is toxic to fish and very toxic to algae. Is an environmentally hazardous substance. Do not allow entering drains or watercourses. Spillage or uncontrolled discharges into water courses (or public waters) to be reported immediately to the Police and to the Department of Water/Environmental Affairs.

**Occupational spill:** Do not touch-spilled material; stop leak if you can do it without risk. Keep out unprotected persons and animals.

**For spills:** Soak up with absorptive material such as damp earth or sand or other suitable non-combustible absorbent material. Place the material into a clean, dry container and cover for subsequent disposal. In situations where product comes in contact with water, contain contaminated water for later disposal. Prevent material from spreading by damming in with absorptive material. Do not flush spilled material into drains. Keep spectators away and upwind.

To decontaminate spill area, tools and equipment, wash with a suitable solution (i.e. organic solvent, detergent bleach or caustic). Add the solution to the drums already collected. Label drums with its content and dispose it in accordance with local regulations.

Open burning or dumping of this material is prohibited. Do not get water inside containers.

### 7. HANDLING AND STORAGE REQUIREMENTS

#### Handling:

Harmful if swallowed. Avoid inhalation and contact with eyes and skin. Use with adequate ventilation. Do not handle broken packages without protective equipment. Wash hands before eating, drinking, chewing gum, smoking, or using the toilet. Remove clothing immediately if the product gets inside. Then wash skin thoroughly using a non-abrasive soap and put on clean clothing. Seek medical advice.

Do not apply directly to areas where surface water is present, or to intertidal areas below the mean high water mark. Water used to clean equipment must be disposed of correctly to avoid contamination.

Worker should shower at the end of each work day. Launder all clothing before it is re-used again.

**Storage:** Store in its original container in dry, cool, well-ventilated area. Avoid excess heat. Not to be stored next to foodstuffs and water supplies.

Keep out of reach of children, uninformed persons and animals. Do not contaminate other pesticides and fertilizers.

**Storage stability:** Stable for a period of 2 years under normal warehouse conditions.

### 8. EXPOSURE CONTROL/PERSONAL PROTECTION

It is essential to provide adequate ventilation. The measures appropriate for a particular worksite depend on how this material is used and on the extent of exposure. Ensure that control systems are properly designed and maintained. Comply with occupational safety, environmental, fire, and other applicable regulations.

#### PERSONAL PROTECTIVE EQUIPMENT:

**Respirator:** An approved full-face respirator suitable for protection from spray or mists of pesticides is required.

Limitations of respirator use specified by the approved agency and the manufacturer must be observed.

**Clothing:** Employee must wear appropriate protective (impervious) clothing; boots, hat and equipment to prevent repeated or prolonged skin contact with this substance. Do not wear leather clothing.

**Gloves:** Employee must wear appropriate chemical resistant protective gloves to prevent contact with this substance.

**Eye protection:** The use of chemical resistant goggles or face shield.

**Emergency eye wash:** Where there is any possibility that an employee's eyes may be exposed to this substance; the employer should provide an eye wash fountain or appropriate alternative within the immediate work area for emergency use.

## VILLA ACETOCHLOR 900 EC

## MATERIAL SAFETY DATA SHEET

### 9. PHYSICAL AND CHEMICAL PROPERTIES

**Appearance:** Light brown emulsifiable liquid.  
**Relative density:** 1,106 ± 0,05 g/cm<sup>3</sup> at 20 °C.  
**Solubility in water:** Miscible with water. Gives a stable emulsion.  
**Flash point:** 23 °C  
**Flammability:** Combustible.  
**pH:** Not available.

### 10. STABILITY AND REACTIVITY

**Stability:** Considered stable for a period of 2 years under recommended warehouse and light conditions.  
**Hazardous decomposition:** Emits toxic and irritant vapours under fire conditions.

### 11. TOXICOLOGICAL INFORMATION

**Formulation (calculated):**  
**Acute oral LD<sub>50</sub>:** > 2000 mg/kg in rats.  
**Acute dermal LD<sub>50</sub>:** > 5000 mg/kg in rabbits.  
**Acute inhalation LC<sub>50</sub>:** Technical: > 3 mg/ℓ/4 hours.  
**Acute skin irritation:** May cause severe irritation and damage. Cause dermatitis through defatting of tissue.  
**Acute eye irritation:** May cause severe irritation and damage to the eyes.  
**Sensitization:** May cause skin sensitization.  
**Teratogenicity/Development:** ACETOCHLOR did not induce either maternal or developmental toxicity in rabbits up to 300 mg/kg/day, the highest dose tested.  
**Mutagenicity:** ACETOCHLOR was weakly positive in the gene mutation assay with and without activation in the mouse lymphoma assay. However, negative in a DNA damage repair assay, Salmonella assay and chromosomal aberration studies. Positive evidence of mutagenicity was found in various studies at the mid- and high-dose levels.  
**Carcinogenicity:** In various studies carcinogenicity effects were noted. Based on data, the US EPA has classified ACETOCHLOR as a "probable human carcinogen".  
**ADI:** 0.01 mg/kg b.w.

### 12. ECOLOGICAL INFORMATION

In animals: The primary routes of metabolism for ACETOCHLOR are glutathione conjugation and metabolism by cytochrome P450.  
 In plants: In maize and soybeans, ACETOCHLOR is rapidly absorbed and metabolised in the germinating plant. In maize, the first metabolite is glutathione, and in soybeans homogluthathione.  
 In the soil: ACETOCHLOR is adsorbed by soil colloids and leached very little. The main method of degradation is

microbial breakdown. Average persistence at recommended rates is 8 to 12 weeks, but vary depending on soil type and climatic conditions. It is very active on heavy or high organic matter soils.

#### ECOTOXICOLOGY:

**Birds:** moderately toxic to birds.  
 LD<sub>50</sub>: Bobwhite quail: > 1260 mg/kg  
 LC<sub>50</sub> 5-day diet: Mallard ducks: > 5620 mg/kg  
 Quail: > 5620 mg/kg

**Fish:** Very toxic to fish.  
 LC<sub>50</sub> (96 hours): Bluegill sunfish: 1.5 mg/ℓ  
 Rainbow trout: 0.36 mg/ℓ

**Daphnia:** Very toxic to Daphnia.  
*Daphnia magna*: 48-hour LC<sub>50</sub>: 9 mg/ℓ

**Bees:** Moderately toxic to bees.  
 LD<sub>50</sub> (oral): > 100 µg/bee  
 LD<sub>50</sub> (contact, 24 hours): > 200 µg/bee

**Earthworms:**  
 LC<sub>50</sub> (14 days): 211 mg/kg soil

### 13. DISPOSAL CONSIDERATION

**Pesticide disposal:** Open dumping or burning of this pesticide is prohibited. Waste resulting from the use of this product cannot be reused or reprocessed. Never pour untreated waste or surplus products into public sewers or where there is any danger of run-off or seepage into water systems. Do not contaminate rivers, dams or any other water sources with the product or used containers. Comply with local legislation applying to waste disposal.  
**Container disposal:** Emptied containers retain vapour and product residues. Observe all labelled safeguards until container is destroyed.  
**TRIPLE RINSE** empty containers in the following manner: Invert the empty container over the spray or mixing tank and allow draining for at least 30 seconds after the flow has slowed down to a drip. Thereafter rinse the container three times with a volume of water equal to a minimum of a third of that of the container. Add the rinsing to the contents of the spray tank before destroying the container in the prescribed manner.  
 Do not re-use the empty container for any other purpose but destroy it by perforation and flattening and bury in an approved dumpsite. Prevent contamination of food, feedstuffs, drinking water and eating utensils. Comply with local legislation applying to waste disposal.

### 14. TRANSPORT INFORMATION

**UN No.:** 1993  
**Road Transport ADR/IRD:**  
 Class: 3  
 Subsidiary group: 3.2  
 Packing group: II

# VILLA ACETOCHLOR 900 EC

# MATERIAL SAFETY DATA SHEET

Shipping name: Flammable Liquid, N.O.S.,  
(ACETOCHLOR 900 g/l)  
**Maritime Transport IMDG/IMO:**  
 Class: 3  
 Subsidiary group: 3.2  
 Packing group: II  
 Shipping name: Flammable Liquid, N.O.S.,  
(ACETOCHLOR 900 g/l)

## END OF DOCUMENT

**Compiled:** August 2004  
**Reviewed:** March 2019  
**Revision no.:** (2)  
**Next revision date:** March 2024

For detailed information on revisions, contact the Registration holder.

## 15. REGULATORY INFORMATION

**Symbol:** Xn, N, F  
**Indication of danger:** Harmful, Environmentally Hazardous Substance, Flammable substance

### Risk phrases:

- R 11** Highly flammable.
- R 20/22** Harmful by inhalation and if swallowed.
- R 36/37/38** Irritation to eyes, respiratory system and skin.
- R 40** Limited evidence of a carcinogen.
- R 41** Risk of serious damage to eyes.
- R 43** May cause skin sensitisation by skin contact.
- R 50** Very toxic to aquatic organisms.

### Safety phrases:

- S 1/2** Keep locked up and out of the reach of children.
- S 16** Keep away from sources of ignition – No smoking.
- S 24/25** Avoid contact with skin and eyes.
- S 36/37/39** Wear suitable protective clothing, gloves and eye/face protection.
- S 60** This material and its container must be disposed of as hazardous waste.

## 16. OTHER INFORMATION

**Packing and Labelling:** Packed in 1, 5, 10, 20, and 25 litres fluorinated plastic containers and labelled according to the South African regulations and guidelines.

**Disclaimer:** The information on this sheet is not a specification; it does not guarantee specific properties. The information is intended to provide general guidance as to health and safety based upon our knowledge of the handling, storage use of the product. It is not applicable to unusual or non-standard uses of the product nor where instructions or recommendations are not followed. All information is given in good faith but without guarantee in respect of accuracy, and no responsibility is accepted for errors and omissions or the consequence thereof.