

UNIVERSAL STYLE 750 WDG

MATERIAL SAFETY DATA SHEET

1. PRODUCT & COMPANY IDENTIFICATION

Product Name: **STYLE 750 WDG**
Herbicide

UN No.: **3077**

Supplier: **Universal Crop Protection (Pty) Ltd.**
Co. Reg. No.: **1983/008184/07**
PO Box 801,
Kempton Park, 1620, South Africa

Telephone: (011) 396 2233
Fax: (011) 396 4666
Website: www.villacrop.co.za

Emergency telephone numbers:
24 Hr Transport / Spill emergency no:
 Envirosure. +27 31 205 4918
 (Hazcall24) +27 86 044 4411
 (Client: Villa Crop Protection)
 Griffon Poison Information Centre +27 82 446 8946
 (Client: Villa Crop Protection)
Poisoning Emergency telephone numbers:
 Griffon Poison Information Centre +27 82 446 8946
 Poisons Information Centre +27 861 555 777
Villa Crop Protection Emergency number:
National Safety, Health and Environmental Manager:
 +27 63 698 0668

2. COMPOSITION/INFORMATION ON INGREDIENTS

Common Name: **Chlorimuron-ethyl**
Chemical Name: ethyl 2-(4-chloro-6-methoxypyrimidin-2-ylcarbamoylsulfamoyl) (IUPAC)
CAS No.: [99283-00-8]
Chemical Family: Pyrimidinylsulfonyleurea herbicides
Chemical Formula: C₁₅H₁₅ClN₄O₆S (Mol. wt.: 414.82)
Formulation: **Chlorimuron-ethyl 750 WDG**
Water Dispersible Granule
Use / Mode of Action: Branched chain amino acid synthesis (ALS or AHAS) inhibitor. Acts by inhibiting biosynthesis of the essential amino acids valine and isoleucine, hence stopping cell division and plant growth. Crop selectivity derives from plant metabolism both by homogluthathione conjugation and by de-esterification.
Hazardous Ingredient:
Chlorimuron-ethyl75 %

Inerts.....24 %
SYMBOLS: X_i, X_n, N
RISK-PHRASE(S): R 43, R 50/53

3. HAZARD IDENTIFICATION

Toxicity class: WHO (a.i.) III; EPA (formulation) III.
Slightly irritant to the skin and eyes.
Environmentally Hazardous Substance and Marine pollutant.

4. FIRST AID MEASURES AND PRECAUTIONS

Remove the victim from the area of exposure. Wash off remaining material with plenty of water. In the event of any complaints or symptoms, avoid further exposure. Immediately consult a doctor. **Chlorimuron-ethyl** is unlikely to cause systemic toxicity unless large amounts have been ingested. Many substituted ureas are irritating to eyes, skin and mucous membranes. Coughing and shortness of breath. Nausea, vomiting, diarrhea, headache, confusion and electrolyte depletion. Protein metabolism disturbances, moderate emphysema, and weight loss with chronic exposure.

Inhalation: Immediately remove source of contamination or move victim to fresh air. If breathing has stopped, perform artificial respiration and administer oxygen. Avoid mouth-to-mouth resuscitation. Keep person warm and at rest. Treat symptomatically and supportively as and when required. Seek medical advice immediately.

Skin contact: Remove contaminated clothing, shoes and leather goods immediately. Gently wipe off excess chemical. Wash skin gently and thoroughly with non-abrasive soap or mild detergent and large amounts of water until no evidence of chemical remains (approximately 15 to 20 minutes). Seek medical advice if necessary.

Eye contact: Flush eyes immediately with large amounts of gently flowing cold water or normal saline solution, occasionally lifting upper and lower lids, until no evidence of chemical remains (approximately 15 to 20 minutes). If irritation persists, get medical attention.

Ingestion: Have victim rinse mouth thoroughly with water. **Do not induce vomiting, due to the aromatic solvent. Seek medical advice immediately.** If the person is alert and respiration is not depressed, give large quantity of water to drink. Never give anything by mouth to an unconscious person. Establish and maintain airway. Treat respiratory difficulty with artificial respiration and oxygen. Qualified medical personnel should perform administration of gastric lavage or oxygen.

Advice to physician: Aspiration hazard may contraindicate the use of gastric lavage. Treat symptomatically and supportively. No specific antidote.

UNIVERSAL STYLE 750 WDG

MATERIAL SAFETY DATA SHEET

Treat symptomatically and give supportive therapy. Contact local Poison Centre if needed

contaminated water for later disposal. Prevent material from spreading by damming in with absorptive material. Do not flush spilled material into drains. Keep spectators away and upwind.

5. FIRE FIGHTING MEASURES

Special Hazards: Not a fire or explosion hazard. Like most organic powders or crystals, under severe dusting conditions, this material may form explosive mixtures in air.

Fire/Explosion hazard: Non-Flammable.

Flash point: N/A

Extinguishing agents: Extinguish fires with carbon dioxide, dry powder, or alcohol-resistant foam. Water spray can be used for cooling of unaffected stock, but avoid water coming in contact with the product. Use as little water as possible. Use spray or fog. Solid stream may cause spreading. Contain water used for fire fighting for later disposal. Avoid the accumulation of polluted run-off from the site.

Firefighting: Remove spectators from surrounding area. Isolate the fire area and evacuate downwind. Use a recommended extinguishing agent for the type of surrounding fire.

Fight fire from maximum distance and use unmanned hose holder or monitor nozzles. Contain fire control agents for later disposal. Avoid inhaling hazardous vapours and fumes from burning materials. Keep upwind.

Remove container from fire area if possible and without risk. Water can be used to cool unaffected containers but must be contained for later disposal.

Dyke fire control water for later disposal. Do not scatter the material. Avoid pollution of waterways.

Do not use high volume water jet, due to contamination risk. Contain water used for fire fighting for later disposal. Avoid the accumulation of polluted run-off from the site.

Personal protective equipment: Fire may produce irritating or poisonous vapours or gases (oxides of chlorine and sulphur) or other products of combustion. Fire fighters and others that may be exposed should wear full protective clothing and self-contained breathing apparatus.

To decontaminate spill area, tools and equipment, wash with a suitable solution (i.e. organic solvent, detergent bleach or caustic). Add the solution to the drums already collected. Label drums with its content and dispose it in accordance with local regulations.

Open burning or dumping of this material is prohibited. Do not get water inside containers.

7. HANDLING AND STORAGE REQUIREMENTS

Handling: Harmful if swallowed. Avoid inhalation and contact with eyes and skin. Use with adequate ventilation. Do not handle broken packages without protective equipment. Wash hands before eating, drinking, chewing gum, smoking, or using the toilet. Remove clothing immediately if the product gets inside. Then wash skin thoroughly using a non-abrasive soap and put on clean clothing. Seek medical advice.

Do not apply directly to areas where surface water is present, or to intertidal areas below the mean high water mark. Water used to clean equipment must be disposed of correctly to avoid contamination.

Worker should shower at the end of each work day. Launder all clothing before it is re-used again.

Storage: Store in its original container in dry, cool, well-ventilated area. Avoid excess heat. Not to be stored next to foodstuffs and water supplies.

Keep out of reach of children, uninformed persons and animals. Do not contaminate other pesticides and fertilizers.

Storage stability: Stable for a period of 2 years under normal warehouse conditions.

8. EXPOSURE CONTROL/PERSONAL PROTECTION

It is essential to provide adequate ventilation. The measures appropriate for a particular worksite depend on how this material is used and on the extent of exposure. Ensure that control systems are properly designed and maintained. Comply with occupational safety, environmental, fire, and other applicable regulations.

PERSONAL PROTECTIVE EQUIPMENT:

Respirator: An approved full-face respirator suitable for protection from spray or mists of pesticides is required. Limitations of respirator use specified by the approved agency and the manufacturer must be observed.

Clothing: Employee must wear appropriate protective (impervious) clothing; boots, hat and equipment to prevent repeated or prolonged skin contact with this substance. Do not wear leather clothing.

6. ACCIDENTAL RELEASE MEASURES (Spillage)

Personal precautions: Avoid contact with skin and eyes. Do not breathe in fumes. For personal protection see Section 8.

Environmental precautions:

Occupational spill: Do not touch-spilled material; stop leak if you can do it without risk. Keep out unprotected persons and animals.

For spills: Soak up with absorptive material such as damp earth or sand or other suitable non-combustible absorbent material. Place the material into a clean, dry container and cover for subsequent disposal. In situations where product comes in contact with water, contain

UNIVERSAL STYLE 750 WDG

MATERIAL SAFETY DATA SHEET

Gloves: Employee must wear appropriate chemical resistant protective gloves to prevent contact with this substance.

Eye protection: The use of chemical resistant goggles or a face shield.

Emergency eyewash: Where there is any possibility that an employee's eyes may be exposed to this substance, the employer should provide an eye wash fountain or appropriate alternative within the immediate work area for emergency use.

9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance: Water dispersal granule

Colour: Off-white

Odour: Odourless

Relative density: 0.78 g/l at 20°C

Flash point: N/A

Flammability: Non-Flammable

pH: 6 to 8.

pH of 1% aqueous dilution: 6 to 8

Solubility in water: Dispersal in water

10. STABILITY AND REACTIVITY

Stability: Stable at normal temperatures and storage conditions. In water DT₅₀ 17-25 (pH 5, 25°C)

Condition to avoid: Extreme heat and fire

Compatibility of material: Incompatible with other material

Hazardous decomposition products: Oxides of carbon and nitrogen may be given off when exposed to extreme heat of fire.

Hazardous Polymerisation: Will not occur.

11. TOXICOLOGICAL INFORMATION

Acute oral LD₅₀: >2000 mg/kg in rats (tech.)

Acute dermal LD₅₀: >2000 mg/kg in rabbits (tech.)

Acute inhalation LC₅₀: >5 mg/l air /4 hours (tech)

Acute skin irritation: Slightly skin irritant

Acute eye irritation: Slightly irritant

Sensitization: Non sensitizer

Teratogenicity: NOEL (2 y) for rats 250 mg/kg diet (12.5 mg/kg b.w. daily); (1 y) for dogs 250 mg/kg diet (6.25 mg/kg b.w. daily). NOEL in: reproduction (2-generation) in rats 250 mg/kg diet; teratogenicity in rats 30, rabbits 15 mg/kg.

ADI: 0.020 mg/kg b.w (tech.)

12. ECOLOGICAL INFORMATION

In animals: **Chlorimuron-ethyl** is rapidly and extensively metabolised in the hen. **Chlorimuron-ethyl** is practically non-toxic to birds and mammals. It is toxic to fish and invertebrates. It is not expected to adversely affect

endangered/threatened species because of low toxicity and low application rate.

In the soil: K_d >1.60 (pH 4.5, 5.6% o.m.), 0.28 (pH 5.8, 4.3 % o.m.), <0.03 (pH 6.5, 2.1% o.m.), <0.03 (pH 6.6, 1.1 % o.m.).

ECOTOXICOLOGY:

Birds: Acute oral LD₅₀ (14 d) for mallard ducks >2510 mg/kg. Dietary LC₅₀ for mallard ducks and bobwhite quail >5620 ppm.

Fish: LC₅₀ (96 h) for trout >1000, bluegill sunfish >100 mg/l.

Daphnia: LC₅₀ (48 h) 1000 mg/l.

Bees: LD₅₀ (48 h) >12.5 µg/bee.

Earthworms: LC₅₀ for earthworms (*Eisenia foetida*) >4050 mg/kg.

Other aquatic spp.: For *Lemna gibba*, EbC₅₀ 0.45 ppb, ErC₅₀ 45 µg/l, EC₅₀ (frond counts) 0.27 ppb.

This product is a Marine Pollutant.

13. DISPOSAL CONSIDERATION

Pesticide disposal: Open dumping or burning of this pesticide is prohibited. Never pour untreated waste or surplus products into public sewers or where there is any danger of run-off or seepage into water systems. Do not contaminate rivers, dams or any other water sources with the product or used containers.

Emptied containers/bags retain vapour and product residues. Observe all labelled safeguards until container is destroyed.

Empty the container/bag of excess product into the mixing tank or spray tank of the applicator. Destroy the emptied containers/bags by perforation and flattening. Bury in an approved dumpsite. Do not re-use the empty container/bag for any other purpose. Comply with any local legislation applying to disposal.

Prevent contamination of food, feedstuffs, drinking water and eating utensils.

14. TRANSPORT INFORMATION

UN No.: 3077

Road Transport ADR/IRD:

Class: Packing group:III
 Shipping name: Environmentally Hazardous Substance, solid, N.O.S + Marine pollutant
Chlorimuron-ethyl 750 WDG

Maritime Transport IMDG/IMO:

Class: 9 + Marine pollutant
 Packing group: III
 Shipping name: Environmentally Hazardous Substance, solid, N.O.S + Marine pollutant.

UNIVERSAL STYLE 750 WDG

MATERIAL SAFETY DATA SHEET

Chlorimuron-ethyl 750 WDG

END OF DOCUMENT

15. REGULATORY INFORMATION

Symbol: X_i, X_n, N
Indication of danger: Irritant, Harmful and Environmentally Hazardous Substance
Risk phrases:
R 20/22 Harmful by inhalation and if swallowed.
R 36/37/38 Irritation to eyes, respiratory system and skin.
R 43 May cause sensitization by contact.
R 50/53: Very toxic to aquatic organisms may cause long-term adverse effects in the aquatic environment.
Safety phrases:
S 1/2 Keep locked up and out of the reach of children.
S 3/7/9 Keep container tightly closed in cool, well ventilated place
S 13 Keep away from food, drinks and animal feeding stuffs.
S 15 Keep away from heat.
S 26 In case of contact with eyes, rinse immediately with plenty of water
S 29 After contact with skin wash immediately with water
S 29/35 Do not empty into drains; dispose of this material and its container in a safe way
S 36/37/39 Wear suitable protective clothing, gloves and eye/face protection.
S 45 In case of an accident or if you feel unwell, seek for medical advice
S 60 This material and its container must be disposed of as hazardous waste.
S 61 Avoid release to the environment. Refer to special instructions/Safety data sheets.

Compiled: August 2011
Reviewed: June 2019
Revision no.: (2)
Next revision date: June 2024

For detailed information on revisions, contact the Registration holder.

16. OTHER INFORMATION

Packing and Labelling: Packed in 0.5, 1, 5, 10, 20, 25, 50 and 100 kg plastic containers/bags, labelled according to the South African regulations and guidelines.
Disclaimer: The information on this sheet is not a specification; it does not guarantee specific properties. The information is intended to provide general guidance as to health and safety based upon our knowledge of the handling, storage use of the product. It is not applicable to unusual or non-standard uses of the product nor where instructions or recommendations are not followed. All information is given in good faith but without guarantee in respect of accuracy, and no responsibility is accepted for errors and omissions or the consequence thereof.