

# VILLA PLATINUM PLUS 915 EC

# MATERIAL SAFETY DATA SHEET

## 1. PRODUCT & COMPANY IDENTIFICATION

**Product Name:** PLATINUM PLUS 915 EC  
 Herbicide  
**UN No.:** 3082  
**Supplier:** Villa Crop Protection (Pty) Ltd.  
 PO Box 10413,  
 Aston Manor, 1630, South Africa  
**Telephone:** (011) 396 2233  
**Fax:** (011) 396 4666  
**Website:** [www.villacrop.co.za](http://www.villacrop.co.za)

### Emergency telephone numbers:

#### 24 Hr Transport / Spill emergency no:

Envirosure. +27 31 205 4918  
 (Hazcall24) +27 86 044 4411

(Client: Villa Crop Protection)

Griffon Poison Information Centre +27 82 446 8946  
 (Client: Villa Crop Protection)

#### Poisoning Emergency telephone numbers:

Griffon Poison Information Centre +27 82 446 8946  
 Poisons Information Centre +27 861 555 777

#### Villa Crop Protection Emergency number:

**National Safety, Health and Environmental Manager:**  
 +27 63 698 0668

## 2. COMPOSITION/INFORMATION ON INGREDIENTS

**Common Name:** Metolachlor  
**Chemical Name:** 2-chloro-6'-ethyl-N-(2-methoxy-1-methylethyl)aceto-o-toluidide (IUPAC)

**Chemical Abstracts name:** 2-chloro-N-(2-ethyl-6-methylphenyl)-N-(2-methoxy-1-methylethyl)acetamide [51218-45-2]

**CAS No.:** chloroacetamide  
**Chemical Family:** C<sub>15</sub>H<sub>22</sub>ClNO<sub>2</sub> (Mol. wt.: 283.8)  
**Chemical Formula:** Metolachlor 915 g/l with safener  
**Formulation:** Emusifiable concentrate

**Use / Mode of Action:** Selective herbicide, absorbed by the hypocotyls and roots. Inhibits germination. Cell division inhibitor.

### Hazardous Ingredient:

Inert:	Concern:	% Present
Metolachlor	slightly hazardous	87 %
xylene	<b>Flammable</b>	2 %
other inerts	of no concern	11 %

**SYMBOLS:** F, N  
**RISK-PHASE (S):** R11, R 23/24/25, 36/38, 43, 50

## 3. HAZARD IDENTIFICATION

**Toxicity class:** WHO III (a.i.). Slightly hazardous.  
**Likely routes of exposure:** Skin contact, ingestion, and inhalation.  
**Ingestion:** Harmful when swallowed.  
**Inhalation:** Harmful by inhalation. May cause irritation to respiratory tract.  
**Eye and Skin contact:** May cause irritation to the skin and eyes. Skin (allergic) reaction may occur. May cause skin sensitisation. Irritant. Cause dermatitis through defatting of tissue.

## 4. FIRST AID MEASURES AND PRECAUTIONS

Irritant effects on skin and mucous membrane are the most common reactions. Large ingestions can cause nausea, vomiting, abdominal distress and diarrhoea.

**Inhalation:** Immediately remove source of contamination or move victim to fresh air. If breathing has stopped, perform artificial respiration and administer oxygen. Keep person warm and at rest. Treat symptomatically and supportively as and when required. **Seek medical advice immediately.**

**Skin contact:** Remove contaminated clothing, shoes and leather goods immediately. Gently wipe off excess chemical. Wash skin gently and thoroughly with non-abrasive soap or mild detergent and large amounts of water until no evidence of chemical remains (approximately 15 to 20 minutes). Seek medical advice if necessary.

**Eye contact:** Flush eyes immediately with large amounts of gently flowing cold water or normal saline solution, occasionally lifting upper and lower lids, until no evidence of chemical remains (approximately 15 to 20 minutes). If irritation persists, get medical attention.

**Ingestion:** **Do not induce vomiting, due to the aromatic solvent. Seek medical advice immediately.** Remove by gastric lavage and catharsis. Maintain blood pressure and airway. Give oxygen if respiration is depressed. Do not perform gastric lavage if victim is unconscious. Get medical attention immediately. Qualified medical personnel should perform administration of gastric lavage or oxygen.

**Antidote:** No specific antidote. Treat symptomatically and supportively.

**Advice to physician:** There is no specific antidote for the organo-nitrogen compounds. Keep patient under observation and treat symptomatically as indicated by his/her condition.

Ingestion of less than 10 mg per kg b.w, are probably treated best by administering 30 to 60 g activated charcoal in 150 to 300 ml water. If diarrhoea has not already

# VILLA PLATINUM PLUS 915 EC

# MATERIAL SAFETY DATA SHEET

developed, follow the charcoal administration in 4 hours with sodium sulphate catharsis.

## 5. FIRE FIGHTING MEASURES

**Fire/Explosion hazard:** Flammable properties:

**Flammable:** Flash point: ± 23 °C

**Combustible:** Combustion products are toxic and/or irritant. Inhalation of material could be harmful.

**Extinguishing agents:** Extinguish fires with carbon dioxide, dry powder, or alcohol-resistant foam. Water spray can be used for cooling of unaffected stock, but avoid water coming in contact with the product. Use as little water as possible. Use spray or fog. Solid stream may cause spreading. Contain water used for fire fighting for later disposal. Avoid the accumulation of polluted run-off from the site.

**Firefighting:** Remove spectators from surrounding area. Isolate the fire area and evacuate downwind. Use a recommended extinguishing agent for the type of surrounding fire.

Fight fire from maximum distance and use unmanned hose holder or monitor nozzles. Contain fire control agents for later disposal. Avoid inhaling hazardous vapours and fumes from burning materials. Keep upwind. Remove container from fire area if possible and without risk. Water can be used to cool unaffected containers but must be contained for later disposal.

Dyke fire control water for later disposal. Do not scatter the material. Avoid pollution of waterways.

Do not use high volume water jet, due to contamination risk. Contain water used for fire fighting for later disposal. Avoid the accumulation of polluted run-off from the site.

**Special Hazards:** This product will emit toxic fumes when burned, including carbon monoxide. May produce irritating or poisonous mists or other products of combustion.

**Personal protective equipment:** Fire may produce irritating or poisonous vapours or gases (oxides of chlorine and sulphur) or other products of combustion. Fire fighters and others that may be exposed should wear full protective clothing and self-contained breathing apparatus.

## 6. ACCIDENTAL RELEASE MEASURES (SPILLAGE)

**Personal precautions:** Avoid contact with skin and eyes. Do not breathe in fumes. For personal protection see Section 8.

**Environmental precautions:** Metolachlor is toxic to fish and very toxic to algae. Is an environmentally hazardous substance.

Do not allow entering drains or watercourses. Spillage or uncontrolled discharges into water courses (or public waters) to be reported immediately to the Police and to the Department of Water/Environmental Affairs.

**Occupational spill:** Do not touch-spilled material; stop leak if you can do it without risk. Keep out unprotected persons and animals.

**For spills:** Soak up with absorptive material such as lime, damp earth or sand or other suitable non-combustible absorbent material. Place the material into a clean, dry container and cover for subsequent disposal. In situations where product comes in contact with water, contain contaminated water for later disposal. Prevent material from spreading by damming in with absorptive material. Do not flush spilled material into drains. Keep spectators away and upwind.

To decontaminate spill area, tools and equipment, wash with a suitable solution (i.e. organic solvent, detergent bleach or caustic). Add the solution to the drums already collected. Label drums with its content and dispose it in accordance with local regulations.

Open burning or dumping of this material is prohibited. Do not get water inside containers.

## 7. HANDLING AND STORAGE REQUIREMENTS

**Handling:** Harmful if swallowed. Avoid inhalation and contact with eyes and skin. Use with adequate ventilation. Do not handle broken packages without protective equipment. Wash hands before eating, drinking, chewing gum, smoking, or using the toilet. Remove clothing immediately if the product gets inside. Then wash skin thoroughly using a non-abrasive soap and put on clean clothing. Seek medical advice.

Do not apply directly to areas where surface water is present, or to intertidal areas below the mean high water mark. Water used to clean equipment must be disposed of correctly to avoid contamination.

Worker should shower at the end of each workday. Launder all clothing before it is re-used again.

**Storage:** Keep under lock and key and out of reach of unauthorised persons, children and animals. Store in its original container in dry, cool, well-ventilated area. Avoid excess heat. Not to be stored next to foodstuffs and water supplies. Keep out of reach of children, uninformed persons and animals. Do not contaminate other pesticides and fertilizers.

## 8. EXPOSURE CONTROL/PERSONAL PROTECTION

It is essential to provide adequate ventilation. The measures appropriate for a particular worksite depend on how this material is used and on the extent of exposure. Ensure that control systems are properly designed and maintained. Comply with occupational safety, environmental, fire, and other applicable regulations.

**PERSONAL PROTECTIVE EQUIPMENT:** It is essential to provide adequate ventilation. Ensure that control

## VILLA PLATINUM PLUS 915 EC

## MATERIAL SAFETY DATA SHEET

systems are properly designed and maintained. Only spark-resistant equipment should be used. Comply with occupational safety, environmental, fire and other applicable regulations.

**Respirator:** An approved full-face respirator suitable for protection from spray or mists of pesticides is required. Limitations of respirator use specified by the approved agency and the manufacturer must be observed.

**Clothing:** Employee must wear appropriate protective (impervious) clothing; boots, hat and equipment to prevent repeated or prolonged skin contact with this substance. Do not wear leather clothing.

**Gloves:** Employee must wear appropriate chemical resistant protective gloves (PVC or neoprene gloves) to prevent contact with this substance.

**Eye protection:** The use of chemical resistant goggles or face shield.

**Emergency eyewash:** Where there is any possibility that an employee's eyes may be exposed to this substance, the employer should provide an eye wash fountain or appropriate alternative within the immediate work area for emergency use.

### 9. PHYSICAL AND CHEMICAL PROPERTIES

**Appearance:** Reddish brown liquid.

**Odour:** Slight odour.

**Relative density:** 1.112 gr/ml.

**Solubility in water:** Emulsifiable in water. Miscible.

**Flash point:** ± 23°C.

**Flammability:** Highly flammable.

**pH:** 6.6.

**Specific gravity:** 1.115 g/ml @ 20 °C.

### 10. STABILITY AND REACTIVITY

**Storage stability:** Stable for a period of 2 years under normal warehouse conditions.

### 11. TOXICOLOGICAL INFORMATION

**Formulation (calculated):**

**Acute oral LD<sub>50</sub>:**

Technical: 2780 mg/kg

Formulated: 2780 mg/kg

**Acute dermal LD<sub>50</sub>:**

Technical: >3170 mg/kg in rats.

Formulated: >3170 mg/kg in rats.

**Acute inhalation LC<sub>50</sub>:**

Technical: LC<sub>50</sub> (4 h) for rats >1.75 mg/l air

**Acute skin irritation:** May cause irritation to the skin. Skin (allergic) reaction may occur. Irritant. Cause dermatitis through defatting of tissue.

**Sensitization:** Skin (allergic) reaction may occur. May cause skin sensitization.

**Acute eye irritation:** May cause irritation to the eyes.

**ADI:** 0.1 mg/kg b.w.

**Carcinogenicity:** It seems unlikely that **Metolachlor** is carcinogenic in humans.

**Teratogenicity / Reproductive hazard:** Teratogenic and developmental effects in humans are unlikely at expected levels of exposure. **Metolachlor** is not likely to have an effect on reproduction in humans under normal circumstances

**Mutagenicity:** A number of studies evaluating the mutagenic potential of **Metolachlor** have all shown the compound to be non-mutagenic.

### 12. ECOLOGICAL INFORMATION

In rats **Metolachlor** is rapidly oxidised by liver microsomal oxygenases via dechlorination, O-demethylation and side-chain oxidation.

In plants, metabolism involves natural product conjugation of the chloroacetyl group and hydrolysis and sugar conjugation at the ether group. Final metabolites are polar, water-soluble and non-volatile.

Half-life in soil is: DT<sub>50</sub> is about 20 days (field).

**ECOTOXICOLOGY:** (Technical material)

**Birds:** Moderately toxic to birds.

LD<sub>50</sub>: Bobwhite quail: > 2150 mg/kg

Mallard ducks: > 2150 mg/kg

**Fish:** Toxic to fish.

LC<sub>50</sub> (96 hours): Carp: 4.9 mg/l

Rainbow trout: 3.9 mg/l

**Daphnia:** Very toxic to Daphnia.

*Daphnia magna*: 48-hour LC<sub>50</sub>: 25 mg/l

**Bees:** Slightly toxic to bees. LD<sub>50</sub> (oral & contact): > 110 µg/bee

**Earthworms:** LC<sub>50</sub> (14 days): 140 mg/kg soil

**Algae:** Very toxic to algae. *Scenedesmus subspicatus*: EC<sub>50</sub>: 0.1 mg/l

### 13. DISPOSAL CONSIDERATION

**Pesticide disposal:** Open dumping or burning of this pesticide is prohibited. Waste resulting from the use of this product cannot be reused or reprocessed. Never pour untreated waste or surplus products into public sewers or where there is any danger of run-off or seepage into water systems. Do not contaminate rivers, dams or any other water sources with the product or used containers.

Comply with local legislation applying to waste disposal.

**Container disposal:** Emptied containers retain vapour and product residues. Observe all labelled safeguards until container is destroyed.

# VILLA PLATINUM PLUS 915 EC

# MATERIAL SAFETY DATA SHEET

**TRIPLE RINSE** empty containers in the following manner: Invert the empty container over the spray or mixing tank and allow draining for at least 30 seconds after the flow has slowed down to a drip. Thereafter rinse the container three times with a volume of water equal to a minimum of a third of that of the container. Add the rinsing to the contents of the spray tank before destroying the container in the prescribed manner.

Do not re-use the empty container for any other purpose but destroy it by perforation and flattening and bury in an approved dump site. Prevent contamination of food, feedstuffs, drinking water and eating utensils.

Comply with local legislation applying to waste disposal.

- S 23** Do not breathe fumes/vapour/spray.
- S 24/25** Avoid contact with skin and eyes.
- S 28** After contact with skin, wash immediately with plenty of water.
- S 36/37/39** Wear suitable protective clothing, gloves and eye/face protection.
- S 61** Avoid release to the environment. Refer to special instructions / Safety data sheets.
- S 62** If swallowed, do not induce vomiting: seek medical advice immediately and show this container or label

## 14. TRANSPORT INFORMATION

**UN No.:** 3082  
**Road Transport ADR/IRD:**  
 Class: 9  
 Packing group: III  
 Exempt quantity: 1000 kg Factor F: 1  
 Shipping name: Environmentally hazardous substance, liquid, N.O.S. (Metolachlor 915 g/l)

**Air Transport ICAO/IATA:**  
 Class: 9  
 Packing group: III  
 Shipping name: Environmentally hazardous substance, liquid, N.O.S. (Metolachlor 915 g/l)

**Maritime Transport IMDG/IMO:**  
 Class: 9  
 Packing group: III  
 Shipping name: Environmentally hazardous substance, liquid, N.O.S. (Metolachlor 915 g/l)

**MARINE POLLUTANT.**

## 15. REGULATORY INFORMATION

**Symbol:** F, N.  
**Indication of danger:** Flammable and environmentally dangerous substance.

**Risk phrases:**

- R 11** Highly flammable.
- R 23/24/25** Toxic by inhalation, in contact with skin and if swallowed.
- R 36/38** Irritation to eyes and skin.
- R 43** May cause skin sensitisation by skin contact.
- R 50** Very toxic to aquatic organisms.

**Safety phrases:**

- S 1/2** Keep under lock and key and out of reach of children.

## 16. OTHER INFORMATION

**Packing and Labelling:** Packed in 1, 5, 10, 20 & 25 litres fluorinated plastic containers and labelled according to the South African regulations and guidelines.

**Disclaimer:** The information on this sheet is not a specification; it does not guarantee specific properties. The information is intended to provide general guidance as to health and safety based upon our knowledge of the handling, storage use of the product. It is not applicable to unusual or non-standard uses of neither the product nor where instructions or recommendations are not followed.

All information is given in good faith but without guarantee in respect of accuracy, and no responsibility is accepted for errors and omissions or the consequence thereof.

## END OF DOCUMENT

**Compiled:** July 2005  
**Reviewed:** March 2019  
**Revision no:** (3)  
**Next revision:** March 2024

For detailed information on revisions, contact the Registration holder.