

VILLA AGENT PEST BAIT

MATERIAL SAFETY DATA SHEET

1. PRODUCT & COMPANY IDENTIFICATION

Product Name: AGENT PEST BAIT
 Insecticide
UN No.: 3082
Supplier: Villa Crop Protection (Pty) Ltd.
 PO Box 801,
 Kempton Park, 1620, South Africa
Telephone: (011) 396 2233
Fax: (011) 396 4666
Website: www.villacrop.co.za

Emergency telephone numbers:
24 Hr Transport / Spill emergency no:
 Bateleur: +27 86 199 9071
 (Client: Villa Crop Protection)

Poisoning:
 Griffon Poison Information Centre +27 82 446 8946
 Western Cape Poisons Tel. Service +27 861 555 777
 Tygerberg Hospital +27 21 931 6129

2. COMPOSITION/INFORMATION ON INGREDIENTS

Common Name: HYDRAMETHYLNON
Chemical Name: 5,5-dimethylperhydropyrimidin-2-one 4-trifluoromethyl- α -(4-trifluoromethylstyryl)cinnamylidenehydrazone. (IUPAC)
CAS No.: [67485-29-4]
Chemical Family: Amidinohydrazones
Chemical Formula: C₂₅H₂₄F₆N₄ (Mol. wt.: 494.5)
Formulation: HYDRAMETHYLNON 2.15 % bait gel
 Bait Gel
Use / Mode of Action: Non-systemic insecticide with stomach action.

Hazardous Ingredient:

Component	Content (%)
HYDRAMETHYLNON	±2.2 %
Inerts	±83 %

SYMBOLS: X_n, X_i
RISK-PHASE(S): R 20/22, 21, 36/37/38

3. HAZARD IDENTIFICATION

Toxicity class:
 WHO III (a.i.). Slightly hazardous.

Likely routes of exposure: Skin and eye contact, ingestion and inhalation.

Eye contact: Slightly irritant.

Skin contact: Slightly irritant.

Inhalation: Slightly irritant to both skin and eyes. Harmful if swallowed.

4. FIRST AID MEASURES AND PRECAUTIONS

Remove the victim from the area of exposure. Wash off remaining material with plenty of water. In the event of any complaints or symptoms, avoid further exposure. Immediately consult a doctor.

Inhalation: Immediately remove source of contamination or move victim to fresh air. If breathing has stopped, perform artificial respiration and administer oxygen. Avoid mouth-to-mouth resuscitation. Keep person warm and at rest. Treat symptomatically and supportively as and when required. **Seek medical advice immediately.**

Skin contact: Remove contaminated clothing, shoes and leather goods immediately. Gently wipe off excess chemical. Wash skin gently and thoroughly with non-abrasive soap or mild detergent and large amounts of water until no evidence of chemical remains (approximately 15 to 20 minutes). Seek medical advice if necessary.

Eye contact: Flush eyes immediately with large amounts of gently flowing cold water or normal saline solution, occasionally lifting upper and lower lids, until no evidence of chemical remains (approximately 15 to 20 minutes). If irritation persists, get medical attention.

Ingestion: Have victim rinse mouth thoroughly with water. **Do not induce vomiting, due to the aromatic solvent. Seek medical advice immediately.** If the person is alert and respiration is not depressed, give large quantity of water to drink. Never give anything by mouth to an unconscious person. Establish and maintain airway. Treat respiratory difficulty with artificial respiration and oxygen. Qualified medical personnel should perform administration of gastric lavage or oxygen.

Advice to physician:
 No special antidote. Treat symptomatic and give supportive care.

5. FIRE FIGHTING MEASURES

Fire/Explosion hazard:

Flammability: Non-flammable

Flash point: No Flash point

Hazards from Combustion: In case of fire the evolution of dangerous gases is possible.

Extinguishing agents: Extinguish fires with carbon dioxide, dry powder, or alcohol-resistant foam. Water spray can be used for cooling of unaffected stock, but avoid water coming in contact with the product. Use as little water as possible. Use spray or fog. Solid stream may cause spreading. Contain water used for fire fighting for later disposal. Avoid the accumulation of polluted runoff from the site.

Firefighting: Remove spectators from surrounding area. Isolate the fire area and evacuate downwind. Use a

VILLA AGENT PEST BAIT

MATERIAL SAFETY DATA SHEET

recommended extinguishing agent for the type of surrounding fire.

Fight fire from maximum distance and use unmanned hose holder or monitor nozzles. Contain fire control agents for later disposal. Avoid inhaling hazardous vapours and fumes from burning materials. Keep upwind.

Remove container from fire area if possible and without risk. Water can be used to cool unaffected containers but must be contained for later disposal.

Dyke fire control water for later disposal. Do not scatter the material. Avoid pollution of waterways.

Do not use high volume water jet, due to contamination risk. Contain water used for fire fighting for later disposal. Avoid the accumulation of polluted run-off from the site.

Personal protective equipment: Fire may produce irritating or poisonous vapours or gases (oxides of chlorine and sulphur) or other products of combustion. Fire fighters and others that may be exposed should wear full protective clothing and self-contained breathing apparatus.

6. ACCIDENTAL RELEASE MEASURES (Spillage)

Personal precautions: Avoid contact with skin and eyes. Do not breathe in fumes. For personal protection see Section 8.

Occupational spill: Do not touch-spilled material; stop leak if you can do it without risk. Keep out unprotected persons and animals.

For spills: Soak up with absorptive material such as damp earth or sand or other suitable non-combustible absorbent material. Place the material into a clean, dry container and cover for subsequent disposal. In situations where product comes in contact with water, contain contaminated water for later disposal. Prevent material from spreading by damming in with absorptive material. Do not flush spilled material into drains. Keep spectators away and upwind.

To decontaminate spill area, tools and equipment, wash with a suitable solution (i.e. organic solvent, detergent bleach or caustic). Add the solution to the drums already collected. Label drums with its content and dispose it in accordance with local regulations.

Open burning or dumping of this material is prohibited.

Do not get water inside containers.

7. HANDLING AND STORAGE REQUIREMENTS

Handling: Harmful if swallowed. Avoid inhalation and contact with eyes and skin. Use with adequate ventilation. Do not handle broken packages without protective equipment. Wash hands before eating, drinking, chewing gum, smoking, or using the toilet. Remove clothing immediately if the product gets inside. Then wash skin thoroughly using a non-abrasive soap and put on clean clothing. Seek medical advice.

Do not apply directly to areas where surface water is present, or to intertidal areas below the mean high water mark. Water used to clean equipment must be disposed of correctly to avoid contamination.

Worker should shower at the end of each work day. Launder all clothing before it is re-used again.

Storage: Store in its original container in dry, cool, well-ventilated area. Do not store near heat, open flame or hot surface. Store in original containers only. Not to be stored next to foodstuffs and water supplies.

Keep out of reach of children, uninformed persons and animals. Do not contaminate other pesticides and fertilizers.

Storage stability: Stable under normal warehouse storage conditions.

8. EXPOSURE CONTROL/PERSONAL PROTECTION

It is essential to provide adequate ventilation. The measures appropriate for a particular worksite depend on how this material is used and on the extent of exposure. Ensure that control systems are properly designed and maintained. Comply with occupational safety, environmental, fire, and other applicable regulations.

PERSONAL PROTECTIVE EQUIPMENT:

Respirator: An approved full-face respirator suitable for protection from spray or mists of pesticides is required. For dust exposure wear, as a minimum, a properly fitted half-face or full-face air-purifying respirator which is approved for pesticides. Respiratory use and selection must be based on airborne concentrations. Limitations of respirator use specified by the approved agency and the manufacturer must be observed.

Clothing: Employee must wear appropriate protective (impervious) clothing; overalls or long-sleeves uniform, boots, hat and equipment to prevent repeated or prolonged skin contact with this substance. Do not wear leather clothing.

Gloves: Employee must wear appropriate chemical resistant protective gloves to prevent contact with this substance.

Eye protection: The use of chemical resistant goggles or face shield.

Emergency eyewash: Where there is any possibility that an employee's eyes may be exposed to this substance, the employer should provide an eye wash fountain or appropriate alternative within the immediate work area for emergency use.

9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance: Brown homogeneous gel

Phase: Bait gel

Odour: Sweet odour

Bulk Density: 1,10 g/cm³ (20 °C) ca.

VILLA AGENT PEST BAIT

MATERIAL SAFETY DATA SHEET

Flash point: Not applicable
Water Solubility: Partly Soluble
Flammability: Non- flammable
pH: 6.5 to 7.5

10. STABILITY AND REACTIVITY

Stability: Stable under normal storage conditions.
Conditions to avoid: Avoid extreme heat and direct sunlight.
Hazardous decomposition: Toxic gases/vapour.
Hazard Polymerization: Will not occur

11. TOXICOLOGICAL INFORMATION

Formulation (calculated):
Acute oral LD₅₀: >5000 mg/kg
Acute dermal LD₅₀: > 2000 mg/kg
Acute skin irritation: Slightly skin irritant
Acute eye irritation: Slightly eye irritant
Sensitization: No skin sensitization (guinea pigs)
ADI: (EPA) RfD 0.01 mg/kg b.w. [1998]

12. ECOLOGICAL INFORMATION

In animals: In rats, following oral administration, rapidly eliminated in the faeces and urine. No residues were detectable in the milk or tissues of goats (0.2 mg/kg in the daily diet for 8 days). No residues were found in the milk or tissues of cows (0.05 mg/kg for 21 consecutive days).

In plants: Residues in grass 4 months after treatment were <0.01 ppm. Negligible residues were found in radishes, barley, and French beans planted 3 months after treatment of the soil.

In the soil: Rapidly degraded in sunlight by photolysis (DT₅₀ <1 h). DT₅₀ in sandy loam c. 7 d; DT₅₀ when incorporated in sandy loam c. 28 d. Formulated bait decomposes rapidly in daylight. Not mobile and does not leach. Low bioaccumulation potential.

ECOTOXICOLOGY:

Birds: Low toxicity to birds

LD₅₀: Bobwhite quail 1828mg/kg (tech.)
 LD₅₀: Mallard ducks 2510 mg/kg (tech.)

Fish: Highly toxic to fish

LC₅₀ (96 hours): Bluegill sunfish 1.70 mg/ℓ (tech.)
 Rainbow trout 0.16 mg/ℓ (tech.)

Daphnia: Highly toxic to fish

LC₅₀ (48 h): 1.14 mg/ℓ (tech.)

Bees: Medium toxicity to bees

LD₅₀ (oral & contact): 0.03 mg/bee (tech.)

13. DISPOSAL CONSIDERATION

Pesticide disposal:

Open dumping or burning of this pesticide is prohibited. Waste resulting from the use of this product cannot be reused or reprocessed. Never pour untreated waste or surplus products into public sewers or where there is any danger of run-off or seepage into water systems. Do not contaminate rivers, dams or any other water sources with the product or used containers.

Comply with local legislation applying to waste disposal.

Container disposal: Emptied containers retain product residues. Observe all labelled safeguards until container is destroyed. Comply with local legislation applying to waste disposal. Improper disposal or reuse of this container may be dangerous and illegal.

14. TRANSPORT INFORMATION

UN No.: 3082

Road Transport ADR/IRD:

Class: NR
Packing group: NR
Shipping name: Environmentally Hazardous
 Substance Liquid, N.O.S.
**(HYDRAMETHYLNON 2.15 %
 bait gel)**

Maritime Transport IMDG/IMO:

Class: NR
Packing group: NR
Shipping name: Environmentally Hazardous
 Substance Liquid, N.O.S.
**(HYDRAMETHYLNON 2.15 %
 bait gel)**

15. REGULATORY INFORMATION

Symbol: X_n, X_i

Indication of danger: Harmful Substance and Slightly Irritating Substance.

Risk phrases:

R 20/22 Harmful by inhalation and if swallowed.
R 21 Harmful in contact with skin
R 36/37/38 Irritating to eyes, respiratory system and skin

Safety phrases:

S 1/2 Keep locked up and out of the reach of children.
S 3/7/9 Keep container tight closed in cool well-ventilated place.
S 13 Keep away from food, drink and animal feeding stuffs.
S15 Keep away from heat.
S 20/21 when using not eat or drink.

VILLA AGENT PEST BAIT

MATERIAL SAFETY DATA SHEET

- S 29/35** Do not empty into drains; dispose of this material and its container in a safe way.
- S 45** In case of accident or if you feel unwell, seek medical advice immediately
- S 24/25** Avoid contact with skin and eyes.
- S 36/37/39** Wear suitable protective clothing, gloves and eye/face protection.
- S 60** This material and its container must be disposed of as hazardous waste.

16. OTHER INFORMATION

Packing and Labelling: Packed in 20, 50, 100, 200 & 250 millilitre containers/tubes and labelled according to the South African regulations and guidelines.

Disclaimer: The information on this sheet is not a specification; it does not guarantee specific properties. The information is intended to provide general guidance as to health and safety based upon our knowledge of the handling, storage use of the product. It is not applicable to unusual or non-standard uses of the product nor where instructions or recommendations are not followed.

All information is given in good faith but without guarantee in respect of accuracy, and no responsibility is accepted for errors and omissions or the consequence thereof.

END OF DOCUMENT

Compiled: August 2012
Reviewed: June 2018
Revision no.: (3)
Next revision: June 2021