

DIRECTIONS FOR USE ENCLOSED

GERBUIKSAANWYSINGS INGESLUIT

Batch number:  
Lotnummer:  
REFER TO DETAILS PRINTED  
ON CONTAINER/BAG

Date formulated:  
Formuleringsdatum:  
VERWYS NA BESONDERHEDE  
GEDRUK OP HOUER/SAK

BEFORE USING THIS PRODUCT READ THE LABEL CAREFULLY!

Adjuvant



PICANTA

Reg. No. L 8871 Act/Wet No. 36 of/van 1947  
N-AR 1503

2: 19/5/2017 – May 2017

*A terpenic polymer sticker adjuvant designed to control the effective lifespan of insecticides, herbicides, fungicides and foliar fertilizers.*

*'n Terpeen polimeer kleefmiddel vir die verlenging van die effektiewe leeftyd van insekdoders, onkruidodders, swamdoders en blaarvoedingsmiddels.*

ACTIVE INGREDIENT / AKTIEWE BESTANDDEEL

terpenic polymer 902 g/l terpeen polimeer



villa



Registration holder / Registrasiehouer:

Villa Crop Protection (Pty) Ltd.

Co. Reg. No. / Mpy. Reg. Nr. 1992/002474/07

PO Box / Posbus 10413, Aston Manor, 1630

Tel: 011 396 2233

Website / Webblad: [www.villacrop.co.za](http://www.villacrop.co.za)

UN Number: Not regulated

Willow Set & Print 011 394-4486



CAUTION  
VERSIGTIG



**PICANTA**

Reg. No. L 8871 / N-AR 1503 Act/Wet No. 36 of/van 1947

**ACTIVE INGREDIENT / AKTIEWE BESTANDDEEL:**

terpenic polymer / terpeen polimeer ..... 902 g/l

Registration holder / Registrasiehouer:

**VILLA CROP PROTECTION (PTY) LTD.**

Co. Reg. No. 1992/002474/07 Mpy. Reg. Nr.

PO Box / Posbus 10413

ASTON MANOR, 1630

Tel. (011) 396 2233

**CAUTION / VERSIGTIG****WARNINGS**

- Observe all warnings that are applicable to products with which **PICANTA** will be used.
- Handle with care.
- Harmful if swallowed.
- Causes mild eye and skin irritation.
- May cause moderate sinus and lung irritation.
- Toxic to aquatic organisms.
- Store in a cool place, away from food, feeds, eating utensils and drinking water.
- Protect this product from freezing temperatures. Store above 4 °C. Keep the container tightly closed, do not allow water to be introduced into the contents of the container.
- Keep out of reach of children, uninformed persons and animals.

**Aerial application:**

Notify all inhabitants of the immediate area to be sprayed and issue the necessary warnings. Do not spray over or allow drift to contaminate water and adjacent areas.

**Although this remedy has been extensively tested under a large variety of conditions, the registration holder does not warrant that it will be efficacious under all conditions, because the action and effect thereof may be affected by factors such as abnormal climatic and storage conditions, quality of dilution water, incompatibility with other substances not indicated on the label, as well as by the method, time and accuracy of application. The registration holder furthermore does not accept responsibility for damage to crops, vegetation, the environment or harm to man or animal or lack of performance of the remedy concerned, due to failure of the user to follow the label instructions or to the occurrence of conditions, which could not have been foreseen in terms of the registration. Consult the supplier in the event of any uncertainty.**

**PRECAUTIONS**

- Do not inhale any fumes.
- Avoid contact with skin and eyes.
- Wear rubber gloves and a face shield when handling the concentrate.
- Wash with soap and water after use and accidental contact.
- Do not eat, drink or smoke whilst handling the product or before washing hands and face.
- Avoid drift onto other crops, grazing, rivers, dams or areas not under treatment or to nearby water sources.
- **TRIPLE RINSE** empty containers in the following manner: Invert the empty container over the spray or mixing tank and allow draining for at least 30 seconds after the flow has slowed down to a drip. Thereafter rinse the container three times with a volume of water equal to a third of that of the container. Add the rinsing to the contents of the spray tank before destroying the container in the prescribed manner.
- Destroy the empty container by perforation and flattening and dispose of it in a safe way.
- **Never** re-use the empty container for any other purpose.
- Prevent contamination of food, feeds, drinking water and eating utensils.

**GENERAL INFORMATION**

- **PICANTA** forms an elastic and durable film that holds the spray droplet deposit on the plant foliage. This film degrades gradually over time, depending on the dosage rate and environmental conditions.
- **PICANTA** decreases the removal of agricultural remedies from plant foliage by rain, overhead irrigation, wind and ultraviolet light degradation. The film can withstand up to 25 mm of rain for a period of 7 to 10 days depending on the dosage rate used and crop sprayed. Loss of spray residue by the abrasive activity of leaves rubbing together is also decreased.
- **PICANTA** will not foam, or clog nozzles. It will be effective with all spray equipment.

**SYMPTOMS OF OVEREXPOSURE**

Irritation of the eyes and skin. Redness, stinging, swelling or itching may occur.

**FIRST AID TREATMENT**

Ingestion: Get medical advice and make the label available.

Eye contact: Hold eyelids apart and flush eyes immediately with running water for at least 20 minutes. Seek medical attention if irritation persists.

Skin contact: Remove contaminated clothing and wash contaminated areas thoroughly with running water and soap for 15 minutes. Seek medical attention if irritation persists.

Inhalation: Remove patient to fresh air. Seek medical attention if irritation persists.

**NOTE TO PHYSICIAN**

Treat symptomatically and supportively. Keep under medical observation.

**IMPORTANT NOTES**

- All sprays containing **PICANTA** must be applied during daylight, allowing at least one hour before anticipated rain or overhead irrigation, after application. Daylight for this time period is required for the **PICANTA**'s protective film to set.
- **To ensure thorough emulsification, pre-mix this product with water before adding it to the spray mixture.**
- Always rinse the tank, lines and nozzles with water immediately after spraying. After rinsing, a small quantity of sticky residue may remain in the spray tank. This residue can help to prevent rust and corrosion and will not clog the nozzles when the sprayer is next used.
- If spray drift settles on unintended surfaces, it can be removed with soap and water before the film dries out or with premium grade kerosene after the film has dried. To remove residues from painted metal surfaces, use standard tar remover products designed for use on these surfaces.
- **PICANTA** is compatible in spray mixtures with most insecticides, fungicides, herbicides and fertilizers applied to leaf surfaces.
- Use of this product with tolerance exempt pesticides close to harvest may result in unwanted visible residues on crops. If this is a problem, the product rate should be reduced or this product should not be used close to harvest.

**DIRECTIONS FOR USE: Use only as indicated.**

Refer "**IMPORTANT NOTES**" above.

**Mixing Instructions:**

- To ensure thorough emulsification, pre-mix **PICANTA** with water.
- Add this pre-mixture to the spray tank last, as the spray tank is being filled, with thorough agitation.
- **Always add PICANTA as the last ingredient to the spray mixture.**

**Purpose of Use:**

To extend the activity and increase the effectiveness of agricultural remedies and foliar nutrients when applied on plant foliage by aircraft or ground equipment.

**APPLICATION RATES**

<i>Crop</i>	<i>Dosage rate %</i>	<i>Dosage rate per ha</i>	<i>Remarks</i>
<p>As a sticker to increase the life of agrochemicals. This will form a durable elastic film on the spray deposit that will encapsulate the agrochemical on the crop foliage. PICANTA also has limited spreading qualities.</p>	<p>0.05 % (50 mℓ per 100 litres spray mixture)</p> <p><b>Do not exceed the recommended rate per hectare</b></p>	<p>150 to 300 mℓ General use</p>	<p>Apply in adequate water volumes as specified on the agrochemical label.</p>