

# VILLA CENTRAL 500 SC

# SAFETY DATA SHEET

## 1. CHEMICAL PRODUCT AND COMPANY IDENTIFICATION

**Product Name:** CENTRAL 500 SC  
**Other identifier:** Azoxystrobin Cymoxanil 500 SC  
**Recommended use:** Fungicide  
**Restrictions on use:** Agriculture

**Supplier:** Villa Crop Protection (Pty) Ltd  
 PO Box 10413,  
 Aston Manor, 1631,  
 South Africa

**Telephone:** (011) 396 2233

**Fax:** (011) 396 4666

**Website:** [www.villacrop.co.za](http://www.villacrop.co.za)

### Emergency telephone numbers:

#### 24 Hr Transport / Spill emergency no:

Envirosure. +27 31 205 4918

(Hazcall24) +27 86 044 4411

(Client: Villa Crop Protection)

Griffon Poison Information Centre +27 82 446 8946

(Client: Villa Crop Protection)

### Poisoning Emergency telephone numbers:

Griffon Poison Information Centre +27 82 446 8946

Poisons Information Centre +27 861 555 777

### Villa Crop Protection Emergency number:

#### National Safety, Health and Environmental Manager:

+27 63 698 0668

## 2. HAZARDS IDENTIFICATION

UN GHS, Regulation EC 1272/2008 [EU-GHS/CLP] EU & SANS 10234:2008		
Hazard classes	Hazard categories	H-statements
<b>Health</b>		
Oral	Acute Tox. 4	H302
Dermal	Acute Tox. 5	H313
Inhalation	Acute Tox. 5	H333
Carcinogenicity	Carc. 1B	H350
Reproductive Toxicity	Repr. 2	H361fd
Specific Target Organ Toxicity Repeated Exposure	STOT RE 3	H373
<b>Environment</b>		
Aquatic acute	Aquatic acute 1	H400
Aquatic chronic	Aquatic chronic 1	H410

### The most important adverse effects:

**Physicochemical effects:** None known.

**Human health effects:** May cause cancer.

Suspected of damaging fertility and the unborn child.

### Label elements:



**Signal word:** Danger.

### Hazard statements:

H302: Harmful if swallowed.

H313: May be harmful if in contact with skin.

H333: May be harmful if inhaled.

H350: May cause cancer.

H361fd: Suspected of damaging fertility and the unborn child.

H373: May cause damage to blood and thymus through prolonged or repeated exposure.

H400: Very toxic to aquatic life.

H410: Very toxic to aquatic life with long lasting effects.

### Precautionary statements:

P202: Do not handle until all safety precautions have been read and understood.

P264: Wash hands and face thoroughly after handling.

P270: Do not eat, drink or smoke when using this product.

P280: Wear impervious rubber gloves and boots, protective clothing and chemical safety goggles.

P308/313: If exposed or concerned: Get medical attention.

P373: Avoid release into the environment.

P391: Collect spillage.

P405: Store locked up.

P501: Dispose of contents/container to suitable landfill in accordance with local regulations.

**Special labelling of certain mixtures:** None known.

**Other hazards:** None known.

### Toxicity:

Classification according to GHS: Category 4.

Classification according to WHO: Category II.

## 3. COMPOSITION / INFORMATION ON INGREDIENTS

**Substance/Mixture:** Mixture.

### Composition:

Chemical Name	CAS	Conc. (m/v%)	Classification EC 1272/2008
Cymoxanil	57966-95-7	35 %	Acute Tox. 3 (H302) Skin Sens. 1 (H317) Repr. 2 (H361fd) STOT RE 2 (H373)

# VILLA CENTRAL 500 SC

# SAFETY DATA SHEET

			Aquatic Acute 1 (H400) Aquatic Chronic 1 (H410)
Azoxystrobin	131860-33-8	15 %	Acute Tox. 3 (H331) Aquatic Acute 1 (H400) Aquatic Chronic 1 (H410)
Emulsifier	n/a	<10%	Skin Irrit. 3 (H316) Eye Dam. 1 (H318) Aquatic Acute 3 (H402) Aquatic Chronic 3 (H412)
Anti-freeze	107-21-1	<10%	Acute Tox. 4 (H302)
Biocide	50-00-0	<0.5%	Acute Tox. 3 (H301) Acute Tox. 3 (H311) Skin Sens. 1 (H317) Acute Tox. 3 (H331) Muta. 2 (H341) Carc. 1B (H350)

mouth thoroughly with water. Do not give anything by mouth to an unconscious person.  
**Anticipated acute effects:** None known.  
**Anticipated delayed effects:** None known.  
**Most important symptoms/effects:** None known.  
**Advice to physician:** There is no specific antidote available. Treat symptomatically and supportively.

## 5. FIRE-FIGHTING MEASURES

**Suitable Extinguishing Media:** Use water spray, foam or carbon dioxide.  
**Unsuitable Extinguishing Media:** High volume water jet.  
**Specific hazards:** Combustion may result in the release of the following gases: carbon dioxide and oxides of nitrogen.  
**Special Fire Fighting Procedures:** Remove spectators from surrounding area. Isolate the fire area and evacuate all personnel downwind of the fire. Fight fire from maximum distance and use unmanned hose holder or monitor nozzles. Keep upwind. Avoid inhaling hazardous vapours and fumes from burning materials. Remove container from fire area if possible and without risk. Water can be used to cool unaffected containers but must be contained for later disposal. Do not use high volume water jet, due to contamination risk. Do not scatter the burning material. Contain fire control agents and waste water for later disposal. Avoid pollution of waterways by run-off from the site.  
**Personal protective equipment:** Wear NIOSH/MSHA approved self-contained breathing apparatus and full bunker gear.

## 4. FIRST AID MEASURES

Remove the victim from the area of exposure. Wash off remaining material with plenty of water. In the event of any complaints or symptoms, avoid further exposure. Immediately consult a doctor.

**Inhalation:** Remove person from contaminated area to fresh air and assist breathing as needed. If breathing has stopped, perform artificial respiration; if breathing is laboured administer oxygen. Only qualified personnel should administer oxygen. Seek medical attention immediately.

**Skin:** Remove contaminated clothing and shoes. Gently wipe off excess chemical. Wash skin gently and thoroughly with water and non-abrasive soap. If irritation persists, obtain medical attention.

**Eyes:** Immediately flush eyes with clean water for at least 15-20 minutes. Lift eyelid (s) to facilitate irrigation. If present, remove contact lenses after 5 minutes and continue rinsing. **Seek medical attention immediately.**

**Ingestion:** **Seek medical attention immediately.** Do NOT induce vomiting unless instructed to do so by a poison control centre or doctor. If the person is alert, rinse

## 6. ACCIDENTAL RELEASE MEASURES

**Personal Precautions:** Avoid contact with eyes and skin. Do not breathe in fumes. Ventilate area of spill or leak, especially in contained areas.

**Protective equipment:** Refer to Section 8 for personal protective equipment to be worn during containment and clean-up of a spill involving this product.

**Emergency procedures:** Alert firefighting personnel, evacuate unprotected personnel and animals.

**Environmental Precautions:** Prevent spilled product from entering sewers, waterways or ground water as the product is classified to be very toxic to aquatic organisms and may cause long-term adverse effects in the aquatic environment. Any spillages or uncontrolled discharges into water courses should be immediately reported to the police and the Department of Water/Environmental Affairs.

**Methods and Materials for Containment:** Prevent material from spreading by diking area in with sand, earth, or vermiculite.

**Methods and Materials for Clean-up:** Cover contained spill with an inert absorbent material such as sand, vermiculite, earth or other appropriate material. Vacuum,

# VILLA CENTRAL 500 SC

# SAFETY DATA SHEET

scoop, or sweep up material and place the material into a clean, dry, sealable container. Label containers with the contents and dispose of according to local regulations. Do not place spilled material back in original container. Do not re-use spilled material. Collect washings and add to the drums already collected. Do not flush spilled material or washings into drains or waterways. To decontaminate the spill area, tools and equipment, wash with water and suitable detergent. See section 13 for disposal considerations.

## 7. HANDLING AND STORAGE

### Handling:

**Precautions for safe handling:** May be harmful if swallowed. Ensure adequate ventilation during handling and use. Avoid contact with skin and eyes. Do not handle broken packages without protective equipment. Immediately clean up spills that occur during handling. Keep containers tightly closed when not in use. In case of contact with the product refer to First Aid Measures – Section 4.

**General occupational hygiene:** Practice good hygiene when using this material. Wash hands before eating, drinking, chewing gum, smoking, using the toilet or applying cosmetics. Worker should shower at the end of each workday. Launder all clothing before it is re-used again.

### Storage:

**Conditions for safe storage:** Keep out of reach of unauthorised persons, children and animals. Store in original, labelled container kept tightly closed in an isolated, dry, cool and well-ventilated area. Avoid excess heat. Keep out of direct sunlight. Avoid cross contamination with other pesticides and fertilisers. Local regulations should be complied with.

**Incompatible substances and mixtures:** Refer to product label.

**Packaging material:** Plastic containers.

## 8. EXPOSURE CONTROLS AND PERSONAL PROTECTION

### Permissible concentration

Components	Exposure limits	Type of exposure limit	Source
Azoxystrobin	2 mg/m <sup>3</sup>	TWA (8h)	OES
Formaldehyde	0.75ppm 2ppm (STEL)	TWA (8h)	OSHA PEL

### Engineering Controls:

It is essential to provide adequate ventilation. The measures appropriate for a particular worksite depend on how this material is used and on the extent of exposure. Local Exhaust: Provide general or local exhaust ventilation

systems to maintain airborne concentrations below OSHA PELs or other specified exposure limits. Local exhaust ventilation is preferred. Ensure that control systems are properly designed and maintained. Comply with occupational safety, environmental, fire, and other applicable regulations.

### Personal Protective Equipment:

**Respiratory Protection:** If inhalation is likely to occur (airborne concentrations exceed exposure limits), use a NIOSH approved air-purifying respirator.

**Hand Protection:** The employee must wear appropriate chemically resistant gloves, e.g. nitrile rubber gloves, to prevent contact with this mixture.

**Eye Protection:** Wear a face shield when handling the concentrate and when applying the product. The use of safety goggles is recommended if a face shield is not used. Contact lenses are not protective devices.

**Skin and Body Protection:** Employee must wear appropriate impervious clothing and equipment (according to exposure level) to prevent repeated or prolonged skin contact with this mixture.

**Emergency eyewash:** Where there is any possibility that an employee's eyes may be exposed to this mixture; the employer should provide an eye wash fountain or appropriate alternative within the immediate work area for emergency use.

## 9. PHYSICAL AND CHEMICAL PROPERTIES

**Appearance:** White to cream viscous liquid.

**Odour:** Characteristic.

**pH (1% aqueous dilution):** 3.5 – 8.0.

**Melting point:** Not available.

**Freezing Point:** Not available.

**Boiling Point:** Not available.

**Flash Point:** Not available.

**Flammability:** Not available.

**Upper/lower explosion limits:** Not available.

**Vapour Pressure (mm Hg):** Not available.

**Relative Vapour Density:** Not available.

**Density/Relative density:** 1.133 g/l.

**Solubility:** Suspends in water.

**n-octanol/water partition coefficient:** Not available.

**Auto-ignition temperature:** Not available.

**Decomposition temperature:** Not available.

**Viscosity:** 600 – 1400cP.

## 10. STABILITY AND REACTIVITY

**Chemical Stability:** Product is stable at ambient temperature and pressure, under normal storage and handling conditions.

**Reactivity:** None known.

**Possibility of Hazardous Reactions:** None Known.

**Conditions to Avoid:** Avoid extreme heat and exposure to flames or direct sunlight.

# VILLA CENTRAL 500 SC

# SAFETY DATA SHEET

**Incompatible Materials:** None known.  
**Hazardous Decomposition Products:** Combustion may release toxic and irritant vapours.

## 11. TOXICOLOGICAL INFORMATION

**ACUTE TOXICITY (Experimental data):**

**Oral LD<sub>50</sub>** (24 h) rat 2000 mg/kg.

**Dermal LD<sub>50</sub>** (24 h) rat > 2000 mg/kg.

**Inhalation LC<sub>50</sub>** (4 h) rat > 5.189 mg/l.

**Skin Irritation/Corrosion:** Not considered a skin irritant.

**Eye Damage/Irritation:** Not considered an eye irritant.

**Skin Sensitization:** Not a skin sensitizer.

**Based on classification according to GHS:**

**Respiratory Sensitization:** Not available.

**Reproductive cell mutagenicity:** Not available.

**Carcinogenicity:** May cause cancer.

**Reproductive toxicity:** Suspected of damaging fertility or the unborn child.

**Specific target organ toxicity – single exposure:** Not available.

**Specific target organ toxicity – repeated exposure:** May cause damage to blood and thymus through prolonged or repeated exposure.

**Aspiration hazard:** Not available.

**Chronic Effects:** Not available.

**POTENTIAL ADVERSE EFFECTS:**

No significant adverse effects are expected to develop when used as recommended.

## 12. ECOLOGICAL INFORMATION

This product is very toxic to aquatic life with long lasting effects.

**ECOTOXICITY DATA (based on active ingredients):**

**Fish:**

**Azoxystrobin**

LC <sub>50</sub> (96h)	Bluegill sunfish:	1.1 mg/l.
	Rainbow trout:	0.47 mg/l.
	Carp	1.6 mg/l.
	Sheepshead minnow	0.66 mg/l.

**Cymoxanil**

LC <sub>50</sub> (96h)	Rainbow trout	61 mg/l.
	Bluegill sunfish	29 mg/l.
	Common carp	91 mg/l.
	Sheepshead minnow	>47.5 mg/l.

**Daphnia:**

**Azoxystrobin**

EC <sub>50</sub> (48h)	0.28 g/l.
------------------------	-----------

**Cymoxanil**

LC <sub>50</sub> (48h):	27 mg/l.
-------------------------	----------

**Algae:**

**Azoxystrobin**

EC <sub>50</sub> (72h)	<i>P. subcapitata</i>	0.18 mg/l.
------------------------	-----------------------	------------

<i>Navicula pelliculosa</i>	0.028 mg/l.
<b>Cymoxanil</b>	
EC <sub>50</sub> (72h)	<i>S. capricornutum</i> 1.21 mg/l.
	<i>Anabaena flos-aquae</i> 231 ppb.

**Birds:**

**Azoxystrobin**

LD <sub>50</sub>	Bobwhite quail & Mallard ducks	>2000 mg/kg.
LC <sub>50</sub> (5d) diet	Bobwhite quail & Mallard ducks	>5200 mg/kg.

**Cymoxanil**

LD <sub>50</sub>	Bobwhite quail & Mallard ducks	>2250 mg/kg.
LC <sub>50</sub> (8 d)	for bobwhite quail & Mallard ducks	>5620 mg/kg diet.

**Bees:**

**Azoxystrobin**

LD <sub>50</sub> (48h) (oral)	>25 mg/bee.
LD <sub>50</sub> (48h) (contact)	>200 mg/bee.

**Cymoxanil**

Not toxic to bees	
LD <sub>50</sub> (contact)	>25mg/bee.

**Worms:**

**Azoxystrobin**

LC <sub>50</sub> (14d)	283 mg/kg.
------------------------	------------

**Cymoxanil**

LC <sub>50</sub> (14d)	>2208 mg/kg.
------------------------	--------------

**Plants:**

**Azoxystrobin**

In wheat, grapes and peanuts, metabolism was extensive, but parent Azoxystrobin was the only major (>10%) residue. Metabolism pathways were similar in all three crops.

**Cymoxanil**

Degraded to glycine with subsequent incorporation into natural products (proteins and starch).

**ENVIRONMENTAL EFFECTS:**

**Persistence and degradability:**

**Azoxystrobin**

Average DT<sub>50</sub> (lab.) of Azoxystrobin is 8 weeks (20 °C, pF 2). In the dark, six identified metabolites were formed. Dissipation in the field is faster, average DT<sub>50</sub> is 2 weeks, DT<sub>90</sub> 41 weeks. On soil, photolysis DT<sub>50</sub> is 11 days. Azoxystrobin and its degradates have low to moderate mobility in soil; typical K<sub>oc</sub> for Azoxystrobin is c. 500. Field dissipation studies showed that neither Azoxystrobin nor its major degradates were typically found in soil below the top 15 cm. Technical material should photodegrade in water (DT<sub>50</sub> 11 – 17 days).

**Cymoxanil**

In lab. soils, DT<sub>50</sub> 0.75-1.6 d (5 soils, pH range 5.7-7.8, o.m. 0.8-3.5%). In the field, DT<sub>50</sub> (bare soil) 0.9-9 d. In aquatic studies, DT<sub>50</sub> <1 d. K<sub>oc</sub> 38-237. Cymoxanil is mobile, adsorption Freundlich K 0.29 to 2.86 in four soil types.

# VILLA CENTRAL 500 SC

# SAFETY DATA SHEET

**Bio-accumulative Potential:** Not determined.  
**Mobility in soil:** Not determined.  
**Other adverse effects:** Not determined.

**Transport in bulk** (according to MARPOL 73/78, Annex II and the IBC code): Not applicable.

## 13. DISPOSAL CONSIDERATIONS

**Waste:** Open dumping or burning of this pesticide is prohibited. Waste resulting from the use of this product cannot be reused or re-processed. Never pour untreated waste or surplus product into public sewers or where there is any danger of run-off or seepage into water systems. Do not contaminate rivers, dams or any other water sources with the product or used containers. Waste should only be handled by licensed facilities. Comply with local legislation applying to waste disposal.

**Container:** Emptied containers retain vapour and product residues. Do not re-use the empty container for any other purpose. Triple rinse empty containers by inverting the empty container over the spray or mixing tank and allow draining for at least 30 seconds after the flow has slowed down to a drip. Thereafter, rinse the container three times with a volume of water equal to a third of that of the container. Add the rinsing to the contents of the spray tank before recycling or destroying the container in the prescribed manner. Observe all labelled safeguards until container is destroyed. Destroy the container by perforation and flattening. Where possible, recycling is preferred to disposal or incineration. If recycling is not practicable, dispose of in compliance with local regulations. The container may be taken to a certified waste disposal site or incineration plant.

## 14. TRANSPORT INFORMATION

**UN NUMBER:** 3082  
**Road Transport ADR/RID:**  
 Class: 9  
 Packaging group: III  
 Shipping name: Environmentally Hazardous Substance, Liquid, N.O.S.  
**(Azoxytrobin Cymoxanil 500 SC)**

**Maritime Transport IMDG/IMO:**  
 Class: 9  
 Packaging group: III  
 Shipping name: Environmentally Hazardous Substance, Liquid, N.O.S.  
**(Azoxytrobin Cymoxanil 500 SC)**

**Marine Pollutant:** Yes  
**Air Transport IATA/CAO:**  
 Class: 9  
 Packaging group: III  
 Shipping name: Environmentally Hazardous Substance, Liquid, N.O.S.  
**(Azoxytrobin Cymoxanil 500 SC)**

**Special/Environmental Precautions:** Refer to sections 4 to 8 of this document.

## 15. REGULATORY INFORMATION

**Safety, health and environmental regulations / legislation for the mixture:**

OHSA 1993 Regulations for Hazardous Chemical Substances.

**Relevant information regarding restrictions:** None.

**EU regulation:** Regulation EC1272/2008 (EU-GHS/CLP)

**Other national regulations:** None.

**Chemical Safety Assessment carried out?** No

## 16. OTHER INFORMATION

**Packaging:** Packed in 1, 2, 5, 10, 20, 25 & 50 litres plastic containers, labelled according to South African regulations and guidelines.

**Additional H Statements (formulants):**

- H301:** Toxic if swallowed.
- H311:** Toxic on contact with skin.
- H316:** Causes mild skin irritation.
- H317:** May cause an allergic skin reaction.
- H318:** Causes serious eye damage.
- H331:** Toxic if inhaled.
- H341:** Suspected of causing genetic defects.
- H402:** Harmful to aquatic life.
- H412:** May cause long-lasting effects to aquatic life.

**Disclaimer:** The information on this sheet is not a specification; it does not guarantee specific properties. The information is intended to provide general guidance as to health and safety based upon our knowledge of the handling, storage and use of the product. It is not applicable to unusual or non-standard uses of the product nor where instructions or recommendations are not followed. All information is given in good faith but without guarantee in respect of accuracy, and no responsibility is accepted for errors and omissions or the consequence thereof.

## END OF DOCUMENT

**Compiled:** July 2014  
**Reviewed:** March 2019  
**Revision no.:** (2)  
**Next revision date:** March 2024

For detailed information on revisions, contact the Registration holder.