

BEFORE USING THIS PRODUCT READ THE LABEL CAREFULLY!

Adjuvant



SUMMIT SUPER

Reg. No. L 8539 Act/Wet No. 36 of/van 1947

2:24/1/2013-Feb2017

A soluble liquid adjuvant for use with post emergent herbicides where a surfactant is recommended.

SURFACTANT / SALT

'n Oplosbare vloeistof byvoegmiddel vir gebruik met na-opkoms onkruidodders wat met benatters aanbeveel word.

BENATTER / SOUT

ACTIVE INGREDIENT / AKTIEWE BESTANDEEL

nitrogen solution/ non-ionic surfactant **929 g/l** stikstof-bevattende oplossing / nie-ioniese benatter



villa



Registration holder / Registrasiehouer:

Villa Crop Protection (Pty) Ltd.

Co. Reg. No. / Mpy. Reg. Nr. 1992/002474/07

PO Box / Posbus 10413, Aston Manor, 1630

Tel: 011 396 2233

Website / Webblad: www.villacrop.co.za

UN Number: 3082

Willow Set & Print 011 394-4486



CAUTION
VERSIGTIG



GEBRUIKSAANWYSINGS INGESLUIT

Date formulated:

Formuleringsdatum:

REFER TO DETAILS PRINTED

ON CONTAINER/BAG

Batch number:

Lotnommer:

DIRECTIONS FOR USE ENCLOSED

VERWYS NA BESONDERHEDE
GEDRUK OP HOUER/SAK

SUMMIT SUPER

Reg. No. L 8539 Act/Wet No. 36 of/van 1947

ACTIVE INGREDIENT / AKTIEWE BESTANDEEL:

nitrogen solution / non-ionic surfactant (stikstof-bevattende oplossing / nie-ioniese benatter).....929 g/l

Registration holder / Registrasiehouer:

VILLA CROP PROTECTION (PTY) LTD.

Co. Reg. No. 1992/002474/07

PO Box 10413,

ASTON MANOR, 1630,

Tel. (011) 396 2233

CAUTION / VERSIGTIG**WARNINGS**

- Adhere to all label warnings that apply to the product or products with which **SUMMIT SUPER** is to be used.
- Store in a cool, dry, well-ventilated place.
- Store away from food, feeds, seed, fertilizers and other agricultural remedies.
- **SUMMIT SUPER** is a skin and eye irritant.
- Keep out of reach of children, uninformed persons and animals.
- Re-entry: Adhere to the re-entry interval and requirements as indicated on the herbicide label.

Aerial application:

Notify all the inhabitants in the immediate vicinity of the area to be sprayed and issue the necessary warnings.

Although this remedy has been extensively tested under a wide variety of conditions, the registration holder does not warrant that it will be efficacious under all conditions, because the action and effect thereof may be affected by factors such as abnormal soil, climatic and storage conditions, quality of dilution water, compatibility with other substances not indicated on the label as well as by the method, time and accuracy of application. The registration holder furthermore does not accept responsibility for damage to crops, vegetation, the environment or harm to man or animal for any reason whatsoever or for lack of performance of the remedy concerned, due to failure of the user to follow the instruction or to the occurrence of conditions, which could not have been foreseen in terms of the registration. Consult the supplier in the event of any uncertainty.

PRECAUTIONS

- Avoid inhalation of the spray mist.
- Wear a face shield and gloves when handling the product.
- After use and in case of accidental skin contact, wash thoroughly with soap and water.
- In the case of eye contact, flush eyes with copious amounts of water for at least 15 minutes.
- Wash contaminated clothing after use.
- Do not eat, drink or smoke whilst mixing or applying or before washing hands and face and change of clothing.
- Prevent drift of spray mist onto other crops, grazing, rivers, dams and areas not under treatment.
- Thoroughly clean the applicator after use and dispose of wash water in a way that will not contaminate the environment, food, grazing and water sources.
- **TRIPLE RINSE** empty containers in the following manner: Invert the empty container over the spray or mixing tank and allow draining for at least 30 seconds after the flow has slowed down to a drip. Thereafter rinse the container three times with a volume of water equal to a minimum of a third of that of the container. Add the rinsing to the contents of the spray tank before destroying the container in the prescribed manner.
- Destroy the container by perforation and flattening and dispose of it in a safe way.
- **Never** re-use the empty container for any other purpose.
- Prevent contamination of food, feeds, drinking water and eating utensils.

PRODUCT PROPERTIES

- **SUMMIT SUPER** has been formulated for use with **Bipyridylium** herbicides and **Sulfonylureas** but can be applied with any herbicide that requires the addition of a surfactant, especially non-ionic surfactants. Refer to the “**APPLICATION RATES**” table.

USE RESTRICTIONS

- Test the mixture on a small scale before applying it commercially.

DIRECTIONS FOR USE: Use only as directed.**Compatibility:**

- **SUMMIT SUPER** can be used with herbicides that recommend the use of a surfactant.
- Adhere to the “**Mixing instructions**” and “**DIRECTIONS FOR USE**” for the product with which **SUMMIT SUPER** is to be used.

Mixing Instructions:

- Do not use **SUMMIT SUPER** with other adjuvants.
- In the event of tank mixes, strictly adhere to all the recommendations of the tank-mix components.
- Pre-mix **SUMMIT SUPER** with a small volume of water and then add it to the water in the mixing tank last, to minimize foaming.
- Prepared mixture must not be left in the spray tank for any length of time.
- **SUMMIT SUPER** is corrosive therefore the sprayer, tank and spray system should be rinsed thoroughly after the use of **SUMMIT SUPER**, to remove all adjuvant residues.

Application Instructions:**Ground application:**

SUMMIT SUPER can be used with any correctly calibrated spray equipment as recommended on the herbicide label.

Aerial application:

Adhere to all necessary precautions associated with aerial spraying of herbicides, especially with regard to control of drift. If in any doubt, consult with the supplier and/or aerial application operator.

APPLICATION RATES

<i>Herbicide Group</i>	<i>Trade Name Examples</i>	<i>SUMMIT SUPER Dosage Rate</i>	<i>Remarks</i>
Bipyridyliums (Containing Paraquat and/or Diquat)	Disrupt 200 SL	0.15 % to 0.3 % (150 to 300 ml / 100 litres)	For use with herbicides that are recommended for use with a surfactant. Use the higher rate on more resilient weeds. Adhere to the “ Mixing instructions ” and “ DIRECTIONS FOR USE ” for the product with which SUMMIT SUPER is to be used.
	SKOFFEL® 145 SL (L 4347) SKOFFEL® SUPER 200 SL (L 6328 / W 130059 / N-AR 1097) Skoffel® Duo 200 SL		
Sulfonylureas	BRUSH-OFF® (L 4535)	0.15 % to 0.3 % (150 to 300 ml / 100 litres)	For use with herbicides that are recommended for use with a surfactant. Use the higher rate on more resilient weeds. Adhere to the “ Mixing instructions ” and “ DIRECTIONS FOR USE ” for the product with which SUMMIT SUPER is to be used.
	GLEAN® 75 DF (L 1672)		
	EXPRESS® SUPER (L 8212)		
	GRANSTAR® PLATINUM SX (L 8209)		
	Halo 750 WDG		
Nicoron 750 WDG			

Herbicide Group	Trade Name Examples	SUMMIT SUPER Dosage Rate	Remarks
Callistemones	Cantron® 480 SC	0.15 % to 0.3 % (150 to 300 ml /100 litres)	For use with herbicides that are recommended for use with a surfactant. Use the higher rate on more resilient weeds. Adhere to the “ Mixing instructions ” and “ DIRECTIONS FOR USE ” for the product with which SUMMIT SUPER is to be used.
Aryloxyphenoxy Propionates	Forward 100 EC		
Triazines	Ametryn 500 SC TERBUSIEN SUPER 600 SC (L 5435 / N-AR 1110) Terbuweed 600 WDG		

The following products mentioned in this label can be replaced with the following equivalent products:

- **HALO 750 WDG** (L 8283 / N-AR 1337) = **CROWN 750 WDG** (L 8282) = **STRIGO 750 WDG** (L 8671),
- **CANTRON® 480 SC** (L 8365 / N-AR 1323 / W 130651) = **ASTRON® 480 SC** (L 8366) = **CANONNE 480 SC** (L 8735), (**Mesotrione**),
- **DISRUPT 200 SL** (L 9180) = **DISTURB 200 SL** (L 9181) (**Diquat**),
- **TERBUWEED 600 WDG** (L 8800) = **TERBUCIDE 600 WDG** (L 8799 / W 1301046) = **TERBUMAIS 600 WDG** (L 8798),
- **AMETRYN 500 SC** (L 7742) = **AMETRYN 500SC** (L 7743),
- **NICORON 750 WDG** (L 8045 / N-AR 1335) = **NICOSULFURON 750 WDG** (L 8059),
- **SKOFFEL® DUO 200 SL** (L 9063) = **SKOFFEL® PLUS 200 SL** (L 9062), (**Diquat + Paraquat**) and
- **FORWARD 100 EC** (L 9036) = **FUTURE 100 EC** (L 9037), (**Propaquizafop**).

HALO 750 WDG, CANTRON® 480 SC, DISRUPT 200 SL, TERBUWEED 600 WDG, AMETRYN 500 SC, NICORON 750 WDG, SKOFFEL® DUO 200 SL, FORWARD 100 EC and/en **TERBUSIEN SUPER 600 SC** are registered products of / is geregistreerde produkte van **VILLA CROP PROTECTION (PTY) LTD.**

CROWN 750 WDG, ASTRON® 480 SC, DISTURB 200 SL, TERBUCIDE 600 WDG, AMETRYN 500SC, NICOSULFURON 750 WDG, SKOFFEL® PLUS 200 SL, SKOFFEL® 145 SL, SKOFFEL® SUPER 200 SL and/en **FUTURE 100 EC** are registered products of / is geregistreerde produkte van **UNIVERSAL CROP PROTECTION (PTY) LTD.**

TERBUMAIS 600 WDG, STRIGO 750 WDG and/en **CANONNE 480 SC** are registered products of / is geregistreerde produkte van **CROPASURE (PTY) LTD.**

BRUSH-OFF® (L 4535), **GLEAN® 75 DF** (L 1672), **EXPRESS® SUPER** (L 8212) and/en **GRANSTAR® PLATINUM SX** (L 8209) are registered trademarks of / is geregistreerde handelsmerke van **DU PONT DE NEMOURS SOUTH AFRICA (PTY) LTD.**

CANTRON®, SKOFFEL® and/en **ASTRON®** are registered trademarks of / is geregistreerde handelsmerke van **VILLA CROP PROTECTION (PTY) LTD.**