

VILLA WABEK 510 SL

MATERIAL SAFETY DATA SHEET

1. PRODUCT & COMPANY IDENTIFICATION

Product Name: WABEK 510 SL
 Herbicide/Fungicide/Insecticide
UN No.: 3266
Supplier: Villa Crop Protection (Pty) Ltd.
 PO Box 10413
 Aston Manor, 1630, South Africa
Telephone: (011) 3962233
Fax: (011) 3964666
Website: www.villacrop.co.za

Emergency telephone numbers:
24 Hr Transport / Spill emergency no:
 Envirosure. +27 31 205 4918
 (Hazcall24) +27 86 044 4411
 (Client: Villa Crop Protection)
 Griffon Poison Information Centre +27 82 446 8946
 (Client: Villa Crop Protection)
Poisoning Emergency telephone numbers:
 Griffon Poison Information Centre +27 82 446 8946
 Poisons Information Centre +27 861 555 777
Villa Crop Protection Emergency number:
National Safety, Health and Environmental Manager:
 +27 63 698 0668

2. COMPOSITION/INFORMATION ON INGREDIENTS

Common Name: Metam-sodium
Chemical Name: sodium methylthiocarbamate
 (IUPAC)
CAS No.: [137-42-8]
Chemical Family: Thiocarbamate
Chemical Formula: C₂H₄NNaS₂ (Mol. wt.: 129.2)
Formulation: Metam-sodium: 510 g/l
 Soluble Liquid
Use / Mode of Action: Soil fumigant, acting by
 decomposition to methyl
 isothiocyanate.
Hazardous ingredients of toxicological concern:

Inert:	concern:	% present:
Metam-sodium,	Harmful if swallowed	42- 50 %
Other non-hazardous inerts		±58 %

Symbol: X_n, C, N
Indication of danger: Harmful, Corrosive,
 Environmentally Hazardous
 Substance.
Risk-Phrases: R22, R31, R34, R43, R50, R53

3. HAZARD IDENTIFICATION

Toxicity class:
 WHO (a.i) II; EPA (formulation): II

Likely routes of exposure:

Skin and eye contact, inhalation, ingestion.

Eye contact:

Not harmful. Mild irritant to the eyes. The product may be mildly irritating, but is unlikely to cause more than mild discomfort, which should disappear once contact ceases.

Skin contact:

Moderate irritant to skin. Harmful if absorbed through the skin. Prolonged or frequent repeated skin contact may cause allergic reactions in some individuals. Decomposition products may be corrosive.

Ingestion:

Harmful if swallowed.

Inhalation:

Harmful by inhalation.

4. FIRST AID MEASURES AND PRECAUTIONS

Inhalation:

Immediately remove source of contamination or move victim to fresh air. If breathing has ceased, clear the person's airway and start mouth-to-mouth artificial respiration. If breathing is laboured, give oxygen. Keep person warm and at rest. Treat symptomatically and supportively as and when required. Seek medical advice immediately.

Skin contact:

Remove contaminated clothing, shoes and leather goods immediately. Gently wipe off excess chemical. Wash skin gently and thoroughly with large amounts of water until no evidence of chemical remains (approximately 15 to 20 minutes). Do not attempt to neutralize with chemical agents. If irritation persists, seek medical advice immediately.

Eye contact:

Immediately flush the contaminated eyes with gently flowing water for 15 minutes, occasionally lifting upper and lower lids, until no evidence of chemical remains (approximately 15 minutes). Severe contamination may require medical attention.

Ingestion:

Have victim rinse mouth thoroughly with water. Immediately dilute the swallowed product by giving large quantities of water. Do not induce vomiting. If vomiting occurs, give fluids again. In serious cases, seek medical advice immediately. Treat respiratory difficulty with artificial respiration and oxygen. Do not give anything by mouth to an unconscious person.

Advice to physician:

No specific antidote for **Metam-Sodium**. Treat symptomatically and supportively.

VILLA WABEK 510 SL

MATERIAL SAFETY DATA SHEET

5. FIRE FIGHTING MEASURES

Fire/Explosion hazard:

Flash point: > 93.3 °C.

This material is not flammable. Combustible under fire conditions.

Special Hazards:

Combustion or exposure to water produces toxic fumes of hydrogen sulphide, methyl isocyanate (MITC) and carbon disulfide, monomethylamine, and oxides of carbon, sulphur and nitrogen.

Extinguishing agents:

Extinguish fires with carbon dioxide, dry powder, or alcohol-resistant foam. Water spray can be used for cooling of unaffected stock, but avoid water coming in contact with the product. Use as little water as possible. Use spray or fog. Solid stream may cause spreading. Contain water used for fire fighting for later disposal. Avoid the accumulation of polluted run-off from the site.

Fire fighting:

Remove spectators from surrounding area. Isolate the fire area and evacuate downwind. Use a recommended extinguishing agent for the type of surrounding fire.

Fight fire from maximum distance and use unmanned hose holder or monitor nozzles. Contain fire control agents for later disposal. Avoid inhaling hazardous vapours and fumes from burning materials. Keep upwind. Remove container from fire area if possible and without risk. Water can be used to cool unaffected containers but must be contained for later disposal.

Dyke fire control water for later disposal. Do not scatter the material. Avoid pollution of waterways.

Do not use high volume water jet, due to contamination risk. Contain water used for fire fighting for later disposal. Avoid the accumulation of polluted run-off from the site.

Personal protective equipment:

Fire may produce irritating or poisonous vapours or gases (carbon dioxide, carbon monoxide and under some circumstances, oxides of nitrogen) or other products of combustion. Fire fighters and others that may be exposed should wear full protective clothing and self-contained breathing apparatus.

6. ACCIDENTAL RELEASE MEASURES (Spillage)

Personal precautions:

Do not inhale fumes. Avoid contact with skin, eyes or clothes. Ventilate area of spill or leak, especially confined areas. For personal protection see Section 8.

Environmental precautions:

Do not allow entering drains or watercourses. Spillage or uncontrolled discharges into water courses (or public waters) to be reported immediately to the Police and to the Department of Water/Environmental Affairs.

Occupational spill:

Do not touch-spilled material; stop leak if you can do it without risk. Keep out unprotected persons and animals.

For spills: Soak up with absorptive material such as damp earth or sand or other suitable non-combustible absorbent material. Place the material into a clean, dry container and cover for subsequent disposal. In situations where product comes in contact with water, contain contaminated water for later disposal. Prevent material from spreading by damming in with absorptive material. Do not flush spilled material into drains. Keep spectators away and upwind.

To decontaminate spill area, tools and equipment, wash with a suitable solution (i.e. organic solvent, detergent bleach or caustic). Add the solution to the drums already collected. Label drums with its content and dispose it in accordance with local regulations.

Open burning or dumping of this material is prohibited.

Do not get water inside containers.

7. HANDLING AND STORAGE REQUIREMENTS

Handling:

Operator should not be alone during handling and application of product. Remove sources of naked flame or sparks. Harmful by inhalation or if swallowed. Avoid contact with eyes and skin and inhalation of fumes. Avoid exposure to spray. Use with adequate ventilation. Wash hands before eating, drinking, chewing gum, smoking or using the toilet. Operators should change and wash clothing daily. Remove clothing immediately if the insecticide gets inside. Then wash skin thoroughly using a non-abrasive soap and put on clean clothing. Do not apply directly to areas where surface water is present, or to intertidal areas below the mean high water mark. Water used to clean equipment must be disposed of correctly to avoid contamination.

Storage:

Store in its original container in isolated, dry, cool (avoid temperatures above 32 °C) and well-ventilated area. Avoid cross contamination with other pesticides and fertilisers. Keep under lock and key out of reach of unauthorised persons, children and animals. Store away from incompatible substances. Not to be stored next to foodstuffs and water supplies. Local regulations should be complied with. Keep away from naked flames and other sources of ignition.

Do not contaminate other pesticides and fertilizers.

Storage stability: Stable for a period of 2 years under normal warehouse conditions.

8. EXPOSURE CONTROL/PERSONAL PROTECTION

It is essential to provide adequate ventilation. The measures appropriate for a particular worksite depend on how this material is used and on the extent of exposure.

VILLA WABEK 510 SL

MATERIAL SAFETY DATA SHEET

Ensure that control systems are properly designed and maintained. Comply with occupational safety, environmental, fire, and other applicable regulations.

PERSONAL PROTECTIVE EQUIPMENT:

Respirator:

An approved full-face air-purifying respirator, equipped with organic vapour cartridges or canisters, suitable for protection from mists of pesticides is required. Limitations of respirator use specified by the approving agency and the manufacturer must be observed.

Clothing:

Employee must wear appropriate protective (impervious) clothing; boots, hat and equipment to prevent repeated or prolonged skin contact with this substance. Do not wear leather clothing.

Gloves:

Employee must wear appropriate chemical resistant protective gloves to prevent contact with this substance.

Eye protection:

The use of chemical resistant goggles or a face shield.

Emergency eyewash: Where there is any possibility that an employee's eyes may be exposed to this substance; the employer should provide an eye wash fountain or appropriate alternative within the immediate work area for emergency use.

9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance:

Orange to light yellow-green liquid.

Odour:

Essentially odourless to fairly strong odour of amine or sulphur.

Flammability:

Not Flammable.

Flash point:

> 93.3 °C.

Specific gravity:

1.21 g/ml @ 20 °C/4 °C.

Solubility in water:

Miscible in water.

Boiling point:

112 °C

Freezing/Melting point:

0 °C

Density:

10.1lb/gal

Evaporation Rate:

1.0 as compared to water

Vapour pressure:

24 mmHg @ 25 °C.

pH: 9.5 to 11.0

10. STABILITY AND REACTIVITY

Stability:

Metam-Sodium decomposes, when diluted with water, to methyl isothiocyanate (MITC, a lachrymator and moderate poison) and/or to hydrogen sulphide (a highly poisonous gas). It can also decompose to carbon disulfide and monomethylamine (both highly flammable) if contacted with a strong acid. Use the solution promptly after mixing. Do not allow the solution to stand. As originally packaged, **Metam-Sodium** solutions are stable under normal storage conditions for up to 2 years.

Incompatibility:

This product is incompatible with additional water and strong aqueous acids. In addition, it is corrosive to copper, brass and zinc and may soften and/or discolour iron.

Hazardous decomposition:

When treated with water or heated to decomposition, this product will give off toxic fumes of methyl isothiocyanate (MITC), hydrogen sulphide and nitrogen oxides. If treated with strong acids, fumes or carbon disulfide and monomethylamine will be given off.

Polymerisation:

This product will not polymerize.

11. TOXICOLOGICAL INFORMATION

Acute oral LD₅₀:

Technical: 1700mg/kg in rats

Formulation: 812 mg/kg

Acute dermal LD₅₀:

Technical: 1300 mg/kg in rabbits

Formulation: > 2020 mg/kg

Inhalation:

Technical = > 4.7 mg/l (4 hours, rats)

Formulation: 2.28 mg/l (rats)

Acute skin irritation:

The product may cause moderate irritation to the skin.

Decomposition product may be corrosive.

Acute eye irritation:

Not harmful. Mild irritant to the eyes.

Sensitization:

May cause mild skin sensitization.

Teratogenicity/Development:

Studies on product have shown some developmental effects in laboratory animals.

Mutagenicity:

Studies have shown some evidence of mutagenicity *in vitro* but no conclusive evidence *in vivo*.

Carcinogenicity:

Studies on product have shown some carcinogenic effects in laboratory animals.

Reproductivity:

Studies did not detect reproductivity activity.

VILLA WABEK 510 SL

MATERIAL SAFETY DATA SHEET

12. ECOLOGICAL INFORMATION

Degradation:

In soil, rapidly decomposes to methyl isothiocyanate. ¹⁴C-Metam Sodium degraded in moist sandy loam soil with a half-life of 23 minutes. The major product is MITC (methyl isothiocyanate), which was lost by volatilization leaving a total of 8.5 % of applied radioactivity as extractable and bound. N,N-dimethylurea was the only other identifiable degradate reaching a maximum concentration (0.4 ppm) after 1 day. The total bound and extractable radioactivity was mineralized to carbon dioxide after 127 days. This product is not used in water in case of if accidental exposure a half-life of ~ 15 minutes can be expected.

ECOTOXICOLOGY:

Birds: Slightly toxic to birds

LC ₅₀ :	Bobwhite quail:	~5 00 mg/kg
LC ₅₀ diet:	Mallard ducks:	> 5000 mg/kg
	Bobwhite quail:	> 5000 mg/kg

Fish: Moderately toxic to fish

LC ₅₀ (96 hours):	Rainbow trout:	40 mg/ℓ
------------------------------	----------------	---------

Daphnia: Very toxic to Daphnia.

<i>Daphnia magna</i> :	48-hour EC ₅₀ :	6.34 mg/ℓ
------------------------	----------------------------	-----------

13. DISPOSAL CONSIDERATION

Pesticide disposal:

Open dumping or burning of this pesticide is prohibited. Waste resulting from the use of this product cannot be reused or reprocessed. Never pour untreated waste or surplus products into public sewers or where there is any danger of run-off or seepage into water systems. Do not contaminate rivers, dams or any other water sources with the product or used containers. This product is considered a marine pollutant.

Comply with local legislation applying to waste disposal.

Container disposal:

Emptied containers retain vapour and product residues. Observe all labelled safeguards until container is destroyed.

TRIPLE RINSE empty containers in the following manner: Invert the empty container over the spray or mixing tank and allow draining for at least 30 seconds after the flow has slowed down to a drip. Thereafter rinse the container three times with a volume of water equal to a minimum of a third of that of the container. Add the rinsing to the contents of the spray tank before destroying the container in the prescribed manner.

Do not re-use the empty container for any other purpose but destroy it by perforation and flattening and bury in an approved dumpsite. Prevent contamination of food, feedstuffs, drinking water and eating utensils.

Comply with local legislation applying to waste disposal.

14. TRANSPORT INFORMATION

UN No.: 3266
Road Transport ADR/IRD:
Class: 6.1
Packing group: III
Shipping name: Corrosive Liquid, Basic, Inorganic, N.O.S. (Metam-sodium 510 g/ℓ)

Maritime Transport IMDG/IMO:

Class: 6.1
Packing group: III
Shipping name: Corrosive Liquid, Basic, Inorganic, N.O.S. (Metam-sodium 510 g/ℓ)

Considered a marine pollutant.

15. REGULATORY INFORMATION

Symbol: X_n, C; N
Indication of danger: Harmful, Corrosive, Environmentally Hazardous Substance.

Risk phrases:

- R 22** Harmful if swallowed.
- R 31** Contact with acids liberates toxic gas.
- R 34** Causes burns.
- R 43** May cause sensitization by skin contact.
- R 50** Very toxic to aquatic organisms.
- R 53** May cause long-term adverse effect in the aquatic environment.

Safety phrases:

- S 1/2** Keep locked up and out of reach children.
- S 8** Keep container dry.
- S 13** Keep away from food, drink and animal feeding stuffs.
- S 23** Do not breathe vapour/spray.
- S 24/25** Avoid contact with skin and eyes.
- S 27/28** After contact with skin, take off immediately all contaminated clothing, and wash immediately with plenty of water and non-abrasive soap.
- S 36/37/39** Wear suitable protective clothing, gloves and eye/face protection.
- S 45** In case of accident or if you feel unwell, seek medical advice immediately (show the label where possible).
- S 60** This material and its container must be disposed of as hazardous waste.
- S 61** Avoid release to the environment. Refer to special instructions/safety data sheets.

VILLA WABEK 510 SL

MATERIAL SAFETY DATA SHEET

S 62 If swallowed do not induce vomiting: seek medical advice immediately and show this container or label.

16. OTHER INFORMATION

Packing and Labelling:

Packed in 1, 5, 10, 20, 25, 50, 100 and 200 litres fluorinated plastic containers and labelled according to the South African regulations and guidelines.

Disclaimer:

The information on this sheet is not a specification; it does not guarantee specific properties. The information is intended to provide general guidance as to health and safety based upon our knowledge of the handling, storage use of the product. It is not applicable to unusual or non-standard uses of the product nor where instructions or recommendations are not followed.

All information is given in good faith but without guarantee in respect of accuracy, and no responsibility is accepted for errors and omissions or the consequence thereof.

END OF DOCUMENT

Compiled: September 2011
Reviewed: March 2019
Revision no.: (2)
Next revision date: March 2024

For detailed information on revisions, contact the Registration holder.