

BEFORE USING THIS PRODUCT READ THE LABEL CAREFULLY!

Adjuvant



WEN 51

Reg. No. L 8315 Act/Wet No. 36 of/van 1947

4: 28/1/2016 – June 2017

*A surfactant that increases the wetting and spreading properties of spray solutions and enhances the activity of various pesticides.*

*'n Benatter wat die benattings- en spreivermoë van spuitoplossings verhoog en die aktiwiteit van verskeie plaagdoders bevorder.*

**ACTIVE INGREDIENT / AKTIEWE BESTANDDEEL**

isotridecanol (alkylpolyethylene glycol ether) **918 g/l** isotridekanol (alkielpolieteeleen gliokol eter)



**villa**

Registration holder / Registrasiehouer:

Villa Crop Protection (Pty) Ltd.

Co. Reg. No. / Mpy. Reg. Nr. 1992/002474/07

PO Box / Posbus 10413, Aston Manor, 1630

Tel: 011 396 2233

Website / Webblad: [www.villacrop.co.za](http://www.villacrop.co.za)

UN Number: Not regulated

Willow Set & Print 011 394-4486



HARMFUL  
SKADELIK



GEBRUIKSAANWYSINGS INGESLUIT

VERWYS NA BESONDERHEDE  
GEDRUK OP HOUER/SAK

Date formulated:  
Formuleringsdatum:

REFER TO DETAILS PRINTED  
ON CONTAINER/BAG

DIRECTIONS FOR USE ENCLOSED

Batch number:  
Lotnommer:

**WEN 51**

Reg. No. L 8315 Act/Wet No. 36 of/van 1947

**ACTIVE INGREDIENT / AKTIEWE BESTANDEEL:**

isotrilinecanol (alkylpolyethylene glycol ether) / isotridekanol (alkielpolieteleen glikool eter) ..... 918 g/l

Registration holder / Registrasiehouer:

**VILLA CROP PROTECTION (PTY) LTD.**

Co. Reg. No. 1992/002474/07 Mpy. Reg. Nr.

P.O. Box / Posbus 10413, ASTON MANOR, 1630,

Tel. (011) 396 2233

**HARMFUL****SKADELIK****WARNINGS**

- Adhere to all label warnings that apply to the product or products, with which **WEN 51** is to be used.
- Store in a cool, dry, well-ventilated place.
- Store away from food, feeds, seed, fertilizers and other agricultural chemicals.
- Keep out of reach of children, uninformed persons and animals.
- Re-entry: Adhere to the re-entry interval and requirements as indicated on the herbicide label.

**Although this remedy has been extensively tested under a large variety of conditions, the registration holder does not warrant that it will be efficacious under all conditions. The action and effect thereof may be affected by factors such as abnormal soil, climatic and storage conditions, quality of dilution water, compatibility with other substances not indicated on the label, the occurrence of resistance of the weeds/diseases/insects against the product concerned, as well as by the method, time and accuracy of application. The registration holder further does not accept responsibility for damage to crops, vegetation, the environment or harm to man or animal or for lack of performance of the remedy concerned due to failure of the user to follow the label instructions or to the occurrence of conditions, which could not have been foreseen in terms of the registration. Consult the supplier in the event of any uncertainty.**

**PRECAUTIONS**

- Do not inhale the spray mist.
- Wear protective clothing, overalls, rubber boots and gloves when handling the product.
- Wash contaminated clothing after use.
- Wash thoroughly with soap and water after use and after accidental skin contact.
- In the case of eye contact flush eyes with copious amounts of water for at least 15 minutes.
- Do not eat, drink or smoke whilst mixing or applying or before washing hands and face and change of clothing.
- Prevent drift of spray mist onto other crops, grazing, rivers, dams or areas not under treatment.
- Thoroughly clean the applicator after use and dispose of wash water where it will not contaminate the environment, food, grazing and water sources.
- **TRIPLE RINSE** empty containers in the following manner: Invert the empty container over the spray or mixing tank and allow draining for at least 30 seconds after the flow has slowed down to a drip. Thereafter, rinse the container three times with a volume of water equal to a minimum of a third of the volume of the container. Add the rinsing to the contents of the spray tank before destroying the container in the prescribed manner.
- Destroy the container by perforation and flattening and dispose of it in a safe way.
- **Never** re-use the empty container for any other purpose.
- Prevent contamination of food, feeds, drinking water and eating utensils.

**SYMPTOMS OF HUMAN POISONING**

**WEN 51** is an alkylpolyethylene glycol ether, which is based on isotridecanol. Symptoms of poisoning may include respiratory insufficiency, shock, pulmonary oedema, arrhythmias and hypovolaemia. Prolonged inhalation of vapours may cause drowsiness and dizziness.

## **FIRST AID TREATMENT**

- **General:** Remove the patient immediately from the source of poisoning to a cool, well-ventilated area and keep him/her calm and reassured. If breathing has stopped, give mechanical artificial respiration (not direct mouth-to-mouth). Qualified personnel should perform administration of oxygen.
- **Inhaled:** Maintain airway and administer oxygen if available. Keep affected person warm and at rest. Obtain medical attention.
- **Skin contact:** Remove contaminated clothing immediately and rinse contaminated body area thoroughly with plenty of soap and cold water. Obtain medical attention if irritation persists.
- **Eye contact:** Flush contamination out of eyes with clean lukewarm, gently flowing water for at least 20 minutes, while holding eyelid(s) open. Obtain medical attention if irritation persists.
- **Swallowed:** If swallowed, rinse mouth thoroughly with water and give up to 200 ml (5 ml per kilogram recommended) water for dilution where the patient is able to swallow, has a gag reflex and does not drool and immediately get medical attention. **Do not induce vomiting under any circumstance.** If vomiting occurs, keep the head below the hips to maintain an open airway and prevent aspiration. Never give anything by mouth to an unconscious person. Seek medical advice.

## **NOTE TO PHYSICIAN**

To treat poisoning by higher aliphatic alcohols administer gastric lavage with copious amounts of water. It may be beneficial to instil 60 ml of mineral oil into the stomach. Administer oxygen and artificial respiration as needed. To protect the liver, maintain carbohydrate intake by intravenous infusions of glucose. For advanced treatment, refer to the MSDS (available at the website [www.villacrop.co.za](http://www.villacrop.co.za)).

## **PRODUCT PROPERTIES**

- **WEN 51** reduces the surface tension of spray droplets and in this way increases retention and the amount of product that is actively available. It may also enhance the absorption of systemic agro-chemicals.
- **WEN 51** is a non-ionic surfactant (wetter, spreader) and can be used with products that recommend the use of such an adjuvant.

## **USE RESTRICTIONS**

- **WEN 51** should be used with agro-chemicals that recommend the use of a surfactant and should not be used with products that do not require the use of an additional surfactant.
- Take all necessary precautions associated with aerial spraying of herbicides, especially with regard to control of drift.
- Test the mixture on a small scale before applying it on a large scale.

## **DIRECTIONS FOR USE: Use only as directed.**

### **Compatibility:**

- **WEN 51** can be used with various active ingredients that requires the addition of a surfactant. These active ingredients include sulfonylureas e.g. **GLEAN**<sup>®</sup> (L 1672), **BRUSH-OFF**<sup>®</sup> (L 4535), **MONITOR**<sup>®</sup> **75 WG** (L 6003), **MONITOR**<sup>®</sup> **80 WG** (L 7074), **Mesotrione** e.g. **Cantron**<sup>®</sup> **480 SC**, certain insecticides such as **Indoxacarb** e.g. **STEWARD**<sup>®</sup> **150 EC** (L 8435), **Margin 300 WDG**, **TANOS**<sup>®</sup> **PRO** (L 8456), **Paraquat** e.g. **SKOFFEL**<sup>®</sup> **200 SUPER** (L 6328) and **SKOFFEL**<sup>®</sup> **145 SL** (L 4347), **Terbutylazine** e.g. **Terbuweed 600 WDG** and any other product that recommends the use of a non-ionic surfactant.

### **Mixing instructions:**

- Half fill the spray tank with clean water.
- Pre-mix the **WEN 51** with a small amount of water before it is added to the spray tank. This is particularly relevant when it is applied in cold water.
- Add the required amount of agro-chemical and **WEN 51** slowly and then the remainder of the water while stirring.
- In the event of tank mixes, strictly adhere to all the recommendations of the tank-mix components.
- Prepared mixture must not be left in the spray tank for any length of time.

**Application instructions:****Ground application:**

**WEN 51** can be used with any correctly calibrated spray equipment as recommended on the herbicide/fungicide/insecticide label.

**Aerial application:**

Take all necessary precautions associated with aerial spraying of herbicides, especially with regard to off-target drift, as the addition of a surfactant normally increases the volume of fine droplets. Follow the label instructions of the herbicide being used with **WEN 51**. If in any doubt, consult with the supplier and crop sprayer.

**APPLICATION RATES**

**WEN 51** may be used with any spray mixture and can be applied to any crop. Add the required quantity to the spray mixture and agitate thoroughly.

<b>Use</b>	<b>Dosage</b>	<b>Remarks</b>
<b>General use</b>		
1. <u>Agricultural use:</u> For general use on most crops	6 ml / 100 l water	Also where the target pest/disease is particularly hard to wet.
2. <u>Agricultural use:</u> For use on plants with pronounced waxy leaf surfaces	18 ml / 100 l water	
3. <u>General use in home gardens, lawns and turf</u>	2.0 ml / 10 l water	
<b>Deciduous fruit and Vegetables</b>	6 ml / 100 l water	
<b>Vines</b>	6 to 18 ml / 100 l water	According to variety and age of foliage.
<b>Weed control</b> Sulfonylureas such as <b>Chlorsulfuron</b> and <b>Metsulfuron methyl</b> e.g. <b>Glean®</b> <b>PLUS</b> <b>Brush-Off®</b> in the summer rainfall area	100 ml / 100 l water	Refer to the herbicide label for specific surfactant recommendations and crops.
Sulfonylureas such as <b>Sulfosulfuron</b> e.g. <b>Monitor® 75 WG &amp; Monitor® 80 WG</b>	250 ml / 100 l water	
<b>Mesotrione</b> e.g. <b>Cantron® 480 SC, Astron® 480 SC</b> and <b>Canon 480 SC</b>	0.1 %	
<b>Paraquat</b> e.g. <b>Skoffel® 200 Super</b> and <b>Skoffel® 145 SL</b>	0.05 to 0.1 %	
<b>Terbutylazine</b> e.g. <b>Terbuweed 600 WDG, Terbucide 600 WDG</b> and <b>Terbumais 600 WDG</b>	0.1 %	

<i>Use</i>	<i>Dosage</i>	<i>Remarks</i>
<b><u>Insect control</u></b> Indoxacarb e.g. Steward <sup>®</sup> 150 EC, Margin 300 WDG, Session 300 WDG and Indo 300 WDG		For specific rates on different crops refer to the insecticide label for specific surfactant recommendations.
<b><u>Fungicidal control</u></b> TANOS <sup>®</sup> PRO	100 ml / 100 ℓ	Refer to the fungicide label for specific surfactant recommendations on potatoes.

The following products mentioned in this label are equivalent to the products listed below:

- **CANTRON<sup>®</sup> 480 SC** (L 8365 / N-AR 1323 / W 130651) = **ASTRON<sup>®</sup> 480 SC** (L 8366) = **CANON 480 SC** (L 8735) (**Mesotrione**),
- **TERBUWEED 600 WDG** (L 8800) = **TERBUCIDE 600 WDG** (L 8799) = **TERBUMAIS 600 WDG** (L 8798) (**Terbutylazine**) and
- **MARGIN 300 WDG** (L 9009) = **SESSION 300 WDG** (L 9010) = **INDO WDG** (L 9025) (**Indoxacarb**).

**GLEAN<sup>®</sup>, BRUSH-OFF<sup>®</sup>, STEWARD<sup>®</sup> 150 EC** and/en **TANOS<sup>®</sup> PRO** are registered trademarks of / is geregistreerde handelsmerke van **DU PONT SOUTH AFRICA (PTY) LTD.**

**MONITOR<sup>®</sup> 75 WG** and/en **MONITOR<sup>®</sup> 80 WG** are registered trademarks of / is geregistreerde handelsmerke van **MONSANTO (PTY) LTD.**

**TERBUWEED 600 WDG** and/en **MARGIN 300 WDG** are registered trade names of / is geregistreerde handelsname van **VILLA CROP PROTECTION (PTY) LTD.**

**CANTRON<sup>®</sup> 480 SC** is a registered trademark of / is 'n geregistreerde handelsmerk van **VILLA CROP PROTECTION (PTY) LTD.**

**TERBUCIDE 600 WDG** and/en **SESSION 300 WDG** are registered trade names of / is geregistreerde handelsname van **UNIVERSAL CROP PROTECTION (PTY) LTD.**

**SKOFFEL<sup>®</sup> 200 SUPER, SKOFFEL<sup>®</sup> 145 SL** and/en **ASTRON<sup>®</sup> 480 SC** are registered trademarks of / is geregistreerde handelsmerke van **UNIVERSAL CROP PROTECTION (PTY) LTD.**

**TERBUMAIS 600 WDG, INDO WDG** and/en **CANON 480 SC** are registered trade names of / is geregistreerde handelsname van **CROPASURE (PTY) LTD.**