

BEFORE USING THIS PRODUCT READ THE LABEL CAREFULLY!

Plant Growth Regulator



AMID-THIN® W

Reg. No. L 7900 Act/Wet No. 36 of/van 1947

1:03/05/06 - April 2017

*A wettable powder plant growth regulator for fruit thinning in apples.
'n Benatbare poeier plantgroeireguleerder vir vruguitdunning in appels.*

ACTIVE INGREDIENT / AKTIEWE BESTANDDEEL

1-Naphthaleneacetimide **84 g/kg** 1-Naftaleenasetamied

kg

villa 

Registration holder / Registrasiehouer:
Universal Crop Protection (Pty) Ltd.
Co. Reg. No. / Mpy. Reg. Nr. 1983/008184/07
PO Box / Posbus 801, Kempton Park, 1620
Tel: 011 396 2233
Website / Webblad: www.villacrop.co.za

UN Number: Not regulated

Willow Set & Print 011 394-4486



CAUTION
VERSIGTIG



GEBRUIKSAANWYSINGS INGESLUIT

VERWYS NA BESONDERHEDE
GEDRUK OP HOUER/SAK

Date formulated:
Formuleringsdatum:

DIRECTIONS FOR USE ENCLOSED
REFER TO DETAILS PRINTED
ON CONTAINER/BAG

Batch number:
Lotnommer:

AMID-THIN® W

Reg. No. L7900 Act/Wet No. 36 of/van 1947

ACTIVE INGREDIENT / AKTIEWE BESTANDEDEEL:

1-Naphthaleneaceatmide / 1-Naftaleenasetamied 84 g/kg

Registration holder / Registrasiehouer:

UNIVERSAL CROP PROTECTION (PTY) LTD.

Co. Reg. No. 1983/008184/07 Mpy. Reg. Nr.

P.O.Box / Posbus 801,

KEMPTON PARK, 1620

Tel. (011) 396 2233

WARNINGS

- Harmful if swallowed.
- Store in a cool place, away from food, feeds, seed, fertilizers and other agricultural remedies.
- Keep out of reach of children, uninformed persons and animals.
- Can cause eye and skin irritation.
- Re-entry interval: Do not enter treated area until spray deposit has dried unless wearing protective clothing.

Although this remedy has been extensively tested under a large variety of conditions, the registration holder does not warrant that it will be efficacious under all conditions, because the action and effect thereof may be affected by factors such as abnormal soil, climatic and storage conditions, quality of dilution water, compatibility with other substances not indicated on the label, as well as by the method, time and accuracy of application. The registration holder further does not accept responsibility for damage to crops, vegetation, the environment or harm to man or animal or for lack of performance of the remedy concerned, due to failure of the user to follow the label instructions or to the occurrence of conditions, which could not have been foreseen in terms of the registration. Consult the supplier in event of any uncertainty.

PRECAUTIONS

- Avoid inhalation of the spray mist.
- Avoid contact with skin, eyes and clothing.
- Wash thoroughly with soap and water after application and accidental skin contact.
- Wash contaminated clothing after use.
- In case of contact with eyes, flush with plenty of water for at least 15 minutes; whilst eyelid(s) are open and if irritation persists obtain medical attention.
- Do not eat, drink or smoke whilst mixing or applying the product or before washing hands and face or change of clothing.
- Prevent drift onto other crops, grazing, rivers, dams or areas not under treatment.
- Clean applicator after use and dispose of wash water where it will not contaminate food, grazing, rivers or dams.
- Containers and packages/bags must be completely emptied in the spray tank before being disposed of. Shake out thoroughly into the mixing tank and destroy the container/bag by perforation and flattening and dispose of it in a safe way.
- **Do not re-use the empty container/bag for any other purpose.**
- Prevent contamination of food, feeds, drinking water and eating utensils.

DIRECTIONS FOR USE: Use only as directed.**Spray volume per hectare:**

Determine the spray volume required per hectare, using the Tree-Row-Volume model. Consult the technical advisor of the **AMID-THIN® W** distributor.

Application Instructions:

- **AMID-THIN® W** is a plant growth regulator for use on apples as a post-bloom (2 to 6 days after full bloom) thinning agent.
- The product may increase fruit weight, but this is dependent on fruit set and the physiological condition of the trees.
- **AMID-THIN® W** must be absorbed by the plant to be effective.

- Optimum results will be achieved on vigorous, healthy trees when sprayed under good absorption conditions. High relative humidity and slow drying conditions, favour maximum absorption.
- Various factors affect fruit set: tree vigour, provisions for cross-pollination, weather conditions and bee activity.
- Other important considerations includes the previous year's fruit set level and the current year's food reserve status, which is affected by crop load and foliage vigour in the preceding year.
- It is important that early summer varieties are sprayed no later than petal fall, since applications 2 to 3 weeks later, often give insufficient thinning and may result in the development of inferior pygmy fruit.

USE RESTRICTIONS

- Do not apply **AMID-THIN® W** through any type of irrigation system.
- Do not apply **AMID-THIN® W** directly to water, to areas where surface water is present.
- Do not contaminate water when disposing of equipment washwaters.
- Do not contaminate irrigation ditches or water used for irrigation or domestic purposes.
- Do not apply when weather conditions favour drift from the treated area.
- Do not use in a greenhouse.

Mixing Instructions:

- Fill the spray tank with the required amount of **clean** water and add **AMID-THIN® W** with the agitator running.
- To ensure thorough mixing of **AMID-THIN® W**, allow a few minutes of agitation after adding to the water, before beginning spray operations.
- Agitator should be kept running during application.

APPLICATION RATES

<i>Crop</i>	<i>Dosage Rate g / 100 l water</i>	<i>Remarks</i>
Apples Golden Delicious & Royal Gala	70 g	Apply as a full cover spray 2 to 6 days after full bloom. Early summer varieties must be sprayed no later than petal fall, since applications 2 to 3 weeks later may give insufficient thinning. Apply a water volume of 400 litres per hectare.

AMID-THIN® W is the registered trademark of / is die geregistreerde handelsmerk van **AMVAC Chemical Corporation.**