

BEFORE USING THIS PRODUCT READ THE LABEL CAREFULLY!

## Plant Growth Regulator



# 2,4-D FIX

Reg. No. L 10769 Act/Wet No. 36 of/van 1947

1:21/01/2020 – Jan2020

*A plant growth regulator for prevention of abscission of the calyx on citrus fruit.  
'n Plantgroeireguleerder vir die voorkoming van afsnoer van die kelkblare op  
sitrusvrugte.*

### ACTIVE INGREDIENT / AKTIEWE BESTANDDEEL

2,4-D (phenoxy compound, sodium salt) **25 g/l** 2,4-D (fenoksie-verbinding, natriumsout)



**villa**

Registration holder / Registrasiehouer:  
Universal Crop Protection (Pty) Ltd.  
Co. Reg. No. / Mpy. Reg. Nr. 1983/008184/07  
PO Box / Posbus 801, Kempton Park, 1620  
Tel: 011 396 2233  
Website / Webblad: [www.villacrop.co.za](http://www.villacrop.co.za)

UN Number: 3082

Willow Set & Print 011 394-4486



CAUTION  
VERSIGTIG



GEBRUIKSAANWYSINGS INGESLUIT

VERWYS NA BESONDERHEDE  
GEDRUK OP HOUER/SAK

Date formulated:  
Formuleringsdatum:

DIRECTIONS FOR USE ENCLOSED  
REFER TO DETAILS PRINTED  
ON CONTAINER/BAG

Batch number:  
Lotnommer:

DIRECTIONS FOR USE ENCLOSED

**2,4-D FIX**

Reg. No. L 10769 Act/Wet No. 36 of/van 1947

**ACTIVE INGREDIENT / AKTIEWE BESTANDEDEEL:**

2,4-D (phenoxy compound, sodium salt) / 2,4-D (fenoksie-verbinding, natriumsout)..... 25 g/l

Registration holder / Registrasiehouer:

**UNIVERSAL CROP PROTECTION. (PTY) LTD.**

Co. Reg. No. 1983/008184/07 Mpy. Reg. Nr.

P.O. Box / Posbus 801, KEMPTON PARK, 1620, Tel. (011) 396 2233

**CAUTION / VERSIGTIG****WARNINGS****THE MAXIMUM RESIDUE LEVELS (MRL'S) WILL NOT BE EXCEEDED PROVIDED TREATMENTS ARE APPLIED AS PRESCRIBED.**

- Handle with care.
- Causes skin sensitization and serious eye irritation.
- Keep out of reach of children, uninformed persons and animals.
- Store away from food, and feedstuffs in a cool, dry place.
- Do not handle the treated fruit until the spray deposit has dried unless wearing protective clothing.

**Although this remedy has been extensively tested under a large variety of conditions the registration holder does not warrant that it will be efficacious under all conditions because the action and effect thereof may be effected by factors such as abnormal conditions; quality of dilution water, compatibility with other substances not indicated on the label and time and accuracy of the application. The registration holder furthermore does not accept responsibility for damage to crops, vegetation, the environment or harm to man or animal or for lack of performance of the remedy concerned due to failure of the user to follow the label instructions or to the occurrence of conditions which could not have been foreseen in terms of the registration. Consult the supplier in event of any uncertainty.**

**PRECAUTIONS**

- Wear a face shield, rubber gloves and boots, when handling the concentrate.
- Wash with soap and water after use and after accidental skin contact.
- Wash contaminated clothing after use.
- Do not eat, drink or smoke whilst mixing or applying or before washing hands and face and change of clothing.
- Prevent contamination of food, feedstuff, eating utensils and drinking water.
- Thoroughly clean application tanks / baths directly after use and dispose of wash water where it will not contaminate crops, grazing, rivers or dams.
- **TRIPLE RINSE** empty containers in the following manner: Invert the empty container over the spray or mixing tank and allow draining for at least 30 seconds after the flow has slowed down to a drip. Thereafter rinse the container three times with a volume of water equal to a minimum of a third of that of the container. Add the rinsing to the contents of the spray tank, before destroying the container in the prescribed manner.
- Destroy the empty container by perforating and flattening and dispose of it in a safe way.
- **Never** re-use the empty container for any other purpose.

**USE RESTRICTIONS**

- Refer to the document "*Recommended usage restrictions for plant protection products on Southern African export citrus*" of the CRI with regard to MRL levels for different markets.
- **DO NOT** exceed recommended dosages.

**DIRECTIONS FOR USE: Use only as directed.****Application:**

- Apply in a drench, fungicide bath or wax.
- Apply within twelve (12) hours after picking for best results.

**Mixing instructions:**

Drench and fungicide bath: Pre-mix the required quantity of **2,4-D Fix** with a small volume of clean water and add to drench or fungicide bath.

Wax: Add required quantity of **2,4-D Fix** to wax while agitating.

**APPLICATION RATES**

<i>Fruit Treatment</i>	<i>Dosage Rate</i>	<i>Remarks</i>
Drench and fungicide bath application.	1 to 2 ℓ / 100 ℓ of water	Dip the fruit in a water bath. Refer to the document “ <b>Recommended usage restrictions for plant protection products on Southern African export citrus</b> ” of the CRI with regard to MRL levels for different markets.
Wax	2 ℓ / 200 ℓ of wax	Add required quantity of <b>2,4-D Fix</b> to wax while agitating.