

ALLIANTE 600 WDG

SAFETY DATA SHEET

1. CHEMICAL PRODUCT AND COMPANY IDENTIFICATION

Product Name: ALLIANTE 600 WDG
Other identifier: Metsulfuron-methyl 600 WDG
Recommended use: Herbicide
Restrictions on use: Agriculture / Industrial use

Supplier: Villa Crop Protection (Pty) Ltd.
Co. Reg. No.: 1992/002474/07
PO Box 10413,
Aston Manor, 1630, South Africa
Telephone: (011) 396 2233
Fax: (011) 396 4666
Website: www.villacrop.co.za

Emergency telephone numbers:

24 Hr Transport / Spill emergency no:

Envirosure. +27 31 205 4918
(Hazcall24) +27 86 044 4411
(Client: Villa Crop Protection)
Griffon Poison Information Centre +27 82 446 8946
(Client: Villa Crop Protection)

Poisoning Emergency telephone numbers:

Griffon Poison Information Centre +27 82 446 8946
Poisons Information Centre +27 861 555 777

Villa Crop Protection Emergency number:

National Safety, Health and Environmental Manager:
+27 63 698 0668



Signal word: Danger.

Hazard statements:

H313: May be harmful in contact with skin.
H316: Causes mild skin irritation.
H318: Causes serious eye damage.
H333: May be harmful if swallowed.
H400: Very toxic to aquatic life.
H410: Very toxic to aquatic life with long lasting effects.

Precautionary statements:

P273: Avoid release into the environment.
P280: Wear impervious rubber gloves and boots, protective clothing and chemical safety goggles.
P305/351/338: IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
P310: IF IN EYES: Immediately call a POISON CENTRE.
P391: Collect spillage.
P501: Dispose of contents/container to suitable landfill in accordance with local regulations.

Special labelling of certain mixtures:

None known.

Other hazards:

None known.

Toxicity:

Classification according to GHS: Cat. 5
Classification according to WHO: Cat. III
Classification according to GPIC (Active): Cat. U

2. HAZARDS IDENTIFICATION

UN GHS, Regulation EC 1272/2008 [EU-GHS/CLP] EU & SANS 10234:2008		
Hazard classes	Hazard categories	H-statements
Health		
Dermal	Acute Tox. 5	H313
	Skin Irrit. 3	H316
Eye	Eye Dam. 1	H318
Inhalation	Acute Tox. 5	H333
Environment		
Aquatic acute	Aquatic acute 1	H400
Aquatic chronic	Aquatic chronic 1	H410

The most important adverse effects:

Physiochemical effects:

None known.

Human health effects:

Causes serious eye damage.

Label elements:

3. COMPOSITION / INFORMATION ON INGREDIENTS

Substance/Mixture: Mixture.

Composition:

Chemical Name	CAS	Conc. (m/m %)	Classification EC 1272/2008
Metsulfuron-methyl	74223-64-6	60 %	Aquatic Acute 1 (H400) Aquatic Chronic 1 (H410)
Sodium dodecyl benzene sulfonate	25155-30-0	<5 %	Acute Tox. 4 (H302) Skin Irrit. 2 (H315) Eye Dam. 1 (H318)
Calcium dodecyl benzene sulfonate	26264-06-2	<5 %	Acute Tox. 4 (H302) Skin Irrit. 2 (H315)

ALLIANTE 600 WDG

SAFETY DATA SHEET

			Eye Dam. 1 (H318) Aquatic Chronic 4 (H413)
--	--	--	-----------------------------------------------

6. ACCIDENTAL RELEASE MEASURES

Personal Precautions: Avoid contact with eyes. Do not breathe in spray mist or dust. Ventilate area of spill or leak, especially in contained areas.

Protective equipment: Refer to Section 8 for personal protective equipment to be worn during containment and clean-up of a spill involving this product.

Emergency procedures: Alert firefighting personnel, evacuate unprotected personnel and animals.

Environmental Precautions: Prevent spilled product from entering sewers, waterways or ground water. This product is classified to be very toxic to aquatic organisms and may cause long-term adverse effects in the aquatic environment. Any spillages or uncontrolled discharges into watercourses should be reported immediately to the police and the Department of Water/Environmental Affairs.

Methods and Materials for Containment: Contain spilled product.

Methods and Materials for Clean-up: Contain spilled product by picking up with an electrically protected vacuum cleaner or by wet-brushing and transfer to a container for disposal. Do not create a powder cloud by using a brush or compressed air. To decontaminate spill area, tools and equipment, wash with a suitable solution (i.e. organic solvent, detergent bleach or caustic). Add the solution to the drums already collected. Do not reuse spilled material. Dispose of in accordance with Section 13.

7. HANDLING AND STORAGE

Handling:

Precautions for safe handling: Harmful if swallowed. Avoid contact with eyes. Ensure adequate ventilation during handling and use. Do not handle broken containers without protective equipment. Immediately clean up spills that occur during handling. Keep containers tightly closed when not in use. In the case of contact with the product refer to First Aid Measures – Section 4.

General occupational hygiene: Practice good hygiene when using this material. Wash hands before eating, drinking, chewing gum, smoking, using the toilet or applying cosmetics. Worker should shower at the end of each workday. Launder all clothing before it is re-used.

Storage:

Conditions for safe storage: Keep under lock and key and out of reach of unauthorised persons, children and animals. Store in its original, labelled container, tightly closed, in an isolated, dry, cool and well-ventilated area. Avoid excessive heat. Avoid cross contamination with other pesticides and fertilisers.

Incompatible substances and mixtures: Refer to product label.

Packaging material: Plastic and paper containers and bags.

4. FIRST AID MEASURES

Remove the victim from the area of exposure. Wash off remaining material with plenty of water. In the event of any complaints or symptoms, avoid further exposure. Immediately consult a doctor.

Inhalation: If dust or spray mists have been inhaled, move victim to fresh air and remove source of contamination if safe to do so. The patient should be kept under observation. Obtain medical attention after significant exposure.

Skin: Remove contaminated clothing and shoes. Gently wipe off excess chemical. Wash skin gently and thoroughly with water and non-abrasive soap. Obtain medical attention if irritation persists.

Eyes: Seek medical attention immediately. Flush eyes with clean water for at least 15 - 20 minutes. Lift eyelids to facilitate irrigation. If present, remove contact lenses after 5 minutes and continue rinsing.

Ingestion: Do not give anything by mouth to an unconscious person. If the person is alert, rinse mouth thoroughly with water. Obtain medical attention.

Anticipated acute effects: Causes serious eye damage.

Anticipated delayed effects: None known.

Most important symptoms/effects: Not known.

Advice to physician: No specific antidote is available. Treat symptomatically and supportively when required.

5. FIRE-FIGHTING MEASURES

Suitable Extinguishing Media: Extinguish fires with water spray, carbon dioxide, dry powder, or alcohol-resistant foam.

Unsuitable Extinguishing Media: High volume water jet.

Specific hazards: This product may emit toxic fumes when burned, including oxides of carbon, nitrogen and sulphur.

Special Fire Fighting Procedures: Remove spectators from surrounding area. Isolate the fire area and evacuate all personnel downwind of the fire. Fight fire from maximum distance and use unmanned hose holder or monitor nozzles. Keep upwind. Avoid inhaling hazardous vapours and fumes from burning materials. Remove container from fire area if possible and without risk. Do not use high volume water jet, due to contamination risk. Do not scatter the burning material. Water can be used to cool unaffected containers but must be contained for later disposal. Contain fire control agents for later disposal. Avoid pollution of waterways by run-off from the site.

Personal protective equipment: Wear NIOSH/MSHA approved self-contained breathing apparatus and full bunker gear.

ALLIANTE 600 WDG

SAFETY DATA SHEET

8. EXPOSURE CONTROLS AND PERSONAL PROTECTION

Permissible concentration

Components	Exposure limits	Type of exposure limit	Source
Starch	10.5 mg/m ³	TWA	OEL-RL
Diatomite	1.5 mg/m ³	TWA	OEL-RL

Engineering Controls:

It is essential to provide adequate ventilation. The measures appropriate for a particular worksite depend on how this material is used and on the extent of exposure. Local Exhaust: Provide general or local exhaust ventilation systems to maintain airborne concentrations below OELs or other specified exposure limits. Local exhaust ventilation is preferred. Ensure that control systems are properly designed and maintained. Comply with occupational safety, environmental, fire, and other applicable regulations.

Personal Protective Equipment:

Respiratory Protection: Wear a dust mask or organic cartridge respirator suitable for protection from mists/dusts of pesticides if inhalation is likely to occur.

Hand Protection: It is recommended to wear appropriate chemically resistant gloves to prevent contact with this product.

Eye Protection: Wear a face shield when handling the concentrate and when applying the product. The use of safety goggles is essential if a face shield is not used.

Skin and Body Protection: The use of chemically impervious clothing e.g. coveralls is recommended to prevent skin contact with this mixture.

Emergency eyewash: Where there is any possibility that an employee's eyes may be exposed to this mixture; the employer should provide an eyewash fountain or appropriate alternative within the immediate work area for emergency use.

9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance: Off-white dispersible granules.

Odour: Odourless.

pH (1% aqueous dilution): 5.5 - 5.9 at 20°C.

Melting point: Not available.

Freezing Point: Not available.

Boiling Point: Not available.

Flammability: Non-flammable.

Vapour Pressure (mm Hg): Not available.

Relative Vapour Density: Not available.

Density/Relative density: 1.47 at 25°C.

Solubility: Disperses in water.

n-octanol/water partition coefficient: Not available.

Decomposition temperature: Not available.

10. STABILITY AND REACTIVITY

Chemical Stability: The product is stable for 2 years at ambient temperature and pressure, under normal storage and handling conditions. Avoid storage under extreme temperatures and conditions. Store below 50°C, preferably below 30°C, and not for prolonged periods in direct sunlight.

Reactivity: None known.

Possibility of Hazardous Reactions: Stable under recommended storage and handling conditions.

Conditions to Avoid: Avoid heat, moisture and direct sunlight.

Incompatible Materials: Strong oxidising agents.

Hazardous Decomposition Products: If overheated, oxides of carbon, nitrogen and sulphur may be released.

11. TOXICOLOGICAL INFORMATION

ACUTE TOXICITY: Calculated according to GHS.

Oral LD₅₀ (24 h) rat >5000 mg/kg.

Dermal LD₅₀ (24 h) rat >3000 mg/kg.

Inhalation LC₅₀ (4 h) rat > 5mg/L.

Skin Irritation/Corrosion: Causes mild skin irritation.

Eye Irritation/Corrosion: Causes serious eye damage.

Skin Sensitization: Not available.

Respiratory Sensitization: Not available.

Reproductive cell mutagenicity: Not available.

Carcinogenicity: Not available.

Reproductive toxicity: Not available.

Specific target organ toxicity – single exposure: Not available.

Specific target organ toxicity – repeated exposure: Not available.

Aspiration hazard: Not available.

Chronic Effects: Not available.

POTENTIAL ADVERSE EFFECTS:

Inhalation: May be harmful by inhalation.

Skin contact: Mild irritant to skin.

Eye contact: Due to inerts, this product can cause serious damage to eyes.

Ingestion: May be harmful if swallowed.

12. ECOLOGICAL INFORMATION

This product is very toxic to aquatic organisms, may cause long-term adverse effects in the aquatic environment.

ECOTOXICITY DATA: Based on the active ingredient.

Fish:

LC ₅₀ (96 h)	Rainbow trout	>150 mg/l
	Bluegill sunfish	>150 mg/l

Daphnia:

EC ₅₀ (48 h)		>150 mg/l
-------------------------	--	-----------

Algae:

EC ₅₀ (72 h)	Green algae	0.045 mg/l
-------------------------	-------------	------------

ALLIANTE 600 WDG

SAFETY DATA SHEET

Birds:

Acute oral LD ₅₀	Mallard ducks	>2510 mg/kg
Dietary LC ₅₀ (8 d)	Mallard ducks	>5620 mg/kg diet
	Bobwhite quail	>5620 mg/kg diet

Bees:

LD ₅₀ contact	>50 µg/bee
LD ₅₀ oral	>44 µg/bee

Worms:

LC ₅₀	>1000 mg/kg
------------------	-------------

Plants: In plants, undergoes complete degradation within a few days, by hydrolysis and conjugation. In addition to the hydroxymethyl analogue, other metabolites identified include methyl 2-(aminosulfonyl) benzoate and 2-(aminosulfonyl) benzoic acid. Rapidly metabolised within cereal plants.

ENVIRONMENTAL EFFECTS:

Persistence and degradability: In soil, metsulfuron-methyl is broken down both by chemical hydrolysis and by microbial degradation. DT₅₀ (ave.) in a range of field soils is 52 days, with faster degradation in acidic soils.

Bio-accumulative Potential: Not available.

Mobility in soil: Not available.

Other adverse effects: Not available.

13. DISPOSAL CONSIDERATIONS

Waste: Open dumping or burning of this pesticide is prohibited. Waste resulting from the use of this product cannot be reused or re-processed. Never pour untreated waste or surplus product into public sewers or where there is any danger of run-off or seepage into water systems. Do not contaminate rivers, dams or any other water sources with the product or used containers. Comply with local legislation applying to waste disposal. The product may be taken to a registered waste disposal site or incineration plant.

Container: Emptied containers retain dust and product residues. Do not re-use the empty container for any other purpose. Empty containers by inverting the empty container over the spray or mixing tank. Thereafter, rinse the container three times with a volume of water equal to a minimum of one third of that of the container. Add the rinsings to the contents of the spray tank before recycling or destroying the container in the prescribed manner. Destroy the container by perforating and flattening and dispose of through an approved waste dump site, incineration plant or recycling company. Observe all labelled safeguards until container is destroyed.

14. TRANSPORT INFORMATION

UN Number:	3077
Road Transport ADR/IRD:	
Class:	9
Packaging group:	III
UN Proper Shipping Name:	Environmentally Hazardous Substance, Solid, N.O.S.

(Metsulfuron-methyl 600 g/kg)

Maritime Transport IMDG/IMO:

Class:	9
Packaging group:	III
UN Proper Shipping Name:	Environmentally Hazardous Substance, Solid, N.O.S.

(Metsulfuron-methyl 600 g/kg)

Marine Pollutant (Y/N): Yes

Air transport IATA/ICAO:

Class:	9
Packaging group:	III
UN Proper Shipping Name:	Environmentally Hazardous Substance, Solid, N.O.S.

(Metsulfuron-methyl 600 g/kg)

Special/Environmental Precautions: None known.

Transport in bulk (according to MARPOL 73/78, Annex II and the IBC code): Not available.

15. REGULATORY INFORMATION

Safety, health and environmental regulations/legislation for the mixture:

OHSA 1993 Regulations for Hazardous Chemical Substances.

Relevant information regarding restrictions: None.

EU regulation: Regulation EC1272/2008 (EU-GHS/CLP)

Other national regulations: None.

Chemical Safety Assessment carried out? No

16. OTHER INFORMATION

Packaging: Packed in 1, 2, 5, 10, 15, 20 and 50 kg plastic/paper containers and bags labelled according to the South African regulations and guidelines.

Additional H-statement (s) (formulants)

H302: Harmful if swallowed.

H315: Causes skin irritation.

H413: May cause long lasting harmful effects to aquatic life.

Disclaimer: The information on this sheet is not a specification; it does not guarantee specific properties. The information is intended to provide general guidance as to health and safety based upon our knowledge of the handling, storage and use of the product. It is not applicable to unusual or non-standard uses of the product nor where instructions or recommendations are not followed. All information is given in good faith but without guarantee in respect of accuracy, and no responsibility is accepted for errors and omissions or the consequence thereof.

ALLIANTE 600 WDG

SAFETY DATA SHEET

END OF DOCUMENT

Compiled: May 2017
Reviewed: March 2019
Revision no.: (3)
Next revision: March 2024

For detailed information on revisions, contact the Registration holder.