

BEFORE USING THIS PRODUCT READ THE LABEL CAREFULLY!

Fungicide



ELITE 625 WDG

Reg. No. L 10188 Act/Wet No. 36 of/van 1947

1: 3/5/2019 – June 2019

A translaminar systemic and contact water dispersible granular fungicide for the control of Botrytis on grapes in winter rainfall areas.

'n Translaminêre sistemiese kontak water disperseerbare korrel swamdoder vir die beheer van Botrytis op druiwe in winterreënvalgebiede.

ACTIVE INGREDIENT / AKTIEWE BESTANDDEEL

cyprodinil (anilinopyrimidine)	375 g/kg	siprodinil (anilopirimidien)
fludioxonil (phenylpyrrole)	250 g/kg	fludioksoniel (fenielpirool)

FRAC FUNGICIDE GROUP CODE **9** FRAC SWAMDODER GROEPCODE
FRAC FUNGICIDE GROUP CODE **12** FRAC SWAMDODER GROEPCODE

kg

villa 

Registration holder / Registrasiehouer:

Villa Crop Protection (Pty) Ltd.

Co. Reg. No. / Mpy. Reg. Nr. 1992/002474/07

PO Box / Posbus 10413, Aston Manor, 1630

Tel: 011 396 2233

Website / Webblad: www.villacrop.co.za

UN Number: 3077

Willow Set & Print 011 394-4486



CAUTION
VERSIGTIG



GEBRUIKSAANWYSINGS INGESLUIT

VERWYS NA BESONDERHEDE
GEDRUK OP HOUER/SAK

Date formulated:
Formuleringsdatum:

DIRECTIONS FOR USE ENCLOSED

REFER TO DETAILS PRINTED
ON CONTAINER/BAG

Batch number:
Lotnommer:

ELITE 625 WDG

Reg. No. L 10188 Act/Wet No. 36 of/van 1947

FRAC FUNGICIDE GROUP CODE / FRAC SWAMDODER GROEPKODE: 9
FRAC FUNGICIDE GROUP CODE / FRAC SWAMDODER GROEPKODE: 12**ACTIVE INGREDIENTS / AKTIEWE BESTANDEDELE:**cyprodinil (anilinopyrimidine) / siprodiniel (anilopirimidien)..... 375 g/kg
fludioxonil (phenylpyrrole) / fludioksonil (fenielpirol)..... 250 g/kg

Registration holder / Registrasiehouer:

VILLA CROP PROTECTION (PTY) LTD.

Co. Reg. No. 1983/008184/07 Mpy. Reg. Nr.

P.O. Box / Posbus 801, KEMPTON PARK, 1620

Tel. (011) 396 2233

CAUTION / VERSIGTIG**WARNINGS****Withholding periods:**

Allow the following number of days between the last application and harvest of the following crops:	
Grapes (Table and Vine)	28 days

NOTE

THE MAXIMUM RESIDUE (MRL'S) LEVELS WILL NOT BE EXCEEDED, PROVIDED APPLICATIONS ARE APPLIED AS HEREWITH PRESCRIBED. WHEN PRODUCTION IS DESTINED FOR THE EXPORT MARKET, THE EXPORT AGENCY OF CONCERN MUST BE CONTACTED, PRIOR TO THE USE OF ELITE 625 WDG IN A SPRAY PROGRAMME.

- Handle with care.
- Causes serious eye irritation and mild skin irritation.
- Very toxic to aquatic life with long lasting effects. Do not contaminate dams, rivers, lakes or any other water sources.
- Store the product in the original container and always keep the container tightly closed.
- Store in a cool, dry, well-ventilated place, away from food, seed and animal feeds.
- Keep out of reach of children, uninformed persons and animals.
- Re-entry: Do not enter treated area until spray deposit has dried unless wearing protective clothing.

Although this remedy has been extensively tested under a large variety of conditions, the registration holder does not warrant that it will be efficacious under all conditions, because the action and effect thereof may be affected by factors such as abnormal climatic and storage conditions, quality of dilution water, compatibility with other substances not indicated on the label and the occurrence of resistance of the disease against the remedy concerned, as well as by the method, time and accuracy of application. The registration holder furthermore does not accept responsibility for damage to crops, vegetation, the environment or harm to man or animal or for lack of performance of the remedy concerned, due to failure of the user to follow the label instructions or to the occurrence of conditions, which could not have been foreseen in terms of the registration. Consult the supplier in the event of any uncertainty.

PRECAUTIONS

- Avoid inhalation of the dust and spray mist.
- Avoid prolonged contact of product with skin.
- Wear protective overalls, rubber gloves, gumboots and face shield when the concentrate is handled and during mixing.
- Wash contaminated clothes daily.
- Wash thoroughly with soap and water after application and accidental skin contact.
- Flush eyes with clean water for at least 15 to 20 minutes. Lift eyelids to facilitate irrigation. If present, remove contact lenses after 5 minutes and continue rinsing. Seek medical attention if irritation persists.
- Do not eat, drink or smoke whilst mixing or applying or before washing hands and face and change of clothing.
- Prevent spray drift onto other crops, grazing, rivers, dams or areas not under treatment.
- Clean spraying equipment directly after use by rinsing with clean water and dispose of wash water where it will not contaminate crops, grazing, boreholes, rivers or dams.

- Containers and packages must be completely emptied before being disposed of. Shake out thoroughly into the mixing tank.
- Destroy empty container/bag by perforation and flattening and dispose of it in a safe way.
- **Never** re-use the empty container/bag for any other purpose.
- Prevent contamination of food, feed, drinking water and eating utensils.

RESISTANCE WARNING

ELITE 625 WDG is a group code 9 and 12 fungicides. Any fungus population may contain individuals naturally resistant to **ELITE 625 WDG** and other group code 9 and/or 12 fungicides. The resistant individuals may eventually dominate the fungus population if these fungicides are used repeatedly. These resistant fungi may not be controlled by **ELITE 625 WDG** or any other group code 9 or 12 fungicides.

To delay fungicide resistance:

- avoid exclusive repeated use of fungicides from the same fungicide group code. Alternate or tank mix with products from different fungicide group codes,
- for tank mixing or alternation with products in fungicide group codes D1 and E2, refer to applicable individual product labels,
- integrate other control methods (chemical, cultural, biological) into disease control programmes.

For specific information on resistance management contact the registration holder of this product.

DIRECTIONS FOR USE: Only use as directed.

Compatibility:

The physical compatibility of **ELITE 625 WDG** with other products depends on the formulations of the respective products as well as the quality of the spray water to be used. As formulations change from time to time it is recommended that a physical compatibility test be done prior to the tank mixture being made.

ELITE 625 WDG should be compatible with most agricultural remedies commonly used in vines.

Mixing instructions:

- Half fill the spray tank with clean water.
- Shake the **ELITE 625 WDG** container well just prior to use.
- Mix the required volume of **ELITE 625 WDG** with at least 10 liters of water. Add this mixture to the water in the spray tank while agitating thoroughly.
- Fill the spray tank with water while maintaining agitation, to ensure thorough mixing of the spray mixture before spraying commences.
- Maintain agitation while spraying.
- Prepared spray mixture must not be left in the spray tank for any length of time, e.g. overnight.
- Tank mixtures with other chemicals must be used within six (6) hours after mixing.

Application instructions:

- All spray applications must be performed with suitable spray equipment that is correctly calibrated and in good working order that will give the desired coverage for that particular method of application.
- A light cover spray is defined as the uniform wetting of the entire foliage canopy and attached fruit to the point of run-off, with no attempt to drive the spray jet into the tree.

APPLICATION RATES

Crop / Pest	Dosage	Remarks
Grapes (Wine & Table) Grey mould (<i>Botrytis cinerea</i>)	40 g / 100 ℓ (4 g / 10 ℓ)	ELITE 625 WDG may be applied during any two (2) application stages, from full blossom (Application stage A), pea berry size (Application stage B) to colouring (Application stage C). Follow a complete spray programme against <i>Botrytis</i> by applying unrelated fungicides for the rest of the application stages. Always include alternative remedies in the total spray programme, which will effectively control Grey mould. Always spray every row from both sides. Summer pruning is recommended to improve spray penetration and coverage.