Kocide LLC

Kocide® 2000 Fungicide/Bactericide

Version 3.1

Revision Date 03/26/2015 Ref. 130000000296

This SDS adheres to the standards and regulatory requirements of the United States and may not meet the regulatory requirements in other countries.

SECTION 1. PRODUCT AND COMPANY IDENTIFICATION

Product name : Kocide® 2000 Fungicide/Bactericide

Product Grade/Type : Cu 35%

Tradename/Synonym : DPX-GFJ52 35WG

Kocide WDG Kocide WG Kocide 53.8 DF Kocide 53.8 WDG Kocide Blue Extra Kocide 35 DF Kocide 35 WG

Coprantol Ultramicron

K53WDG KDOS CuPro Oxford 2000 Ekoram 2000 Kocide 2000 35WG

B11486799

MSDS Number : 130000000296

Product Use : Fungicide

Manufacturer : DuPont

1007 Market Street Wilmington, DE 19898

Medical Emergency : ChemTel 1-800-255-3924 (outside the U.S. 1-813-248-0585)
Transport Emergency : ChemTel 1-800-255-3924 (outside the U.S. 1-813-248-0585)

SECTION 2. HAZARDS IDENTIFICATION

Emergency Overview

Warning

Causes substantial but temporary eye damage. Harmful if swallowed, inhaled or absorbed through skin. Do

Kocide® 2000 Fungicide/Bactericide

Version 3.1

Revision Date 03/26/2015 Ref. 130000000296

not get in eyes, on skin, or on clothing. Avoid breathing dust.

This product is toxic to fish. This product is toxic to: Aquatic invertebrates

Potential Health Effects

This section includes potential acute adverse effects which could occur if this material is not used according to the label.

Skin : No adverse effects expected. There are no reports of human skin

sensitization., Prolonged contact may cause:, Irritation.

Eyes : Risk of serious damage to eyes. Irritation with discomfort, pain, redness, or

visual impairment.

Inhalation : May cause irritation of respiratory tract. Cough

Ingestion : Ingestion may cause gastrointestinal irritation, nausea, vomiting and

diarrhoea. Metallic taste, Gross overexposure may cause:, Kidney failure,

Bloody urine, anemia, Loss of consciousness.

Repeated exposure

Quartz : Kocide LLC has classified this material as a known human carcinogen.

Carcinogenicity

Material IARC NTP OSHA

Quartz 1 X

SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS

Component	CAS-No.	Concentration
Copper Hydroxide	20427-59-2	53.8 %
Other Ingredients		46.2 %

Present as an impurity in the clay component of this product:

2/11



Kocide® 2000 Fungicide/Bactericide

Version 3.1

Revision Date 03/26/2015 Ref. 130000000296

Quartz	<2 %

SECTION 4. FIRST AID MEASURES

Skin contact : The material is not likely to be hazardous by skin contact, but cleaning the

skin after use is advisable.

Eye contact : Hold eye open and rinse slowly and gently with water for 15-20 minutes.

Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. Call a poison control center or doctor for treatment advice.

Inhalation : Move to fresh air. If person is not breathing, call 911 or an ambulance, then

give artificial respiration, preferably mouth-to-mouth, if possible. Call a poison

control center or doctor for treatment advice.

Ingestion : Call a poison control center or doctor for treatment advice. Have person sip a

glass of water if able to swallow. DO NOT induce vomiting unless directed to do so by a physician or poison control center. Do not give anything by mouth

to an unconscious person.

General advice : Have the product container or label with you when calling a poison control

center or doctor, or going for treatment.

For medical emergencies involving this product, call toll free ChemTel 1-800-255-3924 (outside the U.S. 1-813-248-0585) . See Label for Additional Precautions and Directions for Use.

Notes to physician : Probable mucosal damage may contraindicate the use of gastric lavage.

SECTION 5. FIREFIGHTING MEASURES

Flammable Properties

Flash point : not applicable

Auto-ignition temperature : 340 °C (644 °F)

Suitable extinguishing media : Water spray, Dry chemical, Foam, Carbon dioxide (CO2)

Kocide® 2000 Fungicide/Bactericide

Version 3.1

Revision Date 03/26/2015 Ref. 130000000296

Unsuitable extinguishing

media

: High volume water jet, (contamination risk)

Firefighting Instructions : In the event of fire, wear self-contained breathing apparatus. Use personal

protective equipment.

If area is heavily exposed to fire and if conditions permit, let fire burn itself out since water may increase the area contaminated. Cool containers / tanks with water spray. Do not allow run-off from fire fighting to enter drains or

water courses.

SECTION 6. ACCIDENTAL RELEASE MEASURES

NOTE: Review FIRE FIGHTING MEASURES and HANDLING (PERSONNEL) sections before proceeding with clean-up. Use appropriate PERSONAL PROTECTIVE EQUIPMENT during clean-up.

Safeguards (Personnel) : Evacuate personnel, thoroughly ventilate area, use self-contained breathing

apparatus. Use personal protective equipment.

Spill Cleanup : Clean-up methods - large spillage Prevent further leakage or spillage. Use

approved industrial vacuum cleaner for removal. Shovel into suitable container for disposal. Clean-up methods - small spillage Sweep up or vacuum up spillage and collect in suitable container for disposal.

Accidental Release Measures : Prevent material from entering sewers, waterways, or low areas.

SECTION 7. HANDLING AND STORAGE

Handling (Personnel) : Wash hands thoroughly with soap and water after handling and before eating,

drinking, chewing gum, using tobacco, or using the toilet. Remove

clothing/PPE immediately if material gets inside. Wash thoroughly and put on clean clothing. Remove personal protective equipment immediately after handling this product. Wash the outside of gloves before removing. As soon

as possible, wash thoroughly and change into clean clothing.

Handling (Physical Aspects) : Keep away from heat and sources of ignition.

Storage : Do not contaminate water, other pesticides, fertilizer, food or feed in storage.

Store in original container. Store in a cool, dry place. Keep out of the reach of

children.

Kocide® 2000 Fungicide/Bactericide

Version 3.1

Revision Date 03/26/2015 Ref. 130000000296

SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Engineering controls : Use only with adequate ventilation.

Personal protective equipment

Eye protection : Goggles, face shield, or safety glasses.

Skin and body protection : Mixers, loaders, applicators and other handlers must wear:

Long sleeved shirt and long pants

Chemical resistant gloves made of any waterproof material, such as polyvinyl

chloride, nitrile rubber, or butyl rubber

Shoes plus socks Protective eyewear

PPE required for early entry to treated areas that is permitted under the Worker Protection Standard and that involves contact with anything that has

been treated, such as plants, soil, or water, is:

Long sleeved shirt and long pants

Chemical resistant gloves made of any waterproof material, such as polyvinyl

chloride, nitrile rubber, or butyl rubber

Shoes plus socks Protective eyewear

Protective measures : Discard clothing and other absorbent materials that have been drenched or

heavily contaminated with this product. Do not reuse them. Follow manufacturer's instructions for cleaning/maintaining PPE. If no such instructions for washables exist, use detergent and hot water. Keep and wash PPE separately from other laundry. Use this product in accordance with

its label.

Exposure Guidelines
Exposure Limit Values

Copper Hydroxide

AEL * (KOCIDE) 1.5 mg/m3 8 & 12 hr. TWA

Quartz

PEL: (OSHA) 2.4 millions of particles per cubic foot of air TWA

Respirable.

Kocide® 2000 Fungicide/Bactericide

Version 3.1

Revision Date 03/26/2015 Ref. 130000000296

Remarks The exposure limit is calculated from the

equation, 250/(%SiO2+5), using a value of 100% SiO2. Lower percentages of SiO2 will yield higher exposure limits.

PEL: (OSHA) 0.1 mg/m3 TWA Respirable.

Remarks The exposure limit is calculated from the

equation, 10/(%SiO2+2), using a value of 100% SiO2. Lower percentages of SiO2

will yield higher exposure limits.

PEL: (OSHA) 0.3 mg/m3 TWA Total dust.

Remarks The exposure limit is calculated from the

equation, 30/(%SiO2+2), using a value of 100% SiO2. Lower values of % SiO2 will

give higher exposure limits.

TLV (ACGIH) 0.025 mg/m3 TWA Respirable fraction.

AEL * (KOCIDE) 0.01 mg/m3 12 hr. TWA Respirable dust.

AEL * (KOCIDE) 0.02 mg/m3 8 hr. TWA Respirable dust.

SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES

Form : solid, granular

Color : blue

Odor : characteristic copper odor

pH : 8.6

Oxidising Substance : The product is not oxidizing.

Density : 1.0417 g/cm3 Water solubility : 0.0029 g/l



^{*} AEL is Kocide's Acceptable Exposure Limit. Where governmentally imposed occupational exposure limits which are lower than the AEL are in effect, such limits shall take precedence.

Kocide® 2000 Fungicide/Bactericide

Version 3.1

Revision Date 03/26/2015 Ref. 130000000296

SECTION 10. STABILITY AND REACTIVITY

Stability : Stable at normal temperatures and storage conditions.

Conditions to avoid : Temperature > 140 °C (> 284 °F)

Avoid extreme heat.

Hazardous decomposition

products

: Copper oxides

SECTION 11. TOXICOLOGICAL INFORMATION

Kocide® 2000 Fungicide/Bactericide

Inhalation 4 h LC50 : 1.311 mg/l, rat

Dermal LD50 : > 5,000 mg/kg , rabbit

Oral LD50 : 1,346 mg/kg , rat

Skin irritation : No skin irritation, rabbit

Eye irritation : Irritating to eyes., rabbit

Sensitisation : Animal test did not cause sensitization by skin contact., guinea pig

Further information

: No data is available on the product itself.

Copper Hydroxide

Repeated dose toxicity

The following effects occurred at levels of exposure that significantly

exceed those expected under labeled usage conditions.

Oral rat

Liver effects, Kidney effects, microcytic anemia

Information given is based on data obtained from similar substances.

Oral - feed

rat

Spleen effects

7/11



Kocide® 2000 Fungicide/Bactericide

Version 3.1

Revision Date 03/26/2015 Ref. 130000000296

Information given is based on data obtained from similar substances.

Carcinogenicity : Animal testing did not show any carcinogenic effects.

Information given is based on data obtained from similar substances.

Mutagenicity : Evidence suggests this substance does not cause genetic damage in

cultured bacterial cells.

Evidence suggests this substance does not cause genetic damage in

animals.

Information given is based on data obtained from similar substances.

Reproductive toxicity : Animal testing did not show any effects on fertility.

Information given is based on data obtained from similar substances.

Teratogenicity : The following effects occurred at levels of exposure that significantly

exceed those expected under labeled usage conditions.

Animal testing showed effects on embryo-fetal development at levels

equal to or above those causing maternal toxicity.

Quartz

Repeated dose toxicity

The following effects occurred at levels of exposure that significantly

exceed those expected under labeled usage conditions.

Inhalation

Fluid retention in lungs (pulmonary oedema), lung effects,

Inflammation, Chronic lung disease, Fibrosis

Carcinogenicity : Human carcinogen.

Kocide LLC has classified this material as a known human carcinogen.

SECTION 12. ECOLOGICAL INFORMATION

Aquatic Toxicity Kocide® 2000 Fungicide/Bactericide



Kocide® 2000 Fungicide/Bactericide

Version 3.1

Revision Date 03/26/2015 Ref. 130000000296

96 h LC50 : Oncorhynchus mykiss (rainbow trout) 4.79 mg/l

72 h ErC50 : Pseudokirchneriella subcapitata (green algae) 18.03 mg/l

48 h EC50 : Daphnia 1.61 mg/l

Copper Hydroxide

90 d : NOEC 0.0017 mg/l

21 d : NOEC 0.03 mg/l

Additional ecological information : Environmental Hazards: For Terrestrial Uses: Do not apply directly to

water, or to areas where surface water is present, or to intertidal areas below the mean high water mark. Do not contaminate water when cleaning equipment or disposing of equipment washwaters or rinsate. Drift and runoff may be hazardous to aquatic organisms in water adjacent to treated areas. See product label for additional application

instructions relating to environmental precautions.

SECTION 13. DISPOSAL CONSIDERATIONS

Waste Disposal : Do not contaminate water, food or feed by disposal. Pesticide wastes are

acutely hazardous. Improper disposal of excess pesticide, spray mixture, or rinsate is a violation of Federal law. If these wastes cannot be disposed of by

use according to label instructions, contact your State Pesticide or

Environmental Control Agency, or the Hazardous Waste representative at the

nearest EPA Regional Office for guidance.

Container Disposal : Container Refilling and Disposal:

Refer to the product label for instructions.

Do not transport if this container is damaged or leaking.

In the event of a major spill, fire or other emergency, call 1-800-255-3924

(outside the U.S. 1-813-248-0585) day or night.

SECTION 14. TRANSPORT INFORMATION

IATA_C UN number : 3077

Kocide® 2000 Fungicide/Bactericide

Version 3.1

IMDG

Revision Date 03/26/2015 Ref. 130000000296

Proper shipping name : Environmentally hazardous substance, solid, n.o.s.

(Copper hydroxide)

Class : 9
Packing group : III
Labelling No. : 9MI
UN number : 3077

Proper shipping name : ENVIRONMENTALLY HAZARDOUS SUBSTANCE,

SOLID, N.O.S. (Copper hydroxide)

Class : 9
Packing group : III
Labelling No. : 9

Marine pollutant : yes (Copper hydroxide)

Not regulated by DOT/49 CFR unless shipped in bulk package or by water.

SECTION 15. REGULATORY INFORMATION

SARA 313 Regulated

Chemical(s)

: Copper Hydroxide

Title III hazard : Acute Health Hazard: Yes classification : Chronic Health Hazard: No

Fire: No

Reactivity/Physical hazard: No

Pressure: No

EPA Reg. No. : 91411-1

In the United States this product is regulated by the US Environmental Protection Agency (EPA) under the Federal Insecticide, Fungicide and Rodenticide Act (FIFRA). It is a violation of Federal law to use this product in a manner inconsistent with its labeling. Read and follow all label directions. This product is excluded from listing requirements under EPA/TSCA.

California Prop. 65 : WARNING! This product contains a chemical or chemicals known to the State

of California to cause cancer.

WARNING! This product contains a chemical or chemicals known to the State

of California to cause birth defects or other reproductive harm.

PA Right to Know : Substances on the Pennsylvania Hazardous Substances List present at

Regulated Chemical(s) a concentration of 1% or more (0.01% for Special Hazardous

Kocide® 2000 Fungicide/Bactericide

Version 3.1

Revision Date 03/26/2015 Ref. 130000000296

Substances): Limestone, Tetrasodium pyrophosphate, Quartz,

Disodium hydrogenorthophosphate

SECTION 16. OTHER INFORMATION

		NFPA	HMIS
Health	:	2	2
Flammability	:	1	1
Reactivity/Physical hazard	:	0	0

Contact person : Kocide LLC, 9145 Guilford Road, Suite 175, Columbia, MD, 21046-1883,

Phone: 1-301-604-5365

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.