

## VILLA METAZEB 700 WP

## MATERIAL SAFETY DATA SHEET

### 1. IDENTIFICATION OF PRODUCT AND COMPANY

**Product Name:** METAZEB 700 WP  
 Fungicide  
**UN No.** 3077  
**Supplier:** Villa Crop Protection (Pty) Ltd.  
 PO Box 10413  
 Aston Manor, 1630, South Africa  
**Telephone:** (011) 3962233  
**Fax:** (011) 3964666  
**Website:** [www.villacrop.co.za](http://www.villacrop.co.za)

#### Emergency telephone numbers:

#### 24 Hr Transport / Spill emergency no:

Envirosure. +27 31 205 4918  
 (Hazcall24) +27 86 044 4411

(Client: Villa Crop Protection)

Griffon Poison Information Centre +27 82 446 8946

(Client: Villa Crop Protection)

#### Poisoning Emergency telephone numbers:

Griffon Poison Information Centre +27 82 446 8946

Poisons Information Centre +27 861 555 777

#### Villa Crop Protection Emergency number:

#### National Safety, Health and Environmental Manager:

+27 63 698 0668

### 2. COMPOSITION / INFORMATION ON INGREDIENTS

**Common name:** 1) Metalaxyl + 2) Mancozeb  
**Chemical Name:** 1) methyl *N*-(methoxyacetyl)-*N*-(2,6-xylyl)-DL-alaninate (**IUPAC**);  
 2) manganese ethylenebis (dithiocarbamate) (polymeric) complex with zinc salt (**IUPAC**)  
**CAS No.:** 1) 57837-19-1;  
 2) 8018-01-7  
**Chemical Family:** 1) phenylamide (acylalanine type);  
 2) alkylenebis (dithiocarbamate)  
**Chemical Formula:** 1) C<sub>15</sub>H<sub>21</sub>NO<sub>4</sub>;  
 2) Non defined  
**Molecular weight:** 1) 279.3;  
 2) Non defined  
**Use:** Fungicide with a systemic compound for protective and curative action.  
**Formulation:** **Metalaxyl** 100 g/kg plus **Mancozeb**: 600 g/kg  
 Wettable Powder  
**Ingredients:** **Metalaxyl** (10 %); **Mancozeb** (60 %); surfactant and diluent products (30 %)  
**Symbols:** Xi,  
**Risk-phrase(s):** R 36/38, R 37, R 43

### 3. HAZARD IDENTIFICATION

**Toxicity class:** WHO (**Metalaxyl** a.i & **Mancozeb** a.i.): III  
 A low toxicity fungicide.

**Likely routes of exposure:** Skin and eye contact. Slightly hazardous by ingestion.

**Environmental Hazard:** Product is very toxic to fish and aquatic organisms.

**Eye contact:** Product may cause mild to moderate eye irritation.

**Skin contact:** Minimally toxic and prolonged skin contact can cause possible skin irritation and skin sensitization. Mild irritant.

**Ingestion:** Minimally toxic.

**Inhalation:** Inhalation of the dust may be irritating to the nose, throat and lungs.

**Delayed effects:** At high levels **Mancozeb** has caused hindleg paralysis in test animals and an increased incidence of retinal degeneration. It has caused thyroid tumours and birth defects in test animals, resulting from ethylenethiourea (ETU) formation. ETU, a trace contaminant and breakdown product of **Mancozeb**, primarily affects the thyroid and liver. It has also caused other endocrine and blood effects, tumours and birth defects in test animals.

### 4. FIRST AID MEASURES AND PRECAUTIONS

**Inhalation:** Move the victim to fresh air or remove source of contamination. Monitor for respiratory distress. Keep person warm and at rest. Treat symptomatically and supportively as and when required. Qualified personnel should perform administration of oxygen. Get medical attention immediately if necessary.

**Skin contact:** Move the victim to fresh air and remove all contaminated clothing, shoes and leather goods. Gently wipe off excess chemical. Wash affected skin areas gently and thoroughly with water and non-abrasive soap. Do not rub the skin. If irritation persists, seek medical advice. Persons who become sensitized may require specialized medical management with anti-inflammatory agents or cortisone-containing emulsions.

**Eye contact:** Immediately flush the contaminated eyes with gently flowing lukewarm water for 15 to 20 minutes, occasionally lifting the upper and lower lids. If irritation persists, seek medical advice.

**Ingestion:** Seek medical advice immediately. Do not induce vomiting without medical advice. Give 2 glasses of water to drink. Never give anything by mouth to an unconscious person. Qualified medical personnel should perform administration of gastric lavage or oxygen.

**Advice to physician:** No specific antidotes are available against dithiocarbamate and/or acylalanine poisoning. Treat symptomatically. If the product has been ingested, and copious vomiting has not occurred, the stomach must

## VILLA METAZEB 700 WP

## MATERIAL SAFETY DATA SHEET

be emptied and steps taken to limit gastrointestinal absorption. Do not administer fats and oils.

### 5. FIRE FIGHTING MEASURES

**Fire and explosion hazard:** Product is combustible. Dust particles may form explosive mixtures in air.

**Special Hazards:** Combustion products are toxic and/or irritant.

**Hazardous Combustion Products:** Combustion/fire generates products of hydrogen sulfide, carbon dioxide, carbon monoxide, nitrogen oxides, sulfur dioxide and carbon disulfide.

**Extinguishing agents:** Extinguish small fires with carbon dioxide, dry powder, or alcohol-resistant foam. Water spray can be used for cooling of unaffected stock. Do not use direct jet of water. Avoid water coming in contact with the product. Contain water used for fire fighting for later disposal. Avoid the accumulation of polluted run-off from the site.

**Firefighting:** Remove spectators from surrounding area. Isolate the fire area and evacuate downwind. Use a recommended extinguishing agent for the type of surrounding fire.

Fight fire from maximum distance and use unmanned hose holder or monitor nozzles. Contain fire control agents for later disposal. Avoid inhaling hazardous vapours. Keep upwind.

Remove container from fire area if possible and without risk. Water can be used to cool unaffected containers but must be contained for later disposal.

Dyke fire control water for later disposal. Do not scatter the material. Avoid pollution of waterways.

Do not use high volume water jet, due to contamination risk. Contain water used for fire fighting for later disposal. Avoid the accumulation of polluted run-off from the site.

**Personal protective equipment:** Fire fighters and others that may be exposed should wear full chemical protective clothing and self-contained breathing apparatus. See section 8 for recommendations regarding Exposure Controls/Personal Protection. Fire may produce irritating or poisonous vapours (toxic oxides of carbon, nitrogen and sulphur) of combustion.

**Procedures:** Transfer spilled material to suitable containers for recovery or disposal. Keep dust to a minimum. Keep spills and cleaning runoff out of municipal sewers and open bodies of water.

### 6. ACCIDENTAL RELEASE MEASURES

**Personal precautions:**

Do not breathe in dust or fumes. Avoid contact with skin and eyes. For personal protection see Section 8 and see

section 4 regarding First Aid Measures when exposed to material during clean-up operations.

**Environmental precautions:**

Do not allow entering drains or watercourses. Spillage or uncontrolled discharges into water courses (or public waters) to be reported immediately to the Police and to the Department of Water/Environmental Affairs.

**Occupational spill:**

Remove all sources of flames and sparks. For dry spills, shovel up and sweep up with damp earth or sand or other suitable absorbents, taking care not to raise a dust cloud. Place the material into a labelled, clean, dry container and cover for subsequent disposal; and store in a safe place to await proper disposal. All contaminated cleaning materials should be placed in closable receptacles.

In situations where product comes in contact with water, contain contaminated water for later disposal. Do not flush spilled material into drains. Do not contaminate water while cleaning equipment or disposing of wastes. Keep spectators away and upwind.

### 7. HANDLING AND STORAGE REQUIREMENTS

**Handling:** Wear appropriate protective equipment when handling the product. Do not handle material near food, feed or drinking water. Avoid contact with eyes, prolonged contact with skin, and inhalation of dust and vapour. Avoid high concentrations of dust in air and accumulation of dust on equipment. An airborne dust of this material can create a dust explosion. Use with adequate ventilation to control dust and reduce exposure to vapours. Protect all equipment from explosions.

Wash hands before eating, drinking, chewing gum, smoking, or using the toilet. Remove clothing immediately if the product gets inside. Then wash skin thoroughly using a non-abrasive soap and put on clean clothing.

Do not apply directly to areas where surface water is present, or to intertidal areas below the mean high water mark. Water used to clean equipment must be disposed of correctly to avoid contamination. Local regulations should be complied with.

**Storage:** Store the product in its original labelled container in cool, dry, well-ventilated area, away from heat, sparks and other sources of ignition. No smoking is allowed. Protect the product from temperatures below 0°C and above 49°C. Product is combustible, do not ignite. Do not allow the product to become wet or overheated in storage, decomposition, impaired activity or fire may result. Check for hot containers and immediately remove to open areas for disposal. Do not store next to food, feed and water supplies. Keep out of reach of unauthorized persons, children and animals. Avoid breaking the containers, spillage or leaks. Comply with the local regulations.

## VILLA METAZEB 700 WP

## MATERIAL SAFETY DATA SHEET

### 8. EXPOSURE CONTROL / PERSONAL PROTECTION

Provide adequate ventilation. The measures appropriate for a particular work site depend on how this material is used and on the extent of exposure. Ensure that control systems are properly designed and maintained. Comply with occupational safety, environmental, fire, and other applicable regulations.

Acceptable exposure limit for Mancozeb:

AEL (8 hour TWA, total dust): 2 mg/m<sup>3</sup>;

AEL (12 hour TWA, total dust): 1,5mg/m<sup>3</sup>;

**PERSONAL PROTECTIVE EQUIPMENT:**

**Respirator:**

Wear an approved full-face respirator suitable for protection from dusts and mists of pesticides is required. Limitations of respirator use specified by the approving agency and the manufacturer must be observed.

**Clothing:** Wear appropriate chemical-resistant protective clothing or other impervious clothing. Wear boots, hat and equipment to prevent repeated or prolonged skin contact with this substance. Do not wear leather clothing. Wash clothing after use.

**Gloves:** Wear appropriate chemical-resistant protective gloves whenever the product is handled to prevent contact with this substance. Wash gloves after use.

**Eye protection:** Use safety goggles and face-shield, which is compatible with respiratory equipment.

**Emergency eyewash:** Where there is any possibility that an employee's eyes may be exposed to this substance, an eye wash fountain or appropriate alternative within the immediate work area for emergency use, must be provided.

### 9. PHYSICAL AND CHEMICAL PROPERTIES

**Appearance:** Yellow homogeneous fine wetttable powder.

**Odour:** Chemical odour.

**Explosive properties:** Dust-air mixtures may explode when in contact with moist.

**Flash point:** Not highly flammable

**Combustible:** Combustible.

**pH:** 7.5 (1% aqueous solution)

**Solubility in water:** Wetttable powder – miscible in water.

### 10. STABILITY AND REACTIVITY

**Stability:** Considered stable in unopened original packages, under normal, dry storage conditions. Reacts with acids and oxidizing agents.

**Storage stability:** Stable for 2 years under normal, dry storage conditions in unopened packages.

**Incompatibility:** Avoid contact with oxidizing agents and acids. Keep away from moisture, heat or flame.

Compatible with most commonly used fungicides and insecticides, used at recommended rates. Always perform a compatibility test before using with other products. Do not physically mix concentrate directly with other pesticide concentrates, always dilute first.

**Thermal decomposition:** May yield toxic oxides of carbon, nitrogen and sulphur. Avoid temperatures above 49 °C.

**Hazardous decomposition products:** Products of hydrogen sulphide, carbon dioxide, carbon monoxide, nitrogen oxides, sulphur dioxide and carbon disulfide form on heating. During processing, dust may form explosive mixture in air. Decomposition by contact with water may generate vapours, which can be ignited by heat or open flame.

### 11. TOXICOLOGICAL INFORMATION

**Acute oral LD<sub>50</sub>:**

**Metalaxyl** technical: 699 g/kg in rats.

**Mancozeb** technical: > 2000 mg/kg in rats & mice.

Formulation, calculated: > 2200 mg/kg

**Acute dermal LD<sub>50</sub>:**

**Metalaxyl** technical: > 3100 g/kg in rats.

**Mancozeb** technical: > 2000 mg/kg in rats.

Formulation, calculated: > 3000 mg/kg

**Acute inhalation LC<sub>50</sub>:**

**Metalaxyl** technical: > 3600 mg/ℓ in rats.

**Mancozeb** technical: 5.14 mg/ℓ in rats.

**Skin irritation:**

The product may cause mild irritation to the skin.

**Eye irritation:**

The product may cause mild to moderate irritation to the eyes.

**Dermal sensitization:**

**Mancozeb** causes skin sensitization in guinea pigs.

**Metalaxyl** is not sensitizing. Consequently, the product may have a weak potential for skin sensitization in humans.

**Carcinogenicity:**

**Metalaxyl:** There was no evidence of carcinogenic potential at any level tested on rats.

**Mancozeb:** In long-term studies with mice no evidence of carcinogenicity was observed. A two-year feeding study of **Mancozeb** indicated thyroid tumours in rats at a dietary concentration level of 750 ppm.

**ETU:** Two-year feeding studies of ETU produced increased incidence of thyroid and pituitary tumours in rats at dietary concentrations of 83 ppm and higher and also thyroid, pituitary and liver tumours in mice at 330 ppm and higher. Information on the mechanism of these tumours establishes a threshold for the thyroid and pituitary tumours, and indicates that none of these tumour types is relevant for human risk assessment at likely exposure levels.

# VILLA METAZEB 700 WP

# MATERIAL SAFETY DATA SHEET

**Mutagenicity:**

**Metalaxyl:** Evaluation in a battery of tests, no evidence of mutagenic potential was determined in any of these tests.

**Mancozeb:** Animal *in vitro* and *in vivo* studies with mancozeb and ETU suggest that **Mancozeb** and ETU are not mutagenic in mammalian systems.

**Teratogenicity:**

**Metalaxyl:** Not any adverse effects on reproductive performance were produced; no embryotoxic or teratogenic effects were indicated in either rat or rabbits.

**Mancozeb:** In two-generation reproduction studies of **Mancozeb** and ETU not any teratogenic effects were detected.

In developmental studies, exposure to maternally toxic levels of **Mancozeb** produced developmental effects including malformations in rats. There was no evidence of developmental toxicity in rats below adult toxic levels or in rabbits at any dose. The NOAEL of developmental toxicity was 128 mg/kg bw/day in rats and > 80 mg/kg bw/day (highest dose tested) in rabbits.

The NOAEL for maternal toxicity was 30 to 32 mg/kg bw/day in both species.

**ETU:** In developmental toxicity studies with ETU, malformations were produced at thyroid-inhibiting levels in studies with rats and hamsters. Embryofetotoxicity, but no malformations were produced in mice and rabbits, and there was no evidence of developmental toxicity in guinea pigs or cats. The overall NOEL is 5 to 15 mg/kg bw/day in rats.

**Acceptable Daily Intake (ADI):**

**Metalaxyl:** 0,03 mg/kg bw/day.

**Mancozeb:** 0.05 mg/kg bw/day.

Ethylenebisdithiocarbamates as a group: 0.03 mg/kg bw/day.

ETU: 0.004 mg/kg bw/day.

## 12. ECOLOGICAL INFORMATION

**Degradability:**

**Metalaxyl:** Under field conditions, half-life is 7 to 170 days in soil. Increased sunlight may increase the rate of breakdown in soil. **Metalaxyl** is poorly sorbed by soils and highly soluble in water. Highly persistent in soil.

**Mancozeb:** **Mancozeb** is rapidly degraded in the environment by hydrolysis, oxidation, photolysis, and metabolism. Is strongly adsorbed to soil, and half life in soil is 3 to 11 days (clay and loam soil).

**Mobility:**

**Metalaxyl:** Due to its properties, **Metalaxyl** readily leached in sandy soil (increased organic matter may decrease rate of leaching), and pose a threat of contamination of groundwater.

**Mancozeb:** The product has low mobility and is not likely to leach.

**Accumulation:**

**Metalaxyl:** There is little tendency for **Metalaxyl** to accumulate in fish.

**Mancozeb:** The product shows little tendency to bioaccumulate. Bioaccumulation: log P<sub>ow</sub> = 0.66 (pH 7).

**ECOTOXICOLOGY:**

**Birds: Metalaxyl & Mancozeb not toxic.**

**Metalaxyl:**

LD <sub>50</sub> : 7 day dietary:	Japanese quail:	923 mg/kg
LD <sub>50</sub> : 8 day dietary:	Mallard duck:	1466 mg/kg

**Mancozeb:**

LD <sub>50</sub> : 10 day dietary:	Japanese quail:	3200 mg/kg
	Mallard duck:	6400 mg/kg

**Fish:**

**Metalaxyl: Practically non-toxic.**

LC <sub>50</sub> (96hrs):	Rainbow trout:	> 100 mg/l
	Carp:	> 100 mg/l

**Mancozeb: Highly toxic to fish and aquatic organisms.**

LC <sub>50</sub> (48hrs)	Rainbow trout:	2.2 mg/l
	Catfish:	5.2 mg/l
	Carp:	4.0 mg/l

**Honeybees: Metalaxyl & Mancozeb not toxic.**

**Metalaxyl:**

LD <sub>50</sub> (oral)	269.3 µg/bee
-------------------------	--------------

**Mancozeb:**

LC <sub>50</sub> :	0.193 mg/bee.
--------------------	---------------

## 13. DISPOSAL CONSIDERATION

**Pesticide disposal:**

Open dumping or burning of this pesticide is prohibited. Waste resulting from the use of this product that cannot be reused or reprocessed. Never pour untreated waste or surplus products into public sewers or where there is any danger of run-off or seepage into water systems. Do not contaminate rivers, dams or any other water sources with the product or used containers.

Comply with local legislation applying to waste disposal.

**Package product wastes:**

Emptied containers retain vapour and product residues. Observe all labelled safeguards until container is destroyed. Empty the container of excess product into the container of the applicator. Destroy the emptied containers by perforation and flattening. Bury in an approved, designated landfill. Do not re-use the empty container for any other purpose. Do not burn the empty container.

Comply with any local legislation applying to disposal.

## 14. TRANSPORT INFORMATION

**UN NUMBER:** 3077

**ADR/IRD:**

# VILLA METAZEB 700 WP

# MATERIAL SAFETY DATA SHEET

Class: 9  
 Shipping name: Environmentally Hazardous Substance, Solid, N.O.S. (Metalaxyl 10 %, Mancozeb 60 %)

**IMDG/IMO:**

Packaging group: III  
 Class: 9  
 Shipping name: Environmentally Hazardous Substance, Solid, N.O.S. (Metalaxyl 10 %, Mancozeb 60 %)

**MARINE POLLUTANT**

**ICAO/IATA:**

Class: 9  
 Packaging group: III  
 Shipping name: Environmentally Hazardous Substance, Solid, N.O.S. (Metalaxyl 10 %, Mancozeb 60 %)

appear. It is the responsibility of persons in receipt of this MSDS to ensure that the information contained herein is properly read and understood by all people who may use, handle, dispose or in any way come in contact with the product. If the recipient subsequently produces formulation(s) containing this product, it is the recipient's sole responsibility to ensure the transfer of all relevant information from this MSDS to their own MSDS.

**END OF DOCUMENT**

**Compiled:** December 2003  
**Revised:** March 2019  
**Revision no.:** (2)  
**Next revision date:** March 2024

For detailed information on revisions, contact the Registration holder.

**15. REGULATORY INFORMATION**

**Symbol:** Xi  
**Indication of danger:** Irritant.  
**Risk phrases:**  
**R 36/38** Irritating to eyes and skin.  
**R 37** Irritating to the respiratory system.  
**R 43** May cause sensitization by skin contact.  
**Safety phrases:**  
**S 2** Keep out of the reach of children.  
**S 8** Keep container dry.  
**S 13** Keep away from food, drink and animal feeding stuffs.  
**S 20/21** When using do not eat or drink.  
**S 22** Do not breathe dust.  
**S 24/25** Avoid contact with skin and eyes.  
**S 36/37** Wear suitable protective clothing and gloves.

**16. OTHER INFORMATION:**

**Packing and Labelling**

Packed in 200, 250, 500 g & 1, 2, 5, 10, 15,20,25, 50 kg plastic containers or 3-ply paper bags or polyprop woven bags. Labelled according to South African regulations and guidelines.

**Declaration:**

All information and instructions provided in this Material Safety Data Sheet (MSDS) are based on the current state of scientific and technical knowledge at the date indicated on the present MSDS and is presented in good faith believed to be correct. This information applies to the PRODUCT AS SUCH. In case of formulations or mixes, it is necessary to ascertain that a new danger will not