

BEFORE USING THIS PRODUCT, READ THE LABEL CAREFULLY!

Tank Cleaner



PROTANK® LIQUID CLEANER

1: 4/11/2017 – Nov2017

Spray tank cleaner for commercial or farm use only.

ACTIVE INGREDIENTS

Proprietary blend of phosphate and carbonate salts,
sequestering agents, surfactants and solvents.....100%



Manufacturer:
Winfield Solutions, LLC
CA. Reg. No. 1381-50004-AA
WA Reg. No. 1381-05004

Distributed by Villa Crop Protection (Pty) Ltd.
Co. Reg. No. 1992/002474/07
PO Box 10413, Aston Manor, 1630
Tel: 011396 2233
Website: www.villacrop.co.za

Willow Set & Print 011 394-4486

KEEP OUT OF REACH OF CHILDREN



DANGER

GEBRUIKSAANWYSINGS INGESLUIT

VERVYS NA BESONDERHEDE
GEDRUK OP HOUER/SAK

Date formulated:
Formuleringsdatum:

DIRECTIONS FOR USE ENCLOSED

REFER TO DETAILS PRINTED
ON CONTAINER/BAG

Batch number:
Lotnommer:

PROTANK® LIQUID CLEANER**ACTIVE INGREDIENT:**

Proprietary blend of phosphate and carbonate salts, sequestering agents,
surfactants and solvents 100 %

Distributed by:

VILLA CROP PROTECTION (PTY) LTD.

Co. Reg. No. 1992/002474/07 Mpy. Reg. Nr.

PO Box/Posbus 10413

Aston Manor, 1630

Tel. (011) 396 2233

WARNINGS

- Causes serious eye damage.
- Harmful in contact with skin.
- Harmful if swallowed.
- May cause respiratory irritation.

PRECAUTIONS

- Wash hands thoroughly after handling.
- Wear eye and face protection, protective gloves and protective clothing.
- Avoid breathing mist or spray. Use **only** outdoors in a well-ventilated area.
- Do not eat, drink or smoke when using this product.
- Store in a well-ventilated and locked place.
- Keep container tightly closed.
- Store above 13° C. Do not freeze.
- Store in original container only.
- **TRIPLE RINSE** empty containers in the following manner: Invert the empty container over the spray or mixing tank and allow draining for at least 30 seconds after the flow has slowed down to a drip. Thereafter rinse the container three times with a volume of water equal to a minimum of a third of the volume of the container. Add the rinsing to the contents of the spray tank before destroying the container in the prescribed manner.
- Destroy the empty container by perforation and flattening and dispose of it in a safe way.
- **Never** re-use the empty container for any other purpose.
- Prevent contamination of food, feeds, drinking water and eating utensils.

FIRST AID TREATMENT

- **General:** Remove the patient immediately from the source of poisoning to a cool, well-ventilated area and keep him/her calm and reassured. If breathing has stopped, give mechanical artificial respiration (not direct mouth-to-mouth). Qualified personnel should perform administration of oxygen.
- **Inhaled:** Maintain airway and administer oxygen if available. Keep affected person warm and at rest. Obtain medical attention.
- **Skin contact:** Remove contaminated clothing immediately and rinse contaminated body area thoroughly with plenty of soap and cold water. Obtain medical attention if irritation persists.
- **Eye contact:** Flush contamination out of eyes with clean lukewarm, gently flowing water for at least 20 minutes, while holding eyelid(s) open. Obtain medical attention if irritation persists.
- **Swallowed:** If swallowed, rinse mouth thoroughly with water and give up to 200 ml (5 ml per kilogram recommended) water for dilution where the patient is able to swallow, has a gag reflex and does not drool and immediately get medical attention. **Do not induce vomiting under any circumstance.** If vomiting occurs, keep the head below the hips to maintain an open airway and prevent aspiration. Never give anything by mouth to an unconscious person. Seek medical advice.

PRODUCT PROPERTIES

- **In multi-purpose rigs:**
 - Lessens contamination when changing from one chemical to another.
- **In single purpose rigs:**
 - Assures accurate dosage by removing chemicals from the previous batch.
- **Use before spraying to:**
 - Remove scale, dirt, etc.
 - Protect pump and valves.
 - Reduce strainer clogging.
 - Minimize nozzle wear.

DIRECTIONS FOR USE: Use only as directed.

Large tanks

- 380 - 1100 litres: Close boom valve and add 190 litres water to tank, then turn on agitation and add 470 ml of **PROTANK® LIQUID CLEANER**.
- **PROTANK® LIQUID CLEANER** goes quickly into solution, allowing you to circulate the liquid through the valves, hoses, and pump by opening the bypass valve.
- Use a hand boom to wash down the tank interior and cover.
- Once the pump and interior have been cleaned, open boom valve and empty tank by spraying out through boom and nozzles.
- Take care to observe proper disposal of spray solution.
- Rinse tank by following the same procedure using water only.
- A three minute rinse using cold water is necessary, however if you are changing over to a different chemical, a second rinse will lessen the chance of contamination.
- When cleaning a tank used for herbicides and chemicals that can cause plant response at low levels, pay particular attention to those parts of the equipment that may absorb the chemical such as hoses, connections, and pump and hand boom packing.
- Use as directed but in addition allow the rinse solution to remain in the sprayer and its parts overnight.
- **PROTANK® LIQUID CLEANER**, when used according to label directions, will usually adequately clean the exposed surface of these areas, however, when using these types of chemicals, parts of the sprayer that can absorb product may need to be replaced.

Smaller tanks

- Fill tank half full of water and use 25 ml or more for every 10 litres of the tanks volume.
- When using **PROTANK® LIQUID CLEANER** to clean tanks left standing or containing built-up residue from extended use, allow the cleaning solution longer time to act.
- **PROTANK® LIQUID CLEANER's** cleansing action may remove rust and scale that was sealing a badly corroded tank, however, it will not harm steel, aluminium, brass or poly tanks and parts if directions concerning rinsing are followed.

PROTANK® is a registered trademark of Winfield Solutions, LLC.