

WALKER 240 SC

SAFETY DATA SHEET

1. CHEMICAL PRODUCT AND COMPANY IDENTIFICATION

Product Name: WALKER 240 SC
Other identifier: Methoxyfenoziide 240 SC
Recommended use: Insecticide
Restrictions on use: Agriculture

Supplier: Villa Crop Protection (Pty) Ltd.
 PO Box 10413,
 Aston Manor, 1630, South Africa
Telephone: (011) 396 2233
Fax: (011) 396 4666
Website: www.villacrop.co.za

Emergency telephone numbers:
24 Hr Transport / Spill emergency no:
 Envirosure. +27 31 205 4918
 (Hazcall24) +27 86 044 4411
 (Client: Villa Crop Protection)
 Griffon Poison Information Centre +27 82 446 8946
 (Client: Villa Crop Protection)
Poisoning Emergency telephone numbers:
 Griffon Poison Information Centre +27 82 446 8946
 Poisons Information Centre +27 861 555 777
Villa Crop Protection Emergency number:
National Safety, Health and Environmental Manager:
 +27 63 698 0668

2. HAZARDS IDENTIFICATION

UN GHS, Regulation EC 1272/2008 [EU-GHS/CLP] EU & SANS 10234:2008		
Hazard classes	Hazard categories	H-statements
Health		
Dermal	Skin Irrit. 2	H315
Eye	Eye irrit. 2	H319
Environment		
Aquatic chronic	Aquatic chronic 3	H412

The most important adverse effects:

Physiochemical effects:
 None known.
Human health effects:
 Causes serious eye irritation.
Label elements:



Signal word: Warning.

Hazard statements:

H315: Causes skin irritation.
 H319: Causes serious eye irritation.

H412: Harmful to aquatic life with long lasting effects.
Precautionary statements:
 P264: Wash hands and face thoroughly after handling.
 P273: Avoid release to the environment.
 P280: Wear impervious rubber gloves and boots, protective clothing and chemical safety goggles.
 P302/352: IF ON SKIN: Wash with plenty of water and non-abrasive soap.
 P305/351/338: IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
 P332/313: If skin irritation occurs: get medical advice.
 P337/313: If eye irritation persists: Get medical advice.
 P362/364: Take off contaminated clothing and wash it before reuse.
 P501: Dispose of content/container to suitable landfill in accordance with local regulations.

Special labelling of certain mixtures:

None known.

Other hazards:

None known.

Toxicity:

Classification according to GHS: Unclassified.
 Classification according to WHO: III

3. COMPOSITION / INFORMATION ON INGREDIENTS

Substance/Mixture: Mixture.

Composition:

Chemical Name	CAS	Conc. (m/v %)	Classification EC 1272/2008
Methoxyfenozi de TC	161050-58-4	24 %	Aquatic Chronic 2 (H411)
Sodium Lauryl Sulfate	151-21-3	< 20 %	Acute Tox. 4 (H302) Skin Irrit. 2 (H315) Eye Irrit. 2 (H319)

4. FIRST AID MEASURES

Remove the victim from the area of exposure. Wash off remaining material with plenty of water. In the event of any complaints or symptoms, avoid further exposure. If irritation develops consult a doctor.

Inhalation: If vapours or mists have been inhaled, move victim to fresh air and remove source of contamination if safe to do so. The patient should be kept under observation. Obtain medical attention if irritation develops.

Skin: Remove contaminated clothing and shoes. Wash skin gently and thoroughly with cold water and non-abrasive soap. Obtain medical attention if irritation persists.

Eyes: Flush eyes with clean water for at least 15 minutes. Lift eyelids to facilitate irrigation. If present, remove contact lenses after 5 minutes and continue rinsing. **Seek medical attention.**

WALKER 240 SC

SAFETY DATA SHEET

Ingestion: If the person is alert, have them drink large amounts of water. Do not give anything by mouth to an unconscious person. Seek medical attention or call a poison control centre for treatment advice if the person feels unwell. Do NOT induce vomiting unless instructed to do so by a poison control centre or doctor.

Anticipated acute effects: Causes serious eye irritation.

Anticipated delayed effects: None known.

Most important symptoms/effects: None known.

Advice to physician: There is no specific antidote available. Treat symptomatically and supportively.

5. FIRE-FIGHTING MEASURES

Suitable Extinguishing Media: Extinguish fires with water spray, carbon dioxide, dry powder, or foam.

Unsuitable Extinguishing Media: Water jet.

Specific hazards: Irritating or hazardous gases may be generated by thermal decomposition or combustion.

Special Fire Fighting Procedures: Remove spectators from surrounding area. Isolate the fire area and evacuate all personnel downwind of the fire. Fight fire from maximum distance and use unmanned hose holder or monitor nozzles. Keep upwind. Avoid inhaling hazardous vapours and fumes from burning materials. Remove container from fire area if possible and without risk. Do not use high volume water jet, due to contamination risk. Do not scatter the burning material. Water can be used to cool unaffected containers but must be contained for later disposal. Contain fire control agents for later disposal. Avoid pollution of waterways by run-off from the site.

Personal protective equipment: Wear NIOSH/MSHA approved self-contained breathing apparatus and full bunker gear.

6. ACCIDENTAL RELEASE MEASURES

Personal Precautions: Avoid contact with eyes and skin. Do not breathe in spray or fumes. Ventilate area of spill or leak, especially in contained areas.

Protective equipment: Refer to Section 8 for personal protective equipment to be worn during containment and clean-up of a spill involving this product.

Emergency procedures: Alert firefighting personnel, evacuate unprotected personnel and animals.

Environmental Precautions: Prevent spilled product from entering sewers, waterways or ground water. Any spillages or uncontrolled discharges into water courses should be reported immediately to the police and the Department of Water/Environmental Affairs.

Methods and Materials for Containment: Contain spilled product by diking area with sand, earth or silica gel.

Methods and Materials for Clean-up: Cover contained spill with an inert absorbent material such as sand, earth or other appropriate non-combustible material. Vacuum, scoop, or sweep up material and place the material into a clean, dry, sealable container. Label containers with the

contents and dispose of according to local regulations. Do not place spilled material back in original container. Do not re-use spilled material. Collect washings and add to the drums already collected. Do not flush spilled material or washings into drains or waterways. To decontaminate the spill area, tools and equipment, wash with water and suitable detergent. Add the solution to the drums already collected. See section 13 for disposal considerations.

7. HANDLING AND STORAGE

Handling: Precautions for safe handling: Avoid contact with eyes and skin. Do not handle broken containers without protective equipment. Immediately clean up spills that occur during handling. Keep containers tightly closed when not in use. In the case of contact with the product refer to First Aid Measures – Section 4.

General occupational hygiene: Practice good hygiene when using this material. Wash hands before eating, drinking, chewing gum, smoking, using the toilet or applying cosmetics. Worker should shower at the end of each workday. Launder all clothing before it is re-used.

Storage: Conditions for safe storage: Keep out of reach of unauthorised persons, children and animals. Store in its original labelled container tightly closed, in a dry, cool and well-ventilated area. Avoid excessive heat. Avoid cross contamination with other pesticides and fertilisers. **Incompatible substances and mixtures:** Refer to product label.

Packaging material: Plastic containers.

8. EXPOSURE CONTROLS AND PERSONAL PROTECTION

Permissible concentration: No occupational exposure limits has been determined for these specific formulants.

Engineering Controls: It is essential to provide adequate ventilation. The measures appropriate for a particular worksite depend on how this material is used and on the extent of exposure. Local Exhaust: Provide general or local exhaust ventilation systems to maintain airborne concentrations below OSHA PELs or other specified exposure limits. Local exhaust ventilation is preferred. Ensure that control systems are properly designed and maintained. Comply with occupational safety, environmental, fire, and other applicable regulations.

Personal Protective Equipment:

Respiratory Protection: For most well-ventilated conditions, no respiratory protection should be needed. If used in a poorly ventilated area (airborne concentrations exceed exposure limits), use a NIOSH approved air-purifying respirator.

Hand Protection: The use of chemically resistant gloves is recommended to prevent against skin contact.

Eye Protection: Wear a face shield when handling the concentrate and when applying the product. The use of

WALKER 240 SC

SAFETY DATA SHEET

safety goggles is recommended if a face shield is not used. Contact lenses are not protective eye devices.

Skin and Body Protection: Employee must wear appropriate protective clothing; boots, hat and equipment to prevent repeated or prolonged skin contact with this substance.

Emergency eyewash: Where there is any possibility that an employee's eyes may be exposed to this mixture; the employer should provide an eye wash fountain or appropriate alternative within the immediate work area for emergency use.

9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance: White homogeneous liquid suspension.

Odour: Aromatic solvents.

pH (1% aqueous dilution): 7 - 8

Melting point: Not available.

Freezing Point: Not available.

Boiling Point: Not available.

Flash Point: Not available.

Flammability: Not available.

Upper/lower explosion limits: Not available.

Vapour Pressure (mm Hg): Not available.

Relative Vapour Density: Not available.

Density: 1.048 g/ml @ 24°C

Solubility: Suspends in water.

n-octanol/water partition coefficient: Not available.

Auto-ignition temperature: Not available.

Decomposition temperature: Not available.

Viscosity: Not available.

10. STABILITY AND REACTIVITY

Chemical Stability: The product is stable for two years at ambient temperature and pressure, under normal storage and handling conditions. Avoid storage under extreme temperatures and conditions. Store below 50 °C, preferably below 30 °C, and not for prolonged periods in direct sunlight.

Reactivity: None known.

Possibility of Hazardous Reactions: None known.

Conditions to Avoid: Avoid extremes of heat or exposure to flames.

Incompatible Materials: Avoid contact with strong oxidising agents.

Hazardous Decomposition Products: None known.

11. TOXICOLOGICAL INFORMATION

ACUTE TOXICITY:

Calculated according to GHS.

Oral LD₅₀ rat > 6900 mg/kg.

Dermal LD₅₀ rat >20 800 mg/kg.

Inhalation LC₅₀ (4 h) rat > 17,9 mg/l.

Skin Irritation/Corrosion: Causes skin irritation.

Eye Damage/Irritation: Causes serious eye irritation.

Skin Sensitization: Not available.

Respiratory Sensitization: Not available.

Reproductive cell mutagenicity: Not available.

Carcinogenicity: Not available.

Reproductive toxicity: Not available.

Specific target organ toxicity – single exposure: Not available.

Specific target organ toxicity – repeated exposure: Not available.

Aspiration hazard: Not available

Chronic Effects: Not available.

POTENTIAL ADVERSE EFFECTS:

Inhalation: No adverse effects expected by this route of exposure incidental to proper handling.

Skin contact: Prolonged skin contact is unlikely to result in absorption of harmful amounts; short single exposure is not likely to cause skin irritation.

Eye contact: Causes serious eye irritation.

Ingestion: May be harmful if swallowed. if swallowed.

12. ECOLOGICAL INFORMATION

ECOTOXICITY DATA (based on Methoxyfenozide technical):

Fish:

LC ₅₀ (96 h)	Sheepshead minnows	>2.8 mg/l.
	Fathead minnows	>3.8 mg/l.
	Bluegill sunfish	>4.3 mg/l.
	Rainbow trout	>4.2 mg/l.

Daphnia:

LC ₅₀ (48 h)	Daphnia	3.7 mg/l.
-------------------------	---------	-----------

Algae:

EC ₅₀ (96 and 120 h)	<i>Selenastrum</i>	>3.4 mg/l.
---------------------------------	--------------------	------------

Birds:

Acute oral LD ₅₀	Bobwhite quail	>2250 mg/kg
Dietary LC ₅₀ (8 d)	Mallard ducks & Bobwhite quail	>5620 mg/kg.

Bees: Non-toxic

LD ₅₀ (oral and contact)		100 µg/bee.
-------------------------------------	--	-------------

Worms:

LC ₅₀ (14 d)	Earthworms	>1213 mg/kg soil.
-------------------------	------------	-------------------

Plants: Not available.

ENVIRONMENTAL EFFECTS:

Persistence and degradability: Photolytic DT₅₀ in pond water 77 d. Soil photolysis DT₅₀ 173 d; aerobic soil metabolism DT₅₀ 336-1100 d (4 soil types); field DT₅₀ 23-268 d (10 studies). K_{oc} 200-922 ml/g (mean 402 ml/g), 9 soils; K_d 0.93 -1.06 (mean 0.98).

Bio-accumulative Potential: Not determined.

Mobility in soil: Not determined.

Other adverse effects: Not determined.

WALKER 240 SC

SAFETY DATA SHEET

13. DISPOSAL CONSIDERATIONS

Waste: Open dumping or burning of this pesticide is prohibited. Waste resulting from the use of this product cannot be reused or re-processed. Never pour untreated waste or surplus product into public sewers or where there is any danger of run-off or seepage into water systems. Do not contaminate rivers, dams or any other water sources with the product or used containers. The product may be taken to a registered waste disposal site or incineration plant. Where possible, recycling is preferred to disposal or incineration. If recycling is not practicable, dispose of in compliance with local regulations.

Container: Emptied containers retain vapour and product residues. Do not re-use the empty container for any other purpose. Triple rinse empty containers by inverting the empty container over the spray or mixing tank and allow draining for at least 30 seconds after the flow has slowed down to a drip. Thereafter, rinse the container three times with a volume of water equal to a third of that of the container. Add the rinsings to the contents of the spray tank before recycling or destroying the container in the prescribed manner. Destroy the container by perforating and flattening and dispose of through an approved waste dump site, incineration plant or recycling company. Observe all labelled safeguards until container is destroyed.

14. TRANSPORT INFORMATION

Not regulated

Not classed i.e. considered non-hazardous material according to UN Orange Book and international transport codes e.g. RID (rail) and IMDG (sea).

Special/Environmental Precautions: Not available.

Transport in bulk (according to MARPOL 73/78, Annex II and the IBC code): Not available.

15. REGULATORY INFORMATION

Safety, health and environmental regulations/legislation for the mixture:

OHSA 1993 Regulations for Hazardous Chemical Substances.

Relevant information regarding restrictions: None.

EU regulation: Regulation EC1272/2008 (EU-GHS/CLP)

Other national regulations: None.

Chemical Safety Assessment carried out? No

16. OTHER INFORMATION

Packaging: Packed in 50, 100, 200, 250 and 500 ml, 1, 5, 10, 20, 25 and 50 litres plastic containers, labelled according to South African regulations and guidelines.

Additional H-statement (s) (formulants)

H302: Harmful if swallowed.

H411: Toxic to aquatic life with long lasting effects.

Disclaimer: The information on this sheet is not a specification; it does not guarantee specific properties. The information is intended to provide general guidance as to health and safety based upon our knowledge of the handling, storage and use of the product. It is not applicable to unusual or non-standard uses of the product nor where instructions or recommendations are not followed. All information is given in good faith but without guarantee in respect of accuracy, and no responsibility is accepted for errors and omissions or the consequence thereof.

END OF DOCUMENT

Compiled: August 2016

Reviewed: October 2020

Revision no.: (4)

Next revision date: October 2025

For detailed information on revisions, contact the Registration holder.