

BEFORE USING THIS PRODUCT READ THE LABEL CAREFULLY!

Fungicide



# IMAGINE 750 SG

Reg. No. L 10692 Act/Wet No. 36 of/van 1947

1:26/6/2019 - June2019

*A water-soluble granule fungicide for post-harvest treatment of citrus fruit.  
'n Wateroplosbare korrel swamdoder vir na-oesbehandeling van sitrusvrugte.*

**ACTIVE INGREDIENT / AKTIEWE BESTANDEEL**  
imazalil (imidazole) 750 g/kg imasailil (imidasool)

FRAC FUNGICIDE GROUP CODE **3** FRAC SWAMDODER GROEPKODE

kg

**villa** 

Registration holder / Registrasiehouer:  
Villa Crop Protection (Pty) Ltd.  
Co. Reg. No. / Mpy. Reg. Nr. 1992/002474/07  
PO Box / Posbus 10413, Aston Manor, 1630  
Tel: 011 396 2233  
Website / Webblad: [www.villacrop.co.za](http://www.villacrop.co.za)

UN Number: 2588

Willow Set & Print 011 394-4486



**HARMFUL  
SKADELIK**



GEBRUIKSAANWYSLINGS INGESLUIT

VERWYS NA BESONDERHEDE  
GEDRUK OP HOUER/SAK

Date formulated:  
Formuleringsdatum:

REFER TO DETAILS PRINTED  
ON CONTAINER/BAG

DIRECTIONS FOR USE ENCLOSED

Batch number:  
Lotnommer:

**IMAGINE 750 SG**

Reg. No. L 10692 Act/Wet No. 36 of/van 1947

FRAC FUNGICIDE GROUP CODE / FRAC SWAMDODER GROEPKODE: 3

**ACTIVE INGREDIENT / AKTIEWE BESTANDDEEL:**

imazalil (imidazole) / imasalil (imidasool) .....750 g/kg

Registration holder / Registrasiehouer:

**VILLA CROP PROTECTION (PTY) LTD.**

Co. Reg. No. 1992/002474/07 Mpy. Reg. Nr.

PO Box / Posbus 10413

ASTON MANOR, 1630 Tel. (011) 396 2233

**HARMFUL****SKADELIK****WARNINGS**

**IN THE CASE OF CROPS INTENDED FOR EXPORT, CONFIRM WITHHOLDING PERIODS WITH THE RELEVANT EXPORT ORGANISATION. IF THIS PRODUCT IS USED ACCORDING TO THE RECOMMENDATIONS ON THIS LABEL, LOCAL MRL VALUES WILL NOT BE EXCEEDED. HOWEVER, VILLA CROP PROTECTION (PTY) LTD. CANNOT ACCEPT RESPONSIBILITY FOR EXPORTED CROPS EXCEEDING THE IMPORT TOLERANCES OF OTHER COUNTRIES.**

- Handle with care.
- Harmful when swallowed or by inhalation.
- May irritate skin and eyes and cause serious damage to eyes.
- Toxic to fish and other aquatic organisms and harmful to other animals.
- May cause long-term adverse effects in an aquatic environment.
- Store in a cool, dry, well-ventilated place in the original container, tightly closed and secured.
- Store under lock and key, away from food, feeds, seed, fertilizers and other agricultural remedies.
- Keep out of reach of children, uninformed persons and animals.
- **IN CASE OF POISONING TAKE THE PATIENT IMMEDIATELY TO A PHYSICIAN AND MAKE THIS LABEL AVAILABLE TO HIM/HER.**

**Although this remedy has been extensively tested under a large variety of conditions, the registration holder does not warrant that it will be efficacious under all conditions, because the action and effect thereof may be affected by factors such as abnormal climatic and storage conditions, quality of dilution water, compatibility with other substances not indicated on the label and the occurrence of resistance of the disease to the remedy concerned, as well as by the method, time and accuracy of application. The registration holder further does not accept responsibility for damage to crops, vegetation, the environment or harm to man or animal or for lack of performance of the remedy concerned, due to failure of the user to follow the label instructions or to the occurrence of conditions, which could not have been foreseen in terms of the registration. Consult the supplier in event of any uncertainty.**

**PRECAUTIONS**

- Avoid inhalation of spray mist and contact with skin and eyes.
- Wear protective clothing, face shield, rubber gloves and boots while handling the product.
- In case of contact with eyes rinse for at least 10 minutes with clean water and call a physician.
- Wash with soap and water after use and after accidental skin contact.
- Wash contaminated clothing after use.
- Do not eat, drink or smoke whilst mixing or applying the product or before washing hands and face and change of clothing.
- Prevent contamination of rivers and dams.
- Clean applicator thoroughly after use and dispose of wash water where it will not contaminate crops, grazing, boreholes, rivers or dams.
- Containers and packages must be completely emptied before being disposed off. Shake out thoroughly into the mixing tank and thereafter destroy the empty container by perforation and flattening and dispose of through an approved waste disposal company or recycling company.
- **Do not** re-use empty container for any other purpose.
- **Do not** burn the empty container.
- Prevent contamination of food, feeds, drinking water and eating utensils.

**SYMPTOMS OF HUMAN POISONING**

Symptoms of poisoning may include lethargy, ataxia, diarrhoea, convulsions and salivation.

**FIRST AID TREATMENT**

- Remove the patient from the source of poisoning to a well-ventilated area and keep him/her calm and at rest. Immediately call a physician.
- Skin contact: Remove contaminated clothing and wash the contaminated areas with plenty of soap and cold water. Do not rub the skin.
- Eye contact: Immediately flush contaminated eyes for 10 minutes with clean cold water, while occasionally lifting upper and lower lid(s) and call a physician.
- Inhalation: Move patient to fresh air and obtain medical attention. Treat respiratory difficulty with artificial respiration and oxygen.
- Ingestion: Repeatedly give patient large quantities of water to drink. **Do not induce vomiting. Obtain medical advice immediately.** Never give anything by mouth to an unconscious person.
- **TAKE THE PATIENT IMMEDIATELY TO THE NEAREST PHYSICIAN.**

**NOTE TO PHYSICIAN**

No specific antidote known. Treat symptomatically and supportively.

**RESISTANCE WARNING**

**IMAGINE 750 SG** is a group code 3 fungicide. Any fungus population may contain individuals naturally resistant to **IMAGINE 750 SG** and any other group code 3 fungicides. The resistant individuals can eventually dominate the fungus population if these fungicides are used repeatedly. These resistant fungi may not be controlled by **IMAGINE 750 SG** or any other group code 3 fungicides.

To delay fungicide resistance:

- avoid exclusive, repeated use of fungicides from the same fungicide group code. Alternate or tank mix with products from different fungicide group codes,
- integrate other control methods (chemical, cultural, biological) into disease control programmes.

For specific information on resistance management contact the registration holder of this product.

**DIRECTIONS FOR USE: Use only as directed.**

**IMAGINE 750 SG** is recommended for control of Post harvest decay of citrus fruit and their hybrids, caused by *Penicillium digitatum* (Green mould) and *Penicillium italicum* (Blue mould). **IMAGINE 750 SG** can be used without a wetting agent in water having a pH below 7.

**USE RESTRICTIONS**

Do not use **IMAGINE 750 SG** with waxes.

**APPLICATION RATES**

<i>Treatment</i>	<i>Dosage</i>	<i>Remarks</i>
<b><u>Water bath treatment</u></b>	670 g <b>IMAGINE 750 SG</b> in 1000 ℓ water (500 ppm)	<b>Treatment should commence as soon as possible after harvest.</b>  Dissolve the <b>IMAGINE 750 SG</b> in 1000 litres water, to obtain a treatment concentration of 500 ppm <b>Imazalil</b> . Ensure that the product is well dissolved, and that water temperature does not exceed 47 °C.  Drench the fruit in the suspension ensuring contact time for at least 60 seconds.
<b><u>Non-recovery spray-on or brush-on</u></b>	34 g <b>IMAGINE 750 SG</b> in 25 ℓ water (1000 ppm)	Add the <b>IMAGINE 750 SG</b> in 25 litres water to obtain a treatment concentration of 1000 ppm <b>Imazalil</b> . Ensure that the product is well dissolved.  <b>Do not</b> treat more than 17000 kg fruit per 25 litres of the suspension.

**DO NOT RINSE THE FRUIT AFTER TREATMENT. THESE TREATMENTS WILL ALSO RESULT IN GOOD CONTROL OF SPORULATION.**