

BEFORE USING THIS PRODUCT, READ THE LABEL CAREFULLY. KEEP OUT OF REACH OF CHILDREN AND ANIMALS. SHAKE THE BOTTLE WELL BEFORE USE

Insecticide



# GET OUT INDOOR 100 SC

Reg. No. L 10460 Act No. 36 of 1947  
N-AR 2122

3: 27/11/2022 - Oct2022

A suspension concentrate residual, contact and stomach insecticide for the control of ants, flies, cockroaches and mosquitoes in household, industrial locations including food handling and food processing areas, institutional situations and/or other locations.

**ACTIVE INGREDIENT**  
bifenthrin (pyrethroid)

100 g/l

GROUP

3A

INSECTICIDE



**Hazard Statements:**

Harmful if swallowed or inhaled.  
Causes mild skin irritation.  
May cause an allergic skin reaction.  
Causes serious eye irritation.  
Suspected of causing cancer.  
Causes damage to organs (nervous system) through prolonged or repeated exposure.

Very toxic to aquatic life with long lasting effects.

**Precautionary Statements:**

Wear impervious rubber gloves and boots, protective clothing and chemical safety goggles.  
Avoid release into the environment.

**DANGER**



**villa**   
**PUBLIC HEALTH**

**UN Number: 3082**

Registration holder: VILLA CROP PROTECTION (PTY) LTD.  
Co. Reg. No. 1992/002474/07  
PO Box 10413, Aston Manor, 1630  
Tel. (011) 396 2233  
Website: [www.villacrop.co.za](http://www.villacrop.co.za)

**24 HR EMERGENCY NUMBERS:**  
Griffon Poison Centre: +27 82 446 8946  
24 HR Transport / Spill Emergency no: (Hazcall24) +27 86 044 4411  
(Client: Villa Crop Protection)

REFER TO DETAILS AS PRINTED ON CONTAINER / BAG

DIRECTIONS FOR USE ENCLOSED

Batch Number:  
Date of Manufacture:

**GET OUT INDOOR 100 SC**

Reg. No. L 10460 Act No. 36 of 1947

N-AR 2122

IRAC INSECTICIDE GROUP CODE: 3A

**ACTIVE INGREDIENT:**

bifenthrin (pyrethroid) .....100 g/l

Registration holder:

**VILLA CROP PROTECTION (PTY) LTD.**

Co. Reg. No. 1992/002474/07

PO Box 10413, ASTON MANOR, 1630

Tel. (011) 396 2233

**Hazard statements:**

Harmful if swallowed or inhaled.
Causes mild skin irritation.
May cause an allergic skin reaction.
Causes serious eye irritation.
Suspected of causing cancer.
Causes damage to organs (nervous system) through prolonged or repeated exposure.
Very toxic to aquatic life with long lasting effects.

- Handle with extreme care.
- Toxic to Bees and wildlife.
- Store under lock and key in closed original container in a cool, dry place away from food and feedstuffs.
- Keep out of reach of children, uninformed persons and animals.
- Do not apply as a space spray.
- Do not spray directly on humans, pets or animals or onto surfaces where uncovered food is stored or food is prepared.
- **In case of poisoning immediately call a doctor and make this label available to him/her.**

**Although this remedy has been extensively tested under a large variety of conditions, the registration holder does not warrant that it will be efficacious under all conditions. The action and effect thereof may be affected by factors such as abnormal soil, climatic and storage conditions, quality of dilution water, compatibility with other substances not indicated on the label, the occurrence of resistance of the pest against the remedy concerned, as well as by the method, time and accuracy of application. The registration holder furthermore does not accept responsibility for damage to crops, vegetation, the environment or harm to man or animal or for lack of performance of the remedy concerned due to failure of the user to follow the label instructions or to the occurrence of conditions, which could not have been foreseen in terms of the registration. Consult the supplier in the event of any uncertainty.**

**PRECAUTIONS****Precautionary statements:**

Obtain, read and follow all safety instructions before use.
Do not breathe fumes, mists, vapours or spray.
Wash hands thoroughly after handling. Do not touch eyes.
Do not eat, drink or smoke when using this product.
Use only outdoors or in a well-ventilated area.
Contaminated work clothing should not be allowed out of the workplace.
Avoid release into the environment.
Wear impervious rubber gloves and boots, protective clothing and chemical safety goggles.
<b>IF SWALLOWED OR INHALED:</b> Get medical help.
<b>IF ON SKIN:</b> Wash with plenty of water and non-abrasive soap.
<b>IF INHALED:</b> Remove person to fresh air and keep comfortable for breathing.
<b>IF IN EYES:</b> Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
<b>IF exposed or concerned,</b> get medical advice.
Get medical help if you feel unwell.
Rinse mouth.

If skin irritation or rash occurs: Get medical help.
If eye irritation persists: Get medical help.
Collect spillage.
Store locked up.
Dispose of content/container to suitable landfill in accordance with local regulations.

- Wash contaminated clothing after use.
- When applied for the control of ants, German cockroach, Flies and Mosquitoes indoors, remove pets and cover aquaria.
- Prevent contamination of rivers, dams, drains or areas not under treatment.
- Thoroughly clean spraying equipment directly after use and dispose of wash water where it will not contaminate food, grazing, boreholes, rivers or dams.
- **TRIPLE RINSE THE EMPTY CONTAINER AS FOLLOWS:** Invert the empty container over the spray or mixing tank and drain for at least 30 seconds after the flow has slowed down to dripping. Thereafter rinse the empty container three (3) times in succession with one quarter of the container volume fresh water and decant the rinsate into the spray or mixing tank. Puncture the triple rinsed container and dispose of via an approved collector or recycler ([www.croplife.co.za](http://www.croplife.co.za)). Do not bury, burn or donate the container to any other parties that may use it as a container for food or beverages.
- Prevent contamination of food, feeds, drinking water and eating utensils.

Relevant hazardous components	
Bifenthrin	100 g/l
Calcium dodecylbenzene sulfonate	< 20 g/l
POE (1) lauryl ether	< 80 g/l
Benzoic acid	< 5 g/l

### **SYMPTOMS OF HUMAN POISONING**

No cases of poisoning have been described in the general population and none from occupational exposure. However, symptoms that may arise if the product is mishandled and overexposure occurs are: nose bleed, vomiting, diarrhoea, ataxia, incoordination, irritability to sound and touch, salivation, tremors and convulsions. Skin contact may produce sensations such as numbing, burning and tingling. Larger doses may cause convulsions and loss of consciousness.

### **FIRST AID TREATMENT**

- Remove the victim from the area of exposure. Wash off remaining material with plenty of water. In the event of any complaints or symptoms, avoid further exposure. IF exposed or concerned, get medical advice.
- **Skin:** Remove contaminated clothing and shoes. Wash skin gently and thoroughly with cold water and non-abrasive soap. **Obtain medical attention if irritation or rash occurs.**
- **Eyes:** Flush eyes with clean water for at least 15 minutes. Lift eyelids to facilitate irrigation. If present, remove contact lenses after five (5) minutes and continue rinsing. **Seek medical attention if irritation persists.**
- **Inhalation:** If vapours or mists have been inhaled, move victim to fresh air and remove source of contamination if safe to do so. The patient should be kept under observation. **Seek medical attention.**
- **Ingestion:** **Seek medical attention** or call a poison control centre for treatment advice. Do not induce vomiting unless instructed to do so by a poison control centre or doctor. Do not give anything by mouth to an unconscious person. If the person is alert, rinse mouth thoroughly with water.

### **NOTE TO PHYSICIAN**

Bifenthrin, the active ingredient in this product, is a pyrethroid. Treatment is otherwise symptomatic and supportive.

### **RESISTANCE WARNING**

**GET OUT INDOOR 100 SC** is a group code 3A insecticide. Any insect population may contain individuals naturally resistant to **GET OUT INDOOR 100 SC** and other group code 3A insecticides. The resistant individuals can eventually dominate the insect population if these insecticides are used repeatedly. These resistant insects may not be controlled by **GET OUT INDOOR 100 SC** or any other group code 3A insecticide. To delay insecticide resistance:

- avoid exclusive repeated use of insecticides from the same insecticide group code. Alternate or tank mix with products from different insecticide group codes,

- integrate other control methods (chemical, cultural, biological) into insect control programmes.
- For specific information on resistance management contact the registration holder of this product.

**Mode of Action:**

**GET OUT INDOOR 100 SC** contains **Bifenthrin**, a pyrethroid that belongs to IRAC mode of action group 3A. It is a non-systemic insecticide that is active through contact and ingestion. It causes modulation of voltage-gated sodium channels, which prevents the channels from closing and results in hyperexcitation.

**DIRECTIONS FOR USE: Use only as directed.**

**Mixing instructions:**

- Prior to mixing, shake the container thoroughly.
- Half fill the spray tank with clean water.
- Fill the spray tank with water to the required level while maintaining agitation, to ensure thorough mixing.
- Maintain agitation during application.
- Prepared spray mixtures must not be left in the spray tank for any length of time, e.g. overnight.

**Application instructions:**

- In domestic and industrial premises, **GET OUT INDOOR 100 SC** can be applied by a suitable sprayer which is able to distribute the spray mixture evenly and effectively over the target area.
- **GET OUT INDOOR 100 SC** is an effective residual pesticide. Ants, Flies, Cockroaches and Mosquitoes are controlled by direct contact with the spray and also by the residual action as they come into contact with treated surfaces.

**APPLICATION RATES**

<i>Pest / Area</i>	<i>Dosage Rate</i>	<i>Remarks</i>
House flies	100 ml / 10 l water applied to 200 m <sup>2</sup>	Apply as a coarse spray to Fly resting sites. House Flies normally rest on edges and ceiling areas. Repeat when necessary. When apply <b>do not</b> exceed the point of "run-off".
Ants		When apply <b>do not</b> exceed the point of "run-off". Repeat if necessary. Spray mixture into Ant nest entrances.
Stable flies		Apply as a coarse spray to harbourages, cracks and crevices, and other places frequented by cockroaches, e.g. drains. Do not contaminate food preparation surfaces with the application.
Mosquitoes		Apply to Mosquito resting sites and walls as a coarse spray to the point of run-off.

**Perimeter treatments to protect buildings**

**GET OUT INDOOR 100 SC** can be applied as an outdoor perimeter treatment to buildings to prevent the ingress of crawling pests into the building. Apply as a coarse spray using 100 ml per 10 litres of water applied to 200 m<sup>2</sup> of surface area. Apply in a 75 cm wide band, using a flat fan nozzle, to the bottom of outer walls of buildings and in a 75 cm wide band to soil, paving etc. adjacent to the building. Apply at the bottom of and around all door openings. The length of control will depend on the surface treated and environmental conditions (rain, sunlight etc.). Repeat as necessary.