



SHAKE THE BOTTLE WELL BEFORE USE - KEEP OUT OF REACH OF CHILDREN AND ANIMALS

viveo[®] 10 SL

A SOLUBLE CONCENTRATE PLANT GROWTH REGULATOR
FOR THE INCREASE OF BERRY SIZE AND REDUCTION OF
BERRY SHATTER IN TABLE GRAPE CULTIVARS AS INDICATED.

REG. NO L 11144 ACT NO. 36 OF 1947

ACTIVE INGREDIENT: FORCHLORFENURON.....10 G/L

2: 6/2/2022 – JUL2022

Hazard Statements:

Causes serious eye irritation.
Suspected of causing cancer.



Precautionary Statements:

Wash hand thoroughly after handling. Do not touch eyes.
Wear impervious rubber gloves and boots, protective clothing and chemical safety goggles.
IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

MANUFACTURED BY:

fine

FINE AGROCHEMICALS LIMITED

HILL END HOUSE
WHITTINGTON
WORCESTER
WR5 2RQ, UK
ENQUIRE@FINE.EU
WWW.FINE.EU

DISTRIBUTED BY:



REGISTRATION HOLDER:

UNIVERSAL CROP PROTECTION (PTY) LTD
CO. REG. NO. 1983/008184/07
P.O. BOX 801
KEMPTON PARK, 1620
TEL.: (011) 396 2233
WEBSITE: WWW.VILLACROP.CO.ZA

BATCH NUMBER:

DATE FORMULATED:

UN NUMBER:

NOT REGULATED

NET VOLUME:

1 LT

Viveo[®] 10 SL is a registered trademark of Fine Agrochemicals Ltd.

VIV/ZA/1L/24

For full particulars, see enclosed leaflet.

VIVEO® 10 SL

Reg. No. L 11144 Act No. 36 of 1947

ACTIVE INGREDIENT:

forchlorfenuron 10 g/l

Registration holder:

UNIVERSAL CROP PROTECTION (PTY) LTD.

Co. Reg. No. 1983/008184/07

PO Box 801, KEMPTON PARK, 1620,

Tel. (011) 396 2233

WARNINGS**Withholding periods:**

Minimum time between the last application and harvest:	
Table grapes	Not applicable if used according to the label.

NOTE

ABOVE-MENTIONED WITHHOLDING PERIODS REFER TO COMPLIANCE WITH LOCAL MAXIMUM RESIDUE LIMITS (MRL'S). HOWEVER, IT IS IMPORTANT TO NOTE THAT IMPORT TOLERANCES OF OTHER COUNTRIES MIGHT POSSIBLY BE EXCEEDED. IF THE TREATED CROP WILL BE EXPORTED, FIRST CONSULT THE RELEVANT IMPORTER OR EXPORTING BODY REGARDING THE USE OF THIS PRODUCT, MRL'S AND RECOMMENDED WITHHOLDING PERIODS.

Hazard statements:

Causes serious eye irritation.
Suspected of causing cancer.

- Handle with care.
- Store in a cool place (below 20 °C).
- Store under lock and key away from food, feeds, seed and other agricultural chemicals.
- Keep out of reach of children, uninformed persons and animals.
- Re-entry: Do not enter treated area within 1 day after treatment unless wearing protective clothing.
- **In case of poisoning, call a doctor immediately and make this label available to him/her.**

Although this remedy has been extensively tested under a large variety of conditions, the registration holder does not warrant that it will be efficacious under all conditions, because the action and effect thereof may be affected by factors such as abnormal climatic and storage conditions, quality of dilution water, compatibility with other substances not indicated on the label as well as by the method, time and accuracy of application. The registration holder further does not accept responsibility for damage to crops, vegetation, the environment or harm to man or animal or for lack of performance of the remedy concerned, due to failure of the user to follow the label instructions or to the occurrence of conditions, which could not have been foreseen in terms of the registration. Consult the supplier in event of any uncertainty.

PRECAUTIONS**Precautionary statements:**

Obtain, read and follow all safety instructions before use.
Wash hands thoroughly after handling. Do not touch eyes.
Wear impervious rubber gloves and boots, protective clothing, and chemical safety goggles.
IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
If exposed or concerned, get medical advice.
If eye irritation persists: Get medical help.
Store locked up.
Dispose of contents/container in accordance with local regulations.

- Wash contaminated clothing daily.
- Do not eat, drink or smoke whilst mixing, applying or before washing hands and face and change of clothing.
- Avoid spray drift onto other crops, grazing, rivers, dams and any other area not under treatment.

- **TRIPLE RINSE THE EMPTY CONTAINER AS FOLLOWS:** Invert the empty container over the spray or mixing tank and drain for at least 30 seconds after the flow has slowed down to dripping. Thereafter rinse the empty container three times in succession with one quarter of the container volume fresh water and decant the rinsate into the spray or mixing tank. Puncture the triple rinsed container and dispose of via an approved collector or recycler www.croplife.co.za. Do not bury, burn, or donate the container to any other parties that may use it as a container for food or beverages.
- Destroy the empty container by perforation and flattening and dispose of it in a safe way.
- **Never** re-use the empty container for any other purpose.
- Prevent contamination of food, feeds, drinking water and eating utensils.

Relevant hazardous components	
Forchlorfenuron	10 g/l
Polyethylene glycol	< 50 g/l

SYMPTOMS OF HUMAN POISONING

Causes serious eye irritation. Suspected of causing cancer.

FIRST AID TREATMENT

- **Skin:** After contact with the skin, special care should be taken to flush the affected area with running water as soon as possible. Remove contaminated clothing and wash before reuse. Get medical attention if symptoms arise and persist.
- **Eyes:** In case of eye contamination, flush eyes with plenty of water for at least 15 minutes. Lift eyelids to facilitate irrigation. If present, remove contact lenses after 5 minutes and continue rinsing. Get medical attention if symptoms arise and persist.
- **Ingestion:** DO NOT induce vomiting. Do not give anything by mouth to an unconscious person. If the person is alert, rinse mouth out and then drink plenty of water. Get medical attention if discomfort occurs.
- **Inhalation:** Remove patient to fresh air, allow to rest and keep warm. Seek medical attention if irritation occurs.

NOTE TO PHYSICIAN

No known antidote, treat symptomatically. If required, perform gastric lavage. If necessary, administer activated charcoal (10 to 20 g) and sodium sulphate (20 g).

Mode of Action: VIVEO® 10 SL is a synthetic cytokinin involved in various plant processes such as cell division, germination and it is involved in dormancy breaking. It acts by inhibition of catabolic cytokinin dehydrogenase (CKO).

DIRECTIONS FOR USE: Use only as directed.

Compatibility:

- VIVEO® 10 SL is compatible with the surfactant Villa 51 and Gibberellic acid such as FALGRO® 4 SL (L 6393 / N-AR 1229), FALGRO® TABLETS (L 4503).
- VIVEO® 10 SL is not compatible with insecticides or fungicides and should therefore not be used in tank mixtures with these products.

Application Directions

- Apply as a directed spray to the young fruit or bunches. Complete coverage of the fruit is essential. With table grapes a dip treatment of the bunches can also be used.
- Ensure thorough wetting of grape vines and apply at a volume of between 1000 and 1500 litres water per hectare on established vines. Use proportionally less on younger vines. Prolong the wetting period by treating during cool periods of the day or during the night.

Table grapes:

- Do not apply VIVEO® 10 SL to grapes before post bloom berry shatter has been completed.
- Ensure thorough wetting of grape vines and apply at a volume of between 1000 and 1500 litres water per hectare, on established vines. With table grapes a dip treatment of the bunches can also be used.
- Use proportionally less on younger vines.

APPLICATION RATES

Crop	Dosage rate per 100 ℓ water	Remarks
Table grapes cv. Thompson seedless	50 mℓ PLUS 30 ppm Gibberellic acid (e.g., Falgro® 4 SL or Falgro® Tablets) PLUS 6 mℓ / 100 ℓ water Villa 51	For berry size increase and reduction in berry shatter. Apply as a directed spray or dip treatment at 4 to 6 mm berry size, to co-incide with the second Gibberellic acid application.
NOTE VIVEO® 10 SL could delay ripening of table grapes by approximately seven (7) days. This could however be an advantage when used to manipulate the time of harvest in certain vineyards.		

Consult the **Villa 51**, **Falgro® 4 SL** and **Falgro® Tablets** labels for **WARNINGS**, **PRECAUTIONS** and **DIRECTIONS FOR USE**.

The following product mentioned in this label may be replaced with an equivalent product:

- **VILLA 51** (L 8050 / W 130454 / N-AR 1090) = **WEN 51** (L 8315).

VILLA 51 and **WEN 51** are registered products of **UNIVERSAL CROP PROTECTION (PTY) LTD.**

FALGRO® 4 SL, **FALGRO® TABLETS** and **VIVEO® 10 SL** are registered trademarks of **FINE Agrochemicals Ltd., UK.**

PRODUCT WARRANTY CONDITIONS AND LIMITATION OF LIABILITY

Fine Agrochemicals Limited ("FINE") warrants that this Product conforms to the specifications indicated on this label. FINE disclaims all other warranties, express or implied, including but not limited to warranties of merchantability and fitness for a particular purpose.

It is impossible to eliminate all risks associated with this Product. Plant injury, lack of performance or other unintended consequences may result because of factors such as abnormal weather conditions, presence of other materials, the manner of application, use of the Product other than in strict accordance with this label's instructions or other factors, all of which are beyond the control of FINE or the seller. To the extent consistent with applicable law, the Buyer shall assume all such risks.

FINE's liability under this label shall be limited to the amount of the purchase price or, at the election of FINE, the free replacement of the Product. FINE disclaims any liability whatsoever for special, incidental or consequential damages resulting from the handling or use of this Product.

© Fine Agrochemicals Limited, Hill End House, Whittington, Worcester, WR5 2RQ, United Kingdom.