

Document no: 138VK
Effective Date: August 2018
Revision: May 2022 (4)
Product Code: A/SO918SL/VK

VILLA 51

SAFETY DATA SHEET

1. CHEMICAL PRODUCT AND COMPANY IDENTIFICATION

Product Name: VILLA 51

Other identifier: Isotridecanol 918 g/t

Recommended use: Adjuvant **Restrictions on use:** Agriculture

Registration Holder: Universal Crop Protection (Pty)

Ltd.

Co. Reg. No.: 1983/008184/07

PO Box 801,

Kempton Park, 1620, South Africa

 Telephone:
 (011) 396 2233

 Fax:
 (011) 396 4666

 Website:
 www.villacrop.co.za

Emergency telephone numbers: 24 Hr Transport / Spill emergency no:

(Hazcall24) +27 86 044 4411

(Client: Villa Crop Protection)

Griffon Poison Information Centre +27 82 446 8946

(Client: Villa Crop Protection)

Poisoning Emergency telephone numbers:

Griffon Poison Information Centre +27 82 446 8946 Poisons Information Centre +27 861 555 777

2. HAZARDS IDENTIFICATION

UN GHS, Regulation EC 1272/2008 [EU-GHS/CLP]					
EU & SANS 10234:2008					
Hazard classes	Hazard	H-statements			
	categories				
Environment					
Aquatic acute	Aquatic Acute 1 H400				
Aquatic chronic	Aquatic Chronic 3	H412			

The most important adverse effects: Physiochemical effects: None known Human health effects: None known

Label elements:



Signal word: Warning **Hazard statements:**

H400: Very toxic to aquatic life.

H412: Harmful to aquatic life with long lasting effects.

Precautionary statements:

P273: Avoid release to the environment.

P391: Collect spillage.

P501: Dispose of contents/container in accordance with

local regulations.

Special labelling of certain mixtures:

None known.

Other hazards:
None known.

Toxicitv:

Classification according to GHS: Unclassified

3. COMPOSITION / INFORMATION ON INGREDIENTS

Substance/Mixture: Mixture

Composition:

Chemical Name	CAS	Conc. (m/v %)	Classification EC 1272/2008
Isotridecanol, ethoxylated	69011- 36-5	91.8%	Aquatic Acute 1 (H400)
			Aquatic Chronic 3 (H412)

4. FIRST AID MEASURES

Remove the victim from the area of exposure. Wash off remaining material with plenty of water. In the event of any complaints or symptoms, avoid further exposure.

Inhalation: Move the victim to fresh air or remove source of contamination. Keep person warm and at rest. Treat symptomatically and supportively as and when required. Qualified personnel should perform administration of oxygen. Obtain medical attention if irritation persists.

Skin: Remove contaminated clothing and shoes. Gently wipe off excess chemical. Wash skin gently and thoroughly with water and non-abrasive soap. Obtain medical attention if irritation persists.

Eyes: Flush eyes with clean water. Lift eyelids to facilitate irrigation. If present, remove contact lenses and continue rinsing. Obtain medical attention if irritation persists.

Ingestion: Do not induce vomiting. If swallowed, rinse mouth thoroughly with water and give up to 200 ml (5 ml/kg recommended) water for dilution where patient is able to swallow, has a gag reflex and does not drool. If vomiting occurs, keep head below hips to maintain open airway and prevent aspiration. Establish and maintain airway. **Never** give anything by mouth to an unconsciousness person. Seek medical advice.

Anticipated acute effects: None known.
Anticipated delayed effects: None known.
Most important symptoms/effects: None known.
Advice to physician:

Basic treatment: Where necessary, monitor and treat for shock, pulmonary oedema and seizures. **DO NOT** use emetics. Give activated charcoal.

Advanced treatment: Monitor and treat for arrhythmias where necessary. Consider orotracheal or nasotracheal intubation for airway control in unconscious patient or where respiratory arrest has occurred. If signs of hypovolaemia are present, use lactated Ringer's solution. If the patient is hypoglycaemic, give 50% dextrose. Drug therapy should be considered for pulmonary oedema. Treat seizures with diazepam.



VILLA 51

Document no:
Effective Date:
Revision:
Product Code:

138VK August 2018 May 2022 (4) AISO918SL/VK

SAFETY DATA SHEET

section 13 for

5. FIRE-FIGHTING MEASURES

Suitable Extinguishing Media: Use carbon dioxide or dry chemical for small fires and water fog or foam for large fires.

Unsuitable Extinguishing Media: High volume water jet. Use a water jet only to cool heated containers.

Specific hazards: Fire may produce irritating, corrosive and/or toxic oxides of carbon.

Special Fire Fighting Procedures: Remove spectators from surrounding area. Isolate the fire area and evacuate all personnel downwind of the fire. Fight fire from maximum distance and use unmanned hose holder or monitor nozzles. Keep upwind. Avoid inhaling hazardous vapours and fumes from burning materials. Remove container from fire area if possible and without risk. Do not use high volume water jet, due to contamination risk. Do not scatter the burning material. Water can be used to cool unaffected containers but must be contained for later disposal. Contain fire control agents for later disposal. Avoid pollution of waterways by run-off from the site.

Personal protective equipment: Wear NIOSH/MSHA approved self-contained breathing apparatus and full protective gear.

6. ACCIDENTAL RELEASE MEASURES

Personal Precautions: According to calculations this product should not be hazardous, but as a personal precaution avoid contact and ventilate area of spill or leak in contained areas.

Protective equipment: Refer to Section 8 for personal protective equipment to be worn during containment and clean-up of a spill involving this product.

Emergency procedures: Alert firefighting personnel, evacuate unprotected personnel and animals.

Environmental Precautions: Prevent spilled product from entering sewers, waterways or ground water. This product is classified as very toxic to aquatic organisms and as harmful to aquatic organisms with long lasting effects in the aquatic environment. Any spillages or uncontrolled discharges into watercourses should be reported immediately to the police and the Department of Water/Environmental Affairs.

Methods and Materials for Containment: Contain spilled product by diking area with sand or earth.

Methods and Materials for Clean-up: Cover contained spill with an inert absorbent material such as sand, vermiculite, earth or other appropriate material. Vacuum, scoop, or sweep up material and place the material into a clean, dry, sealable container. Label containers with the contents and dispose of according to local regulations. Do not place spilled material back in original container. Do not re-use spilled material. Collect washings and add to the drums already collected. Do not flush spilled material or washings into drains or waterways. To decontaminate the spill area, tools and equipment, wash with water and

considerations.

See

detergent.

7. HANDLING AND STORAGE

Handling:

suitable

Precautions for safe handling: Do not handle broken packages without protective equipment. Immediately clean up spills that occur during handling. Keep containers closed when not in use. In the case of contact with the product refer to First Aid Measures – Section 4.

General occupational hygiene: Practice good hygiene when using this material. Wash hands before eating, drinking, chewing gum, smoking, using the toilet or applying cosmetics. Worker should shower at the end of each workday. Launder all clothing before it is re-used.

Storage:

Conditions for safe storage: Keep under lock and key and out of reach of unauthorised persons, children and animals. Store in its original, labelled container, tightly closed, in an isolated, dry, cool and well- ventilated area. Avoid excess heat. Not to be stored next to foodstuffs, feed and water supplies. Avoid cross contamination with other pesticides and fertilisers.

Incompatible substances and mixtures: Refer to product label.

Packaging material: Plastic containers (bottle/drums).

8. EXPOSURE CONTROLS AND PERSONAL PROTECTION

Permissible concentration: No occupational exposure limits have been determined for the significant ingredients in this product.

Engineering Controls: It is essential to provide adequate ventilation. The measures appropriate for a particular worksite depend on how this material is used and on the extent of exposure. Local Exhaust: Provide general or local exhaust ventilation systems to maintain airborne concentrations below OELs or other specified exposure limits. Local exhaust ventilation is preferred. Ensure that control systems are properly designed and maintained. Comply with occupational safety, environmental, fire, and other applicable regulations.

Personal Protective Equipment:

Respiratory Protection: For most well-ventilated conditions, no respiratory protection should be needed.

Hand Protection: This product is not thought to be toxic or a cause of irritation, but the use of chemically protective impervious gloves is still recommended to prevent against skin contact.

Eye Protection: This product is not thought to be a cause of eye irritation, but the use of chemical safety goggles is recommended to prevent against eye contact. Contact lenses are not protective eye devices.

Skin and Body Protection: Employee must wear appropriate protective impervious clothing; rubber boots, hat and equipment to prevent repeated or prolonged skin



Document no: 138VK
Effective Date: August 2018
Revision: May 2022 (4)
Product Code: AISO918SL/VK

SAFETY DATA SHEET

VILLA 51

contact when working with chemicals. Do not wear leather clothing.

Emergency eyewash: Where there is any possibility that an employee's eyes may be exposed to this substance; the employer should provide an eye wash fountain or appropriate alternative within the immediate work area for emergency use.

9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance: Clear liquid. Odour: Mild odour. pH: 5-7 (20°C)

Melting point: Not available.
Freezing Point: Not available.
Boiling Point: Not available.
Fleeb Brint: Not available.

Flash Point: Not available. Flammability: Not available.

Upper/lower explosion limits: Not available. **Vapour Pressure (mm Hg):** Not available. **Relative Vapour Density:** Not available.

Density: ca. 1.02 g/cm3 (20°C) **Solubility:** Soluble in water.

n-octanol/water partition coefficient: Not available.

Auto-ignition temperature: Not available. **Decomposition temperature:** Not available.

Viscosity: Ca. 150 mPas (20°C)

10. STABILITY AND REACTIVITY

Chemical Stability: The product is stable for two years at ambient temperature and pressure, under normal storage and handling conditions. Avoid storage under extreme temperatures and conditions. Store below 50 °C, preferably below 30 °C, and not for prolonged periods in direct sunlight.

Reactivity: None known.

Possibility of Hazardous Reactions: Will not occur. **Conditions to Avoid:** Extreme heat or exposure to flames.

Incompatible Materials: Not compatible with acids and oxidising materials.

Hazardous Decomposition Products: Thermal decomposition products may include oxides of carbon.

11. TOXICOLOGICAL INFORMATION

Calculated according to GHS

Oral LD₅₀ Not classified.

Dermal LD₅₀ Not classified.

Inhalation LC₅₀ Not classified.

Skin Irritation: Not classified.

Eye Irritation: Not classified.

Skin Sensitization: Not classified.

Respiratory Sensitization: Not classified.
Reproductive cell mutagenicity: Not classified.

Carcinogenicity: Not classified.

Reproductive toxicity: Not classified.

Specific target organ toxicity – single exposure: Not classified.

Specific target organ toxicity – repeated exposure: Not

classified.

Aspiration hazard: Not classified. Chronic Effects: Not classified. POTENTIAL ADVERSE EFFECTS:

Inhalation: Not available. Skin contact: Not available. Eye contact: Not available. Ingestion: Not available.

12. ECOLOGICAL INFORMATION

This product is considered very toxic to aquatic life and harmful to aquatic life with long lasting effects.

ECOTOXICITY DATA:

Based on Alcohols, C8-18, ethoxylated.

Fish:

 $\overline{\text{LC}_{50}}$ (96 h) Cyprinus carpio 1-10 mg/ ℓ . LC₅₀ (24 h) Daphnia magna 1-10 mg/ ℓ .

Algae:

EC₅₀ (96 h) Scenedesmus 1-10 mg/ ℓ .

subspicatus

Plants: Not determined.

ENVIRONMENTAL EFFECTS:

Persistence and degradability: Not determined. Bio-accumulative Potential: Not determined.

Mobility in soil: Not determined.

Other adverse effects: Not determined.

13. DISPOSAL CONSIDERATIONS

Waste: Open dumping or burning of this pesticide is prohibited. Waste resulting from the use of this product cannot be reused or re-processed. Never pour untreated waste or surplus product into public sewers or where there is any danger of run-off or seepage into water systems. Do not contaminate rivers, dams or any other water sources with the product or used containers. Comply with local legislation applying to waste disposal. The product may be taken to a registered waste disposal site or incineration plant.

Container: Emptied containers retain product residues. Do not re-use the empty container for any other purpose. Invert the empty container over the spray or mixing tank and drain for at least 30 seconds after the flow has slowed down to dripping. Thereafter rinse the empty container three times in succession with one quarter of the container volume fresh water and decant the rinsate into the spray or mixing tank. Puncture the triple rinsed container and dispose of via an approved collector or recycler (www.croplife.co.za). Do not bury, burn or donate the container to any other parties that may use it as a container for food or beverages. Observe all labelled safeguards until container is destroyed.



VILLA 51

Document no: 138VK
Effective Date: August 2018
Revision: May 2022 (4)
Product Code: AISO918SL/VK

SAFETY DATA SHEET

14. TRANSPORT INFORMATION

UN Number: 3082

Road Transport ADR / ORD:

Class: 9 Packaging group: III

UN Proper Shipping Name: ENVIRONMENTALLY

HAZARDOUS SUBSTANCE, LIQUID, N.O.S.

(Isotridecanol, ethoxylated 918 g/*i*)

Maritime Transport IMDG / IMO:
Class: 9

Packaging group: III

UN Proper Shipping Name: ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S.

(Isotridecanol, ethoxylated 918 g/e)

Marine pollutant (Y/N): Yes Air Transport IATA / ICAO:

Class: 9 Packaging group: III

UN Proper Shipping Name: ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S.

(Isotridecanol, ethoxylated 918 g/e)

Special / Environmental Precautions: Wedge drums

tightly to avoid movement.

Transport in bulk: Refer to MARPOL 73/78, Annex II and

the IBC code.

15. REGULATORY INFORMATION

Safety, health and environmental regulations / legislation for the mixture:

OHSA 1993 Regulations for Hazardous Chemical Substances.

Relevant information regarding restrictions: None. **EU regulation:** Regulation EC1272/2008 (EU-GHS/CLP)

Other national regulations: None.

Chemical Safety Assessment carried out? No

16. OTHER INFORMATION

Packaging: Packed in 50, 100, 150, 200, 250, 500 millilitres and 1, 5, 10, 20 and 25 litres plastic containers (bottles/drums), labelled according to South African regulations and guidelines.

Additional H statements (formulants):

None.

Disclaimer: The information on this sheet is not a specification; it does not guarantee specific properties. The information is intended to provide general guidance as to health and safety based upon our knowledge of the handling, storage and use of the product. It is not applicable to unusual or non-standard uses of the product nor where instructions or recommendations are not followed. All information is given in good faith but without guarantee in respect of accuracy, and no responsibility is accepted for errors and omissions or the consequence thereof.

END OF DOCUMENT

Compiled: August 2018 **Reviewed:** April 2022

Revision no.: (4)

Next revision: May 2027

For detailed information on revisions, contact the Registration holder.