

### **CORVETTE 425 SC**

Document no:158 UOEffective Date:October 2016Revision date (version):July 2022 (4)Product Code:HCORVET425SC/UO

# **SAFETY DATA SHEET**

# 1. CHEMICAL PRODUCT AND COMPANY IDENTIFICATION

Product Name: CORVETTE 425 SC

Other identifier: Atrazine/Sulcotrione 425 SC

**Restrictions on use:** Herbicide Agriculture

Supplier: Universal Crop Protection (Pty) Ltd.

Co. Reg. No.: 1983/008184/07

PO Box 801,

Kempton Park, 1620, South Africa

**Telephone:** (011) 396 2233 **Fax:** (011) 396 4666 **Website:** www.villacrop.co.za

Emergency telephone numbers: 24 Hr Transport / Spill emergency no:

(Hazcall24) +27 86 044 4411

(Client: Villa Crop Protection)

Griffon Poison Information Centre +27 82 446 8946

(Client: Villa Crop Protection)

Poisoning Emergency telephone numbers:

Griffon Poison Information Centre +27 82 446 8946 Poisons Information Centre +27 861 555 777

#### 2. HAZARDS IDENTIFICATION

UN GHS, Regulation EC 1272/2008 [EU-GHS/CLP] EU & SANS 10234:2008					
Hazard classes	Hazard H-statements				
	categories				
Health					
Skin sensitizer	Skin sens. 1	H317			
Eye	Eye irrit. 2	H319			
Carcinogenicity	Carc. 1B	H350			
Reproductive	Repr. 2	H361			
Toxicity					
STOT RE	STOT RE 2	H373			
Environment					
Aquatic acute	Aquatic acute 1	H400			
Aquatic chronic	Aquatic chronic 1	H410			

#### The most important adverse effects:

#### Physiochemical effects:

Non known.

#### **Human health effects:**

May cause an allergic skin reaction.

Causes serious eye irritation.

May cause cancer.

Suspected of damaging fertility or the unborn child.

May cause damage to organs (kidney, heart) trough prolonged or repeated exposure.

Label elements:



Signal word: Danger.

#### **Hazard statements:**

H317: May cause an allergic skin reaction.

H319: Causes serious eye irritation.

H333: May be harmful if inhaled.

H350: May cause cancer.

H361: Suspected of damaging fertility or the unborn child. H373: May cause damage to organs (kidney, heart)

through prolonged or repeated exposure.

H400: Very toxic to aquatic life.

H410: Very toxic to aquatic life with long lasting effects.

#### **Precautionary statements:**

P203: Obtain, read and follow all safety instructions before use.

P260: Do not breathe dust, fume, gas, mist, vapours and spray.

P264+P265: Wash hands thoroughly after handling. Do not touch eyes.

P272: Contaminated work clothing should not be allowed out of the workplace.

P273: Avoid release into the environment.

P280: Wear impervious rubber gloves and boots, protective clothing and chemical safety goggles.

P302+P352: IF ON SKIN: Wash with plenty of water and non-abrasive soap.

P305+P351+P338: IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

P318: IF exposed or concerned, get medical advice.

P319: Get medical help if you feel unwell.

P333+P317: If skin irritation or rash occurs: Get medical help.

P337+P317: If eye irritation persists: Get medical help.

P391: Collect spillage.

P405: Store locked up.

P501: Dispose of contents/container in accordance with

local regulations.

#### Special labelling of certain mixtures:

None known.

#### Other hazards:

None known.

**Toxicity:** 

Classification according to GHS: Unclassified



Document no:
Effective Date:
Revision date (version):
Product Code:

158 UO October 2016 July 2022 (4) HCORVET425SC/UO

# **UNIVERSAL CORVETTE 425 SC**

# 3. COMPOSITION / INFORMATION ON INGREDIENTS

Substance/Mixture: Mixture.

Composition:

Composition:							
Chemical Name	CAS	Conc. (m/v %)	Classification EC 1272/2008				
Atrazine Technical	1912-24-9	28.04 %	Skin Sens. 1 (H317) STOT RE 2 (H373) Aquatic Acute 1 (H400) Aquatic Chronic 1 (H410)				
Sulcotrione Technical	99105-77- 8	11.68%	Skin Sens. 1A (H317) Repr. 2 (H361) STOT RE 2 (H373) Aquatic Acute 1 (H400) Aquatic Chronic 1 (H410)				
Wetter	68439-49- 6	<5 %	Acute Tox. 4 (H302) Eye Dam. 1 (H318) Aquatic Acute 1 (H400)				
Anti-foam	9004-62-0	<1 %	Skin Irrit. 2 (H315) Eye Irrit. 2 (H319) STOT SE 3 (H335)				
Anti-freeze	107-21-1	<10 %	Acute Tox. 4 (H302)				
Bactericide	50-00-0	<1 %	Acute Tox. 3 (H301) Acute Tox. 3 (H311) Skin Corr. 1B (H314) Skin Sens. 1 (H317) Acute Tox. 3 (H331) Muta. 2 (H341) Carc. 1B (H350)				

#### 4. FIRST AID MEASURES

Remove the victim from the area of exposure. Wash off remaining material with plenty of water. In the event of any complaints or symptoms, avoid further exposure and if symptoms persist consult a doctor.

## SAFETY DATA SHEET

**Inhalation:** If vapours or mists have been inhaled, move victim to fresh air and remove source of contamination if safe to do so. The patient should be kept under observation. Obtain medical attention if irritation develops.

**Skin:** Remove contaminated clothing, shoes and leather goods. Wash skin gently and thoroughly with cold water and non-abrasive soap. Obtain medical attention if irritation persists.

**Eyes:** Flush eyes with clean water for at least 15 minutes. Lift eyelids to facilitate irrigation. If present, remove contact lenses after 5 minutes and continue rinsing. **Seek medical attention immediately.** 

**Ingestion:** Do not induce vomiting. Do not give anything by mouth. Obtain medical attention immediately. If the person is alert, rinse mouth thoroughly with water.

Anticipated acute effects: Causes serious eye irritation.

Anticipated delayed effects: None known.

Most important symptoms/effects: None known.

**Advice to physician:** There is no specific antidote available. Treat symptomatically and supportively.

#### 5. FIRE-FIGHTING MEASURES

**Suitable Extinguishing Media:** Extinguish fires with carbon dioxide, dry powder, or alcohol-resistant foam. Water spray can be used to cool unaffected stock but avoid water coming into contact with product. Use as little water as possible. Solid water jet may cause spreading.

Unsuitable Extinguishing Media: Solid water jet.

**Specific hazards:** May produce irritating or poisonous mists or other products of combustion.

**Special Fire Fighting Procedures:** Remove spectators from surrounding area. Isolate the fire area and evacuate all personnel downwind of the fire. Use a recommended extinguishing agent for the type of surrounding fire.

Fight fire from maximum distance and use unmanned hose holder or monitor nozzles. Keep upwind. Avoid inhaling hazardous vapours and fumes from burning materials. Remove container from fire area if possible and without risk. Do not use high volume water jet, due to contamination risk. Do not scatter the burning material. Water can be used to cool unaffected containers but must be contained for later disposal. Contain fire control agents for later disposal. Avoid pollution of waterways by run-off from the site.

**Personal protective equipment:** Wear NIOSH/MSHA approved self-contained breathing apparatus and full protective gear.

#### 6. ACCIDENTAL RELEASE MEASURES

**Personal Precautions:** Avoid contact with eyes and skin. Ventilate area of spill or leak, especially in contained areas.



Document no:158 UOEffective Date:October 2016Revision date (version):July 2022 (4)Product Code:HCORVET425SC/UO

# **UNIVERSAL CORVETTE 425 SC**

**Protective equipment:** Refer to Section 8 for personal protective equipment to be worn during containment and clean-up of a spill involving this product.

**Emergency procedures:** Evacuate unprotected personnel and animals. Avoid pollution of waterways.

**Environmental Precautions:** Prevent spilled product from entering sewers, waterways or ground water. This product is classified to be toxic to aquatic organisms and may cause long-term adverse effects in the aquatic environment. Any spillages or uncontrolled discharges into water courses should be reported immediately to the police and the Department of Water/Environmental Affairs.

Methods and Materials for Containment: Contain spilled product by diking area with sand, earth or silica gel. Methods and Materials for Clean-up: Cover contained spill with an inert absorbent material such as sand, earth or other appropriate non-combustible material. Vacuum, scoop, or sweep up material and place the material into a clean, dry, sealable container. Label containers with the contents and dispose of according to local regulations. Do not place spilled material back in original container. Do not re-use spilled material. Collect washings and add to the drums already collected. Do not flush spilled material or washings into drains or waterways. decontaminate the spill area, tools and equipment, wash with water and suitable detergent (i.e. organic solvent, detergent bleach or caustic). Add the solution to the drums already collected. Open burning or dumping of this material is prohibited. See section 13 for disposal considerations.

#### 7. HANDLING AND STORAGE

#### Handling:

**Precautions for safe handling:** May be harmful if swallowed. Avoid contact with eyes and skin. Ensure adequate ventilation during handling and use. Do not handle broken containers without protective equipment. Immediately clean up spills that occur during handling. Keep containers tightly closed when not in use. In the case of contact with the product refer to First Aid Measures – Section 4.

Do not apply directly to areas where surface water is present, or to intertidal areas below the mean high water mark. Water used to clean equipment must be disposed of correctly to avoid contamination.

**General occupational hygiene:** Practice good hygiene when using this material. Wash hands before eating, drinking, chewing gum, smoking, using the toilet or applying cosmetics. Worker should shower at the end of each workday. Launder all clothing before it is re-used.

#### Storage:

Conditions for safe storage: Keep out of reach of unauthorised persons, children and animals. Store in its original labelled container tightly closed, in a dry, cool and well- ventilated area. Do not store for prolonged periods

## **SAFETY DATA SHEET**

in direct sunlight. Avoid excessive heat. Not to be stored close to food, feed and water supplies.

Do not contaminated other pesticides and fertilizers.

**Incompatible substances and mixtures:** Refer to product label.

Packaging material: Plastic containers.

# 8. EXPOSURE CONTROLS AND PERSONAL PROTECTION

#### Permissible concentration:

Components	Exposure limits	Type of exposure limit	Source
Formaldehyde	0.75 ppm	8-hour TWA	www.osha.gov

#### **Engineering Controls:**

It is essential to provide adequate ventilation. The measures appropriate for a particular worksite depend on how this material is used and on the extent of exposure. Local Exhaust: Provide local exhaust ventilation systems to maintain airborne concentrations below OSHA PELs or other specified exposure limits. Ensure that control systems are properly designed and maintained. Comply with occupational safety, environmental, fire, and other applicable regulations.

#### **Personal Protective Equipment:**

**Respiratory Protection:** For most well-ventilated conditions, no respiratory protection should be needed. If used in poorly ventilated area, us a NIOSH approved airpurifying respirator with cartridges/canisters approved for organic vapours.

**Hand Protection:** Employee must wear appropriate chemically resistant gloves e.g. nitrile rubber gloves to prevent contact with this mixture.

**Eye Protection:** Wear chemical resistant goggles or face shield when handling the concentrate and when applying the product.

**Skin and Body Protection:** The use of protective (impervious) clothing e.g. coveralls is recommended to prevent skin contact with this mixture.

Emergency eyewash: Where there is any possibility that an employee's eyes may be exposed to this mixture; the employer should provide an eye wash fountain or appropriate alternative within the immediate work area for emergency use.

A safety shower should also be at hand in case of emergencies.

#### 9. PHYSICAL AND CHEMICAL PROPERTIES

**Appearance:** Cream white liquid.

Odour: None.

pH (1% aqueous dilution): 5.4 Melting point: Not available. Freezing Point: Not available.



Document no: 158 UO Effective Date: October 2016 Revision date (version): July 2022 (4) **Product Code:** HCORVET425SC/UO

# **UNIVERSAL CORVETTE 425 SC**

**SAFETY DATA SHEET** 

Boiling Point: Not available.

Flash Point: None.

Flammability: Non-flammable. Water-base. **Upper/lower explosion limits:** Not available. Vapour Pressure (mm Hg): Not available.

Relative Density: 1.07 g/ml. Density: Not available. Solubility: Soluble in water.

n-octanol/water partition coefficient: Not available.

Auto-ignition temperature: Not available. **Decomposition temperature:** Not available.

Viscosity: Not available.

#### 10. STABILITY AND REACTIVITY

Chemical Stability: Product is stable at ambient temperature and pressure, under normal storage and handling conditions. Stable for 2 years under normal warehouse conditions.

Reactivity: None known.

Possibility of Hazardous Reactions: None known.

Conditions to Avoid: None known. Incompatible Materials: None known.

Hazardous Decomposition Products: None known.

#### 11. TOXICOLOGICAL INFORMATION

#### **ACUTE TOXICITY:**

Calculated according to GHS.

Oral LD<sub>50</sub> (24 h) >5000 mg/kg. Dermal LD<sub>50</sub> (24 h) >5000 mg/kg. Inhalation LC<sub>50</sub> (4 h) rat >5 mg/ $\ell$ .

Skin Irritation/Corrosion: Not classified.

Eve Damage/Irritation: Causes serious eve irritation. **Skin Sensitization:** May cause an allergic skin reaction.

Respiratory Sensitization: Not classified. Reproductive cell mutagenicity: Not classified.

Carcinogenicity: May cause cancer.

Reproductive toxicity: Suspected of damaging fertility or

the unborn child.

Specific target organ toxicity - single exposure: Not available.

Specific target organ toxicity - repeated exposure: May cause damage to organs (kidney, heart) through

prolonged or repeated exposure. Aspiration hazard: Not available. Chronic Effects: Not available. POTENTIAL ADVERSE EFFECTS:

Inhalation: May cause damage to organs (kidneys,

heart).

**Skin contact:** May cause sensitization by skin contact. Eye contact: Due to inerts this product may cause serious irritation to the eyes. May cause corneal injury.

#### 12. ECOLOGICAL INFORMATION

This product is considered a marine pollutant.

**ECOTOXICITY DATA: Active ingredient** 

Fish: Atrazine

LC<sub>50</sub> (96 h) Rainbow trout 11.0 mg/e. 4.3 mg/ $\ell$ . **Guppies** 

**Sulcotrione** 

LC<sub>50</sub> (96) Rainbow trout 227 mg/ℓ.

Mirror carp 240 mg/e.

Daphnia:

**Atrazine** 

EC<sub>50</sub> (48 h) ≥29 mg/ℓ.

Sulcotrione

EC<sub>50</sub> (48 h) >848 mg/ℓ.

Algae: **Atrazine** 

EC<sub>50</sub> (72 h) Scenedesmus subspicatus

0.043 mg/ℓ.

EC<sub>50</sub> (96 h) Pseudokirchneriella subcapitata

 $0.01 \text{ mg/}\ell$ .

Sulcotrione

EC<sub>50</sub> (96 h) Selenastrum capricornutum

3.5 mg/ $\ell$ .

 $E_rC_{50}$  (72 h) Anabaena flos-aquae 54 ma/e.

Birds: **Atrazine** 

Acute oral LD<sub>50</sub>

Bobwhite quail 940 mg/kg. Mallard ducks >2000 mg/kg. Japanese quail >2000 mg/kg.

Dietary LC<sub>50</sub> (8 d)

Japanese quail >5000 mg/kg. Mallard ducks

>1563 mg/kg.

**Sulcotrione** Acute oral LD<sub>50</sub>

> Bobwhite quail >2111 mg/kg.

Mallard ducks >1350 mg/kg.

Dietary LC<sub>50</sub>

Bobwhite quail &

Mallard ducks >5620 mg/kg.

Bees:

Atrazine

 $LD_{50}$ (oral) >97 µg/bee. (contact) >100 µg/bee.

**Sulcotrione** 

 $LD_{50}$ (oral) >50 µg/bee. (contact) >200 µg/bee.

Worms:

**Atrazine** 

LC<sub>50</sub> (14 d) Eisenia foetida 78 mg/kg soil.

Sulcotrione

>1000 mg/kg soil.  $LC_{50}(14 d)$ Eisenia foetida

Plants:

**Atrazine** 



Document no:158 UOEffective Date:October 2016Revision date (version):July 2022 (4)Product Code:HCORVET425SC/UO

# **UNIVERSAL CORVETTE 425 SC**

# **SAFETY DATA SHEET**

In tolerant plants, atrazine is readily metabolized to hydroxyatrazine and amino acid conjugates, with further decomposition of hydroxyatrazine by degradation of the side-chains and hydrolysis of the resulting amino acids on the ring, together with evolution of CO<sub>2</sub>. In sensitive plants, unaltered atrazine accumulates, leading to chlorosis and death.

#### **Sulcotrione**

Deactivated by the formation of 2-chloro-4-methylsulfonylbenzoic acid.

# **ENVIRONMENTAL EFFECTS: Persistence and degradability: Atrazine**

Main metabolites under all conditions are desethylatrazine and hydroxyatrazine. Field DT<sub>50</sub> 16-1174 d (median 38.5 d), the longer values being from cold or dry conditions. In water/sediment system, DT<sub>50</sub> 14-20 d in the water and  $DT_{50}$  35-80 in the whole system. DT<sub>50</sub> under groundwater conditions 105->200 d, depending on test system (M. J. Wood et al. (1991) In: A Walker (ed.), Pesticides in soils and water: current perspectives (BCPC Monograph no. 47, pp. 175-182).  $K_d$  0.2-18 ml/g,  $K_{oc}$  39-173 ml/g; desalkylated metabolites had values similar to those of atrazine (K<sub>d</sub> 0.2-8.6 ml/g) whereas hydroxyatrazine (K<sub>d</sub> 1.6-390) was much more strongly adsorbed.

#### Sulcotrione

Rapidly degraded in soil; lab.  $DT_{50}$  4–90 d; field  $DT_{50}$  1–11 d. The major metabolite is 2-chloro-4-methylsulfonylbenzoic acid.  $K_{oc}$  17–58. No adverse effects on soil micro-organisms.

Bio-accumulative Potential: Not determined.

Mobility in soil: Not determined.

Other adverse effects: Not determined.

#### 13. DISPOSAL CONSIDERATIONS

Waste: Open dumping or burning of this pesticide is prohibited. Waste resulting from the use of this product cannot be reused or re-processed. Never pour untreated waste or surplus product into public sewers or where there is any danger of run-off or seepage into water systems. Do not contaminate rivers, dams or any other water sources with the product or used containers. The product may be taken to a registered waste disposal site or incineration plant. Where possible, recycling is preferred to disposal or incineration. If recycling is not practicable, dispose of in compliance with local regulations.

Container: Emptied containers retain vapour and product residues. Do not re-use the empty container for any other purpose. TRIPLE RINSE THE EMPTY CONTAINER AS FOLLOWS: Invert the empty container over the spray or mixing tank and drain for at least 30 seconds after the flow has slowed down to dripping. Thereafter rinse the empty

container three times in succession with one quarter of the container volume fresh water and decant the rinsate into the spray or mixing tank.

Puncture the triple rinsed container and dispose of via an approved collector or recycler (<a href="www.croplife.co.za">www.croplife.co.za</a>). Do not bury, burn, or donate the container to any other parties that may use it as a container for food or beverages. Observe all labelled safeguards until container is destroyed.

#### 14. TRANSPORT INFORMATION

UN Number: 3082

**Road Transport ADR/IRD:** 

Class: 9 Packaging group: III

**UN Proper Shipping Name:** Environmentally

Hazardous Substance,

Liquid, N.O.S. (Atrazine 300 g/ $\ell$ , Sulcotrione125 q/ $\ell$ )

**Maritime Transport IMDG/IMO:** 

Class: 9
Packaging group: II

**UN Proper Shipping Name:** Environmentally

Hazardous Substance Liquid, N.O.S. (Atrazine 300 g/ $\ell$ , Sulcotrione125

g/ℓ)

Marine Pollutant (Y/N): Yes

Air transport IATA/ICAO:

Class: 9 Packaging group: III

**UN Proper Shipping Name:** Environmentally

Hazardous Substance Liquid, N.O.S. (**Atrazine** 300 g/*e*, **Sulcotrione**125

**q/ℓ**)

Special/Environmental Precautions: None known.

Transport in bulk (according to MARPOL 73/78, Annex

II and the IBC code): Not available.

#### 15. REGULATORY INFORMATION

Safety, health and environmental regulations/legislation for the mixture:

OHSA 1993 Regulations for Hazardous Chemical Substances.

Relevant information regarding restrictions: None.

EU regulation: Regulation EC1272/2008 (EU-GHS/CLP)

Other national regulations: None.

Chemical Safety Assessment carried out? No



Document no: Effective Date: Revision date (version): Product Code: 158 UO October 2016 July 2022 (4) HCORVET425SC/UO

# **UNIVERSAL CORVETTE 425 SC**

## **SAFETY DATA SHEET**

#### 16. OTHER INFORMATION

**Packaging:** Packed in 1, 5, 10, 20 & 25 litres plastic containers and labelled according to the South African regulations and guidelines.

# Other hazard statements, abbreviations and explanations:

H301: Toxic if swallowed. H302: Harmful if swallowed. H311: Toxic in contact with skin.

H314: Causes severe skin burns and eye damage.

**H318:** Causes serious eye damage.

H331: Toxic if inhaled.

**H341:** Suspected of causing genetic defects. **IATA:** International Air Transport Association.

IBC: International Bulk Chemical.

ICAO: International Civil Aviation Organization.
IMDG: International Maritime Dangerous Goods

**IMO:** International Maritime Organization.

**LD**<sub>50</sub> **value:** The median lethal dose or the amount of a toxic agent that is sufficient to kill 50 percent of a population within a certain period of time.

**OEL/RL:** Occupational exposure limit-recommended limit. **TWA:** Time-weighted average – The average exposure over a specified period, usually a nominal eight hours.

ST/STEL: Short-term exposure limits.

**Disclaimer:** The information on this sheet is not a specification; it does not guarantee specific properties. The information is intended to provide general guidance as to health and safety based upon our knowledge of the handling, storage and use of the product. It is not applicable to unusual or non-standard uses of the product nor where instructions or recommendations are not followed. All information is given in good faith but without guarantee in respect of accuracy, and no responsibility is accepted for errors and omissions or the consequence thereof.

#### **END OF DOCUMENT**

Compiled: October 2016 Reviewed: July 2022

Revision no.: (4)

Next revision: July 2027

For detailed information on revisions, contact the Registration holder.