

CYATEA 500 SC

Document no: Effective date: Revision date (version): Product Code: 367US June 2018 August 2022 (3) HERCYATEA500SC/US

SAFETY DATA SHEET

CYATEA 50	0 SC			SA	FEIY	DATA SHEET
1. CHEMICAL	PRODUCT A	ND COMPANY	Hazard statemer	nts:		
IDENTIFICATION			H302: Harmful if	H302: Harmful if swallowed.		
			H316: Causes mi	ld skin irri [.]	tation.	
Product Name:	Product Name: Cyatea 500 SC					
Other identifier:	·····			H319: Causes serious eye irritation. H410: Very toxic to aquatic life with long lasting effects.		
Recommended u	-		Precautionary st			ing lacting choose.
Restrictions on u				P264+P265: Wash hands thoroughly after handling. Do		
	be. Agricaliare		not touch eyes.		alorougn	iy altor haralling. Do
Supplier: Universal Crop Protection (Pty)			5	drink or s	moke wh	on using this product
Ltd.			P270: Do not eat, drink or smoke when using this product. P273: Avoid release into the environment.			
Co. Reg. No.: 1983/008184/07			P280: Wear impervious rubber gloves and boots,			
PO Box 801,			protective clothing and chemical safety goggles.			
	,	1620, South Africa				h plenty of water and
Telephone:	(011) 3962233		non-abrasive soa			
Fax:	(011) 3964666					Rinse cautiously with
Website:	www.villacrop.c	20 72				e contact lenses, if
website.		<u>.0.2a</u>				,
Emergency telep	hono numbore:		present and easy to do. Continue rinsing. P330+P301+P317: Rinse mouth. IF SWALLOWED: Get			
			medical help.			
24 Hr Transport / Spill emergency no:			P332+P337+P317: If skin or eye irritation occurs: Get			
(Hazcall24) +27 86 044 4411 (Client: Villa Crop Protection)			medical help.			
Griffon Poison Information Centre +27 82 446 8946				o off cont	aminated	clothing and wash it
(Client: Villa Crop Protection)			P362+P364: Take off contaminated clothing and wash it before reuse.			
		nhore.	P391: Collect spillage.			
	Poisoning Emergency telephone numbers: Griffon Poison Information Centre +27 82 446 8946			P501: Dispose of contents/container to suitable landfill in		
Poisons Information Centre +27 861 555 777				accordance with local regulations. Special labelling of certain mixtures:		
	2. HAZARDS IDENTIFICATION			or certai	miniture	5.
2. HAZARUS IDEI	NTIFICATION		None known. Other hazards:			
	ation EC 1272/2008		None known.			
EU & SANS 1023			Toxicity:			
Hazard classes	Hazard	H-statements	Classification acc	ordina to	GHS [.] Cate	edory 4
		n-statements				-9
	categories		3. COMPOSITIO	N / INFOF	RMATION	ON INGREDIENTS
Health	A	11000				
Oral	Acute Tox. 4	H302	Substance/Mixtu	ire:		Mixture
Dermal	Skin Irrit. 2	H315	Composition:			
Eye	Eye Dam. 2	H319				01 15 11 50
Environment	1	1	Chemical Name	CAS	Conc.	Classification EC
Aquatic acute	Aquatic Acute 1	H400	Cyanazine	21725-	(m/v %) 45.45%	1272/2008 Acute Tox 4. (H302)
Aquatic chronic	Aquatic Chronic 1	H410	Technical	46-2	45.45%	Aquatic Acute 1
				10 2		(H400)
The most important adverse effects:						Àquatic Chronic 4
Physiochemical effects:						(H413)
None known			Tristyrylphenol	99734-	< 5%	Aquatic Chronic 3
Human health effects:			ethoxylates	09-5		(H412)
Harmful if swallowed.			Sodium dodecyl	151-21-	< 5%	Acute Tox.4 (H302)
Causes skin irritation.				3		
			sulfate	3		SKIN IML 2 (H315)
Causes skin irritati Causes serious ey			suitate	3		Skin Irrit. 2 (H315) Eye Dam.1 (H318)
			suirate	5		



4. FIRST AID MEASURES

107-21-

1

Glycol

Remove the victim from the area of exposure. Wash off remaining material with plenty of water. In the event of

< 5%

Acute Tox. 4 (H302)



CYATEA 500 SC

Document no: Effective date: Revision date (version): Product Code: 367US June 2018 August 2022 (3) HERCYATEA500SC/US

SAFETY DATA SHEET

any complaints or symptoms, avoid further exposure. Immediately consult a doctor.

Inhalation: Remove person from contaminated area to fresh air and assist breathing as needed. Seek medical attention if irritation occurs.

Skin: Remove contaminated clothing and shoes. Gently wipe off excess chemical. Wash skin gently and thoroughly with water and non-abrasive soap. Obtain medical attention if irritation persists.

Eyes: Flush eyes with clean water for at least 15 – 20 minutes. Lift eyelids to facilitate irrigation. If present, remove contact lenses after 5 minutes and continue rinsing. **Seek medical attention.**

Ingestion: Seek medical attention or call a poison control centre for treatment advice. Do not induce vomiting unless instructed to do so by a poison control centre or doctor. Do not give anything by mouth to an unconscious person. If the person is alert, rinse mouth thoroughly with water.

Anticipated acute effects: Harmful if swallowed, causes mild skin irritation and serious eye irritation.

Anticipated delayed effects: None known.

Most important symptoms/effects: None known. **Advice to physician:** No signs and symptoms of Triazine poisoning are known or expected in humans. An antidote is neither known nor needed. Treat symptomatically when required. When large amounts have been ingested, gastric lavage or the administration of activated charcoal with water may be indicated.

5. FIRE-FIGHTING MEASURES

Suitable Extinguishing Media: Use carbon dioxide or dry chemical for small fires and water fog or foam for large fires.

Unsuitable Extinguishing Media: High volume water jet. Use a water jet only to cool heated containers.

Specific hazards: In case of fire and/or explosion do not breath fumes.

Special Fire Fighting Procedures: Remove spectators from surrounding area. Isolate the fire area and evacuate all personnel downwind of the fire. Fight fire from maximum distance and use unmanned hose holder or monitor nozzles. Keep upwind. Avoid inhaling hazardous vapours and fumes from burning materials. Remove container from fire area if possible and without risk. Do not use high volume water jet, due to contamination risk. Do not scatter the burning material. Water can be used to cool unaffected containers but must be contained for later disposal. Contain fire control agents for later disposal. Avoid pollution of waterways by run-off from the site. **Personal protective equipment:** Wear NIOSH/MSHA approved self-contained breathing apparatus and full protective gear.

6. ACCIDENTAL RELEASE MEASURES

Personal Precautions: Avoid contact with eyes. Do not breathe in spray mist or dust/vapours. Ventilate area of spill or leak, especially in contained areas. **Protective equipment:** Refer to Section 8 for personal protective equipment to be worn during containment and clean-up of a spill involving this product.

Emergency procedures: Alert firefighting personnel, evacuate unprotected personnel and animals.

Environmental Precautions: Prevent spilled product from entering sewers, waterways or ground water. This product is classified to be very toxic to aquatic organisms and may cause long-term adverse effects in the aquatic environment. Any spillages or uncontrolled discharges into watercourses should be reported immediately to the police and the Department of Water/Environmental Affairs.

Methods and Materials for Containment: Contain spilled product by diking area with sand or earth.

Methods and Materials for Clean-up: Cover contained spill with an inert absorbent material such as sand, vermiculite, earth or other appropriate material. Vacuum, scoop, or sweep up material and place the material into a clean, dry, sealable container. Label containers with the contents and dispose of according to local regulations. Do not place spilled material back in original container. Do not re-use spilled material. Collect washings and add to the drums already collected. Do not flush spilled material or washings into drains or waterways. To decontaminate the spill area, tools and equipment, wash with water and suitable detergent. See section 13 for disposal considerations.

7. HANDLING AND STORAGE

Handling:

Precautions for safe handling: Harmful if swallowed. Avoid contact with skin and eyes. Ensure adequate ventilation during handling and use. Do not handle broken packages without protective equipment. Immediately clean up spills that occur during handling. Keep containers closed when not in use. In the case of contact with the product refer to First Aid Measures – Section 4.

General occupational hygiene: Practice good hygiene when using this material. Wash hands before eating, drinking, chewing gum, smoking, using the toilet or applying cosmetics. Worker should shower at the end of each workday. Launder all clothing before it is re-used. **Storage:**

Conditions for safe storage: Keep under lock and key and out of reach of unauthorised persons, children and animals. Store in its original, labelled container, tightly closed, in an isolated, dry, cool and well- ventilated area. Avoid excess heat. Not to be stored next to foodstuffs, feed and water supplies. Avoid cross contamination with other pesticides and fertilisers.



CYATEA 500 SC

Solubility: Emulsifies in water.

Document no: Effective date: Revision date (version): Product Code: 367US June 2018 August 2022 (3) HERCYATEA500SC/US

SAFETY DATA SHEET

n-octanol/water partition coefficient: Not available. Incompatible substances and mixtures: Refer to product label. Auto-ignition temperature: Not available. Packaging material: Plastic containers Decomposition temperature: Not available. Viscosity: Not available. EXPOSURE CONTROLS AND PERSONAL 8 **10. STABILITY AND REACTIVITY** PROTECTION Chemical Stability: The product is stable for two years at Permissible concentration: No occupational exposure ambient temperature and pressure, under normal storage limits have been determined for the significant ingredients and handling conditions. Avoid storage under extreme in this product. temperatures and conditions. Store below 50 °C, **Engineering Controls:** preferably below 30 °C, and not for prolonged periods in It is essential to provide adequate ventilation. The direct sunlight. measures appropriate for a particular worksite depend on Reactivity: None known. how this material is used and on the extent of exposure. Possibility of Hazardous Reactions: Will not occur. Local Exhaust: Provide general or local exhaust Conditions to Avoid: Extreme heat or exposure to ventilation systems to maintain airborne concentrations flames below OELs or other specified exposure limits. Local Incompatible Materials: Strong oxidizers, strong bases, exhaust ventilation is preferred. Ensure that control strong reducing agents. systems are properly designed and maintained. Comply Hazardous Decomposition Products: Alcohols. with occupational safety, environmental, fire, and other Carbon monoxide and carbon dioxide may form under applicable regulations. burning conditions or with incomplete combustion. **Personal Protective Equipment:** Respiratory Protection: For most well-ventilated **11. TOXICOLOGICAL INFORMATION** conditions, no respiratory protection should be needed. If used in a poorly ventilated area (airborne concentrations **ACUTE TOXICITY:** exceed exposure limits), use a NIOSH approved air-Calculated according to GHS purifying respirator. Hand Protection: The use of chemically protective **Oral LD**₅₀: 396.62 mg/kg Dermal LD₅₀: 2640.00 mg/kg (impervious) gloves is recommended to prevent against Inhalation LC₅₀: 5.28 mg/l skin contact. Skin Irritation/Corrosion: Causes skin irritation. Eye Protection: The use of chemical safety goggles is Eye Damage/Irritation: Causes serious eye irritation. recommended to prevent against eve contact. Contact Skin Sensitization: Product is not a skin sensitizer. lenses are not protective eye devices. Respiratory Sensitization: Not calculated. Skin and Body Protection: Employee must wear Reproductive cell mutagenicity: Not calculated. appropriate protective (impervious) clothing; (rubber) Carcinogenicity: Not calculated. boots, hat and equipment to prevent repeated or Reproductive toxicity: Not calculated. prolonged skin contact with this substance. Specific target organ toxicity - single exposure: Not Emergency eyewash: Where there is any possibility that calculated. an employee's eyes may be exposed to this substance; Specific target organ toxicity - repeated exposure: the employer should provide an eye wash fountain or Not calculated. appropriate alternative within the immediate work area for Aspiration hazard: Not calculated. emergency use. Chronic Effects (other targets e.g. developmental): Not 9. PHYSICAL AND CHEMICAL PROPERTIES calculated. POTENTIAL ADVERSE EFFECTS: Appearance: Grey liquid. Inhalation: Not calculated. Odour: Mild chemical odour. Skin contact: Causes mild skin irritation. pH (1% aqueous dilution): 7.8 @ 20 °C. Eye contact: Causes serious eye irritation. Melting point: Not available. Ingestion: Harmful if swallowed Freezing Point: Not available. Other information: Not calculated. Boiling Point: Not available. Flash Point: Not available **12. ECOLOGICAL INFORMATION** Flammability: Not flammable. Upper/lower explosion limits: Not available. This product is very toxic to aquatic life with long lasting Vapour Pressure (mm Hg): Not available. effects. Relative Vapour Density: Not available. **ECOTOXICITY DATA: Active ingredient** Density: 1.1 g/m/ @ 20 °C.

OTECTION

three times in succession with one quarter of the

container volume fresh water and decant the rinsate into the spray or mixing tank. Puncture the triple rinsed

container and dispose of via an approved collector or

recycler (www.croplife.co.za). Do not bury, burn or

donate the container to any other parties that may use

CYATEA 50	DO SC		SAFETY DATA SHEET			
<u>Fish:</u> LC ₅₀ (48 h) LC ₅₀ (96 h)	Harlequin fish Fathead minnows	10 mg/ℓ. 16 mg/ℓ.	it as a container for food or beverages. Observe all labelled safeguards until container is destroyed 14. TRANSPORT INFORMATION			
<u>Daphnia:</u> EC ₅₀ (48 h)		42-106 mg/ <i>ι</i> .	UN Number: 3082 Road Transport ADR/IRD: Class:			
<u>Algae:</u> EC ₅₀ (96 h)	Green algae	<0.1 mg/ℓ.	Packaging group: UN Proper Shipping Name:	9 III ENVIRONMENTALLY HAZARDOUS		
<u>Birds:</u> Acute oral LD ₅₀ Bees: LD ₅₀ contact	Mallard ducks Quail	>2000 mg/kg. 400 mg/kg. >100 μg/bee.	Maritme Transport IMDG/IM Class: Packaging group:	SUBSTANCE, LIQUID, N.O.S. (Cyanazine 500 g/ <i>l</i>) O: 9 III		
LD ₅₀ oral >190 µg/bee. Plants: ENVIRONMENTAL EFFECTS: Animals: In rats and dogs, following oral administration, cyanazine is rapidly metabolised and eliminated within c. 4 days. Plants: In plants, the nitrile group is hydrolysed to a carboxylic acid groups, and the chlorine atom is replaced by a hydroxy group. Soil/Environment: Microbial degradation in soil occurs within one growth period. Metabolism is similar to that in plants.			Marine Pollutant (Y/N): Air Transport IATA/ICAO: Class: Packaging group: UN Proper Shipping Name:	ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (Cyanazine 500 g/ <i>l</i>) Marine pollutant 9 III ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S.		
Persistence and degradability: Not determined. Bio-accumulative Potential: Not determined. Mobility in soil: Not determined. Other adverse effects: Not determined.			(Cyanazine 500 g/l) Special/Environmental Precautions: Wedge drums tightly to avoid movement. Transport in bulk (according to MARPOL 73/78, Annex II and the IBC code): Not available.			
13. DISPOSAL C	ONSIDERATIONS					
prohibited. Waste cannot be reused waste or surplus there is any dar systems. Do not water sources w Comply with loca The product may site or incineration Container: Empt Do not re-use the Invert the empty and drain for at le	umping or burning of e resulting from the us l or re-processed. New product into public nger of run-off or se contaminate rivers, d with the product or l legislation applying t be taken to a register plant. ied containers retain e empty container for a container over the spr ast 30 seconds after the Thereafter rinse the	se of this product ver pour untreated sewers or where epage into water ams or any other used containers. to waste disposal ed waste disposal product residues. iny other purpose. ray or mixing tank ie flow has slowed	15. REGULATORY INFORM/Safety,healthregulations/legislation for thOHSA 1993RegulationsSubstances.Relevant information regardEU regulation:Regulation ECOther national regulations:Chemical Safety Assessment	and environmental he mixture: for Hazardous Chemical ling restrictions: None. C1272/2008 (EU-GHS/CLP) None.		

16. OTHER INFORMATION

Packaging: Packed in 100, 200, 250, 500ml & 1, 3, 5, 10 and 25 litres plastic containers, labelled according to South African regulations and guidelines. Additional H statements (formulants):



CYATEA 500 SC

Document no: Effective date: Revision date (version): Product Code: 367US June 2018 August 2022 (3) HERCYATEA500SC/US

SAFETY DATA SHEET

H318: Causes serious eye damage.
H412: Harmful to aquatic life with long lasting effects.
IATA: International Air Transport Association.
IBC: International Bulk Chemical.
ICAO: International Civil Aviation Organization.
IMDG: International Maritime Dangerous Goods.
IMO: International Maritime Organization.
LD50 value: The median lethal dose or the amount of a toxic agent that is sufficient to kill 50 percent of a population within a certain period of time.

OEL/RL: Occupational exposure limit-recommended limit. TWA: Time-weighted average – The average exposure over a specified period, usually a nominal eight hours. ST/STEL: Short-term exposure limits.

Disclaimer: The information on this sheet is not a specification; it does not guarantee specific properties. The information is intended to provide general guidance as to health and safety based upon our knowledge of the handling, storage and use of the product. It is not applicable to unusual or non-standard uses of the product nor where instructions or recommendations are not followed. All information is given in good faith but without guarantee in respect of accuracy, and no responsibility is accepted for errors and omissions or the consequence thereof.

END OF DOCUMENT

Compiled:	June 2018
Reviewed:	August 2022
Revision no.:	(3)
Revision date:	August 2027

For detailed information on revisions, contact the Registration holder.