

Document no: 435VM Effective date: December 2017 Revision date (version): August 2022 (3) FUNFLUABLOT500SC/VM **Product Code:**

SAFETY DATA SHEET

Suspected of damaging fertility or the unborn child.

Label elements:



Signal word: Danger. **Hazard statements:**

H303: May be harmful if swallowed.

H313: May be harmful in contact with skin.

H316: Causes mild skin irritation.

H317: May cause an allergic skin reaction.

H318: Causes serious eye damage.

H331: Toxic if inhaled.

H351: Suspected of causing cancer.

H361d: Suspected of damaging fertility or the unborn

H400: Very toxic to aquatic life.

H410: Very toxic to aquatic life with long lasting effects.

Precautionary statements:

P203: Obtain, read and follow all safety instructions before

P264+P265: Wash hands thoroughly after handling. Do not touch eyes.

P261: Avoid breathing fumes, mists, vapours or spray.

P271: Use only outdoors or in a well-ventilated area.

P272: Contaminated work clothing should not be allowed out of the workplace.

P273: Avoid release into the environment.

P280: Wear impervious rubber gloves and boots, protective clothing and chemical safety goggles.

P301+P317: IF SWALLOWED: Get medical help.

P302+P352+P317: IF ON SKIN: Wash with plenty of water and non-abrasive soap. Get medical help.

P304+P340+P316: IF INHALED: Remove person to fresh air and keep comfortable for breathing. Get emergency medical help immediately.

P305+P354+P338+P317: IF IN EYES: Immediately rinse with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Get medical help.

P318: IF exposed or concerned, get medical advice.

P333+P317: If skin irritation or rash occurs: Get medical help.

P391: Collect spillage.

P403+P233: Store in a well-ventilated place. Keep container tightly closed.

P405: Store locked up.

P501: Dispose of content/container in accordance with local regulations.

1. CHEMICAL PRODUCT AND COMPANY **IDENTIFICATION**

FLUABLOT 500 SC Product Name: Other identifier: Fluazinam 500 SC

Recommended use: Fungicide

Agriculture and Small scale Restrictions on use:

farming.

Villa Crop Protection (Pty) Ltd. Supplier:

Co. Reg. No.: 1992/002474/07

PO Box 10413,

Aston Manor, 1630, South Africa

Telephone: (011) 396 2233 Fax: (011) 396 4666 www.villacrop.co.za Website:

Emergency telephone numbers: 24 Hr Transport / Spill emergency no:

+27 86 044 4411 (Hazcall24)

(Client: Villa Crop Protection)

Griffon Poison Information Centre +27 82 446 8946

(Client: Villa Crop Protection)

Poisoning Emergency telephone numbers:

Griffon Poison Information Centre +27 82 446 8946 Poisons Information Centre +27 861 555 777

2. HAZARDS IDENTIFICATION

UN GHS, Regulation EC 1272/2008 [EU-GHS/CLP] EU & SANS 10234:2008						
Hazard classes	Hazard	H-statements				
	categories					
Health						
Oral	Acute Toxicity 5	H303				
Dermal	Acute Toxicity 5	H313				
	Skin Irritation 3	H316				
	Skin Sensitization	H317				
	1					
Eye damage	Eye Damage 1	H318				
Inhalation	Acute Toxicity 3	H331				
Carcinogenicity	Carcinogenicity 2	H351				
Reproductive	Reproductive	H361d				
toxicity	Toxicity 2					
Environment						
Aquatic Acute	Aquatic Acute 1	H400				
Aquatic Chronic	Aquatic Chronic 1	H410				

The most important adverse effects:

Physiochemical effects:

None known.

Human health effects:

May be harmful if swallowed or in contact with skin.

Causes mild skin irritation.

May cause an allergic skin reaction.

Causes serious eye damage.

Toxic if inhaled.

Suspected of causing cancer.



Document no:435VMEffective date:December 2017Revision date (version):August 2022 (3)Product Code:FUNFLUABLOT500SC/VM

SAFETY DATA SHEET

Other hazards: None known.

Toxicity:

Classification according to GHS: Category 3

3. COMPOSITION / INFORMATION ON INGREDIENTS

Substance/Mixture: Mixture.

Composition:

Chemical Name	CAS	Conc. (m/v %)	Classification EC 1272/2008
Fluazinam	79622-59-6	50%	Eye Damage 1 (H318) Skin Sensitization 1A (H317) Acute Toxicity 4 (H332) Aquatic Acute 1 (H400) Aquatic Chronic 1 (H410) Reproductive toxicity 2 (H361d)
Polyoxyethylene lauryl ether	9002-92-0	<10%	Acute Toxicity 4 (H302) Eye Irritation 2 (H319) Aquatic chronic 3 (H412)
Sodium dodecyl benzene sulfonate	25155-30-0	<5%	Acute Toxicity 4 (H302) Skin Irritation 2 (H315) Eye Damage 1 (H318)
Tributyl phosphate	126-73-8	<1%	Acute Toxicity 4 (H302) Skin Irritation 2 (H315) Carcinogenicity 2 (H351)
Acetic Acid	64-19-7	<1%	Flammable Liquid 3 (H226) Skin Corrosion 1A (H314)

4. FIRST AID MEASURES

Remove the victim from the area of exposure. Wash off remaining material with plenty of water. In the event of any complaints or symptoms, avoid further exposure. If exposed or concerned, get medical advice.

Inhalation: Remove person from contaminated area to fresh air and assist breathing as needed. **Get emergency medical help immediately.**

Skin: Remove contaminated clothing and shoes. Gently wipe off excess chemical. Wash skin gently and thoroughly with water and non-abrasive soap. **Obtain medical attention if irritation or rash occurs.**

Eyes: Flush eyes with clean water for at least 15-20 minutes. Lift eyelids to facilitate irrigation. If present, remove contact lenses after 5 minutes and continue rinsing. **Seek medical attention.**

Ingestion: Seek medical attention or call a poison control centre for treatment advice. Do not induce vomiting unless instructed to do so by a poison control centre or doctor. Do not give anything by mouth to an unconscious person. If the person is alert, rinse mouth thoroughly with water.

Anticipated acute effects:

May be harmful if swallowed or in contact with skin.

Causes mild skin irritation.

May cause an allergic skin reaction.

Causes serious eye damage.

Toxic if inhaled.

Anticipated delayed effects: Suspected of causing cancer.

Suspected of damaging the unborn child.

Most important symptoms/effects: None known. **Advice to physician:** Treat symptomatically and

supportively. No specific antidote known.

5. FIRE-FIGHTING MEASURES

Suitable Extinguishing Media: Use carbon dioxide or dry chemical for small fires and water fog or foam for large fires.

Unsuitable Extinguishing Media: High volume water jet. Use a water jet only to cool heated containers.

Specific hazards: None known.

Special fire-fighting procedures: Remove spectators from surrounding area. Isolate the fire area and evacuate all personnel downwind of the fire. Fight fire from maximum distance and use unmanned hose holder or monitor nozzles. Remain upwind of fire. Avoid inhaling hazardous vapours and fumes from burning materials. Remove container from fire area if possible and without risk. Do not use high volume water jet, due to contamination risk. Do not scatter the burning material. Water can be used to cool unaffected containers but must be contained for later disposal. Contain fire control agents for later disposal. Avoid pollution of waterways by run-off from the site.

Personal protective equipment: Wear NIOSH / MSHA approved self-contained breathing apparatus and full protective gear.

6. ACCIDENTAL RELEASE MEASURES

Personal Precautions:

Toxic if inhaled. Do not breathe in spray mist or fumes/vapours. Avoid contact with skin and eyes. Ventilate area of spill or leak, especially in contained areas

Protective equipment: Refer to Section 8 for personal protective equipment to be worn during containment and clean-up of a spill involving this product.



Water/Environmental Affairs.

disposal considerations.

Handling:

not handle

Measures - Section 4.

7. HANDLING AND STORAGE

Emergency procedures: Alert firefighting personnel,

Environmental Precautions: Prevent spilled product

from entering sewers, waterways or ground water. This product is classified to be very toxic to aquatic organisms and may cause long-term adverse effects in the

immediately to the police and the Department of

Methods and Materials for Containment: Contain spilled product by diking area with sand or damp earth. Methods and Materials for Clean-up: Cover contained spill with an inert absorbent material such as sand, vermiculite, damp earth or other appropriate material.

Vacuum, scoop, or sweep up material and place the

material into a clean, dry, sealable container. Label

containers with the contents and dispose of according to

local regulations. Do not place spilled material back in

original container. Do not re-use spilled material. Collect

washings and add to the drums. Do not flush spilled

material or washings into drains or waterways. To

decontaminate the spill area, tools and equipment, wash

with water and suitable detergent. See section 13 for

Precautions for safe handling: May be harmful if

swallowed. Avoid contact with skin and eyes. Toxic if

inhaled. Do not breathe in spray mist or fumes/vapours.

Ensure adequate ventilation during handling and use. Do

equipment. Immediately clean up spills that occur during

handling. Keep containers tightly closed when not in use.

In the case of contact with the product, refer to First Aid

General occupational hygiene: Practice good hygiene

when using this product. Wash hands before eating,

drinking, chewing gum, smoking, using the toilet or

applying cosmetics. Worker should shower at the end of

each workday. Launder all clothing before it is re-used.

broken packages without protective

evacuate unprotected personnel and animals.

Document no: 435VM Effective date: December 2017 Revision date (version): August 2022 (3) FUNFLUABLOT500SC/VM **Product Code:**

SAFETY DATA SHEET

CONTROLS **EXPOSURE PERSONAL PROTECTION**

Permissible concentration

Components	Exposure limits	Type of exposure limit	Source
Propane-1,2- diol	150 ppm	TWA OEL-RL	Occupational Health and Safety Act, 1993
Acetic acid	10 ppm	TWA OEL-RL	Occupational Health and Safety Act, 1993

Engineering Controls:

It is essential to provide adequate ventilation. The measures appropriate for a particular worksite depend on how this material is used and on the extent of exposure. Local Exhaust: Provide general or local exhaust ventilation systems to maintain airborne concentrations below OELs or other specified exposure limits. Local exhaust ventilation is preferred. Ensure that control systems are properly designed and maintained. Comply with occupational safety, environmental, fire and other applicable regulations.

Respiratory Protection: For most well-ventilated conditions, no respiratory protection should be needed. If used in a poorly ventilated area (airborne concentrations exceed exposure limits), use a NIOSH approved, airpurifying respirator with cartridges / canisters approved for organic vapours.

Hand Protection: The use of chemically protective impervious gloves is recommended to prevent against

Eye Protection: Employees must wear chemical safety goggles to prevent against eye contact. Contact lenses

Skin and Body Protection: Employees must wear appropriate protective impervious clothing, rubber boots, hat and equipment to prevent repeated or prolonged skin contact with this substance.

Emergency eyewash: Where there is any possibility that an employee's eyes may be exposed to this substance, the employer should provide an eye wash fountain or appropriate alternative within the immediate work area for emergency use.

aquatic environment. Any spillages or uncontrolled discharges into watercourses should be reported

Personal Protective Equipment:

skin contact.

are not protective eye devices.

Conditions for safe storage: Keep under lock and key and out of reach of unauthorised persons, children and

Store the product in its original labelled animals. container, tightly closed in an isolated dry, cool and wellventilated area. Avoid excess heat.

Do not store next to foodstuffs, feed and water supplies. Avoid cross contamination with other pesticides and fertilisers.

Incompatible substances and mixtures: Refer to

product label.

Storage:

Packaging material: Plastic containers.

9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance: Yellow to pinkish liquid, suspension concentrate.

Odour: Pungent.

pH: 7 - 9

Melting point: Not available. Freezing Point: Not available. Boiling Point: Not available. Flash Point: 181.3°C.



Document no: 435VM Effective date: December 2017 Revision date (version): August 2022 (3) FUNFLUABLOT500SC/VM **Product Code:**

SAFETY DATA SHEET

Flammability: Not flammable.

Upper/lower explosion limits: Not explosive. Vapour Pressure (mm Hg): Not available. Relative Vapour Density: Not available. Density/Relative density: 1.28 g/ml.

Solubility: Not available.

n-octanol/water partition coefficient: Not available.

Auto-ignition temperature: Not available. **Decomposition temperature:** Not available.

Viscosity: Not available.

10. STABILITY AND REACTIVITY

Chemical stability: The product is stable for two years at ambient temperature and pressure, under normal storage and handling conditions. Avoid storage under extreme temperatures and conditions. Store below 50 °C. preferably below 30 °C, and not for prolonged periods in direct sunlight.

Reactivity: None known.

Possibility of hazardous reactions: Unlikely to occur. Incompatible materials: Strong oxidizers, strong bases, strong reducing agents.

Hazardous decomposition products: Alcohols. carbon monoxide and carbon dioxide may form under burning conditions or with incomplete combustion.

11. TOXICOLOGICAL INFORMATION

ACUTE TOXICITY:

Calculated according to GHS.

Oral LD₅₀ (24 h) > 4100 mg/kg (rat). **Dermal LD**₅₀ (24 h) > 4000 mg/kg (rat). Inhalation LC₅₀ (4 h) > 0.9 mg/ ℓ (rat).

Skin Irritation: Causes mild skin irritation. Eye Damage: Causes serious eye damage.

Skin Sensitization: May cause an allergic skin reaction.

Respiratory Sensitization: Not classified. Reproductive cell mutagenicity: Not classified. Carcinogenicity: Suspected of causing cancer.

Reproductive toxicity: Suspected of damaging the

unborn child.

Specific target organ toxicity - single exposure: Not classified.

Specific target organ toxicity - repeated exposure:

Not classified.

Aspiration hazard: Not classified. Chronic Effects: Not classified. **POTENTIAL ADVERSE EFFECTS:**

Inhalation: Toxic if inhaled.

Eye contact: Causes serious eye damage. Skin contact: May be harmful in contact with skin.

Ingestion: May be harmful if swallowed.

12. ECOLOGICAL INFORMATION

This product is very toxic to aquatic organisms with long lasting effects.

ECOTOXICITY DATA:

Fluazinam.

Fish:

LC₅₀ (96 h) Rainbow trout 0.036 mg/*l*. Daphnia:

LC₅₀ (48 h) 0.22 mg/ ℓ .

Algae:

EC₅₀ (96 h) Selenastrum 0.16 mg/e.

capricornutum

Birds:

Acute oral LD₅₀ Bobwhite quail 1782 mg/kg. Mallard ducks ≥4190 mg/kg. Dietary LC₅₀ (5 d) Bobwhite quail >1244 mg/kg. Mallard ducks >1230 mg/kg.

Bees:

>200 µg/bee. $(LD_{50}, \mu g/bee)$ (contact)

(oral) >100 µg/bee.

Worms:

LC₅₀ (28 d) >1000 mg/kg.

aquatic Other

spp.:

 EC_{50} Oyster 0.0047 mg/e.

ENVIRONMENTAL EFFECTS

Based on information for the active ingredient:

Plants: Not determined.

Persistence and degradability: In soil, field DT₅₀ 15 d

(13°C, pH 6.1, 1.3 % o.m.)

Bio-accumulative Potential: In rats, only 30-40 % of administered fluazinam was absorbed. Most (>89 %) of the administered dose was recovered in the faeces,

mostly as unchanged parent compound. Mobility in soil: Not determined. Other adverse effects: Not determined.

13. DISPOSAL CONSIDERATIONS

Waste: Open dumping or burning of this pesticide is prohibited. Waste resulting from the use of this product cannot be reused or re-processed. Never pour untreated waste or surplus product into public sewers or where there is any danger of run-off or seepage into water systems. Do not contaminate rivers, dams or any other water sources with the product or used containers. Comply with local legislation applying to waste disposal. The product containers may be taken to a registered waste disposal site or incineration plant. Where possible, recycling is preferred to disposal or incineration. If



Document no: 435VM

Effective date: December 2017

Revision date (version): August 2022 (3)

Product Code: FUNFLUABLOT500SC/VM

SAFETY DATA SHEET

FLUABLOT 500 SC

recycling is not practicable, dispose of in compliance with local regulations.

Container: Emptied containers retain vapour and product residues. Do not re-use the empty container for any other purpose. Triple rinse empty containers by inverting the empty container over the spray or mixing tank and allow draining for at least 30 seconds after the flow has slowed down to a drip. Thereafter, rinse the container three times with a volume of water equal to one quarter of that of the container. Add the rinsing's to the contents of the spray tank before recycling or destroying the container in the prescribed manner. Puncture the triple rinsed container and dispose of via an approved collector or recycler (www.croplife.co.za). Do not bury, burn or donate the container to any other parties that may use it as a container for food or beverages. Observe all labelled safeguards until container is destroyed.

14. TRANSPORT INFORMATION

UN Number: 2902

Road Transport ADR/IRD:

Class: 6.1 Packaging group: II

UN Proper Shipping Name: PESTICIDE, LIQUID,

TOXIC, N.O.S.

(Fluazinam 500 g/ℓ)

Maritime Transport IMDG/IMO:

Class: 6.1 Packaging group: II

UN Proper Shipping Name: PESTICIDE, LIQUID,

TOXIC, N.O.S.

(Fluazinam 500 g/ℓ)

Marine Pollutant (Y/N): Yes

Air Transport IATA/ICAO:

Class: 6.1 Packaging group: II

UN Proper Shipping Name: PESTICIDE, LIQUID,

TOXIC, N.O.S.

(Fluazinam 500 g/ℓ)

Special / Environmental Precautions: Wedge drums

tightly to avoid movement.

Transport in bulk: Refer to MARPOL 73/78, Annex II

and the IBC code.

15. REGULATORY INFORMATION

Safety, health and environmental regulations / legislation for the mixture:

OHSA 1993 Regulations for Hazardous Chemical Substances.

Relevant information regarding restrictions: None. **EU regulation:** Regulation EC1272/2008 (EU-GHS/CLP)

Other national regulations: None.

Chemical Safety Assessment carried out? No

16. OTHER INFORMATION

Packaging: Packed in 100, 150, 200, 250, 400, 500 millilitres and 1, 3, 5, 10 and 20 litres plastic containers and labelled according to the South African regulations and guidelines.

Other hazard statements, abbreviations and explanations:

H226: Flammable liquid and vapour.

H302: Harmful if swallowed.

H314: Causes severe skin burns and eye damage.

H315: Causes skin irritation.

H319: Causes serious eye irritation. **H351:** Suspected of causing cancer.

H412: Harmful to aquatic life with long lasting effcts.

IATA: International Air Transport Association.

IBC: International Bulk Chemical.

ICAO: International Civil Aviation Organization. **IMDG:** International Maritime Dangerous Goods

IMO: International Maritime Organization.

LD₅₀ **value**: The median lethal dose or the amount of a toxic agent that is sufficient to kill 50 percent of a population within a certain period of time.

OEL/RL: Occupational exposure limit-recommended limit.

PEL: Permissible Exposure Limits.

TWA: Time-weighted average – The average exposure over a specified period, usually a nominal eight hours.

ST/STEL: Short-term exposure limits.

Disclaimer: The information on this sheet is not a specification; it does not guarantee specific properties. The information is intended to provide general guidance as to health and safety based upon our knowledge of the handling, storage and use of the product. It is not applicable to unusual or non-standard uses of the product nor where instructions or recommendations are not followed. All information is given in good faith but without guarantee in respect of accuracy, and no responsibility is accepted for errors and omissions or the consequence thereof.

END OF DOCUMENT

Compiled: December 2017 **Reviewed:** August 2022

Revision no.: (3)

Next revision: August 2027

For detailed information on revisions, contact the Registration holder.