

PHOSPHITE 400 SL

SAFETY DATA SHEET

1. CHEMICAL PRODUCT AND COMPANY IDENTIFICATION

Product Name: PHOSPHITE 400 SL
Other identifier: Phosphorous acid 400 g/l
Recommended use: Fungicide
Restrictions on use: Agriculture

Supplier: Villa Crop Protection (Pty) Ltd.
Co. Reg. No.: 1992/002474/07
PO Box 10413,
Aston manor, 1630, South Africa
Telephone: (011) 396 2233
Fax: (011) 396 4666
Website: www.villacrop.co.za

Emergency telephone numbers:

24 Hr Transport / Spill emergency no:

(Hazcall24) +27 86 044 4411
(Client: Villa Crop Protection)
Griffon Poison Information Centre +27 82 446 8946
(Client: Villa Crop Protection)

Poisoning Emergency telephone numbers:

Griffon Poison Information Centre +27 82 446 8946
Poisons Information Centre +27 861 555 777

2. HAZARDS IDENTIFICATION

UN GHS, Regulation EC 1272/2008 [EU-GHS/CLP] EU & SANS 10234:2008		
Hazard classes	Hazard categories	H-statements
Health		
Skin	Skin Corrosion 1A	H314
Specific target organ toxicity single exposure	STOT SE 3	H335

The most important adverse effects:

Physiochemical effects: None known

Human health effects:

Causes severe skin burns and eye damage.
May cause respiratory irritation.

Label elements:



Signal word: Danger

Hazard statements:

H314: Causes severe skin burns and eye damage.
H335: May cause respiratory irritation.

Precautionary statements:

P260: Do not breathe mists, vapours and spray
P264: Wash hands and face thoroughly after handling.
P271: Use only outdoors in a well-ventilated area.
P280: Wear impervious rubber gloves and boots, protective clothing and chemical safety goggles.
P301+P330+P331: IF SWALLOWED: Rinse mouth. Do NOT induce vomiting.
P302+P361+P354+P316: IF ON SKIN: Take off immediately all contaminated clothing. Immediately rinse with water for several minutes. Get emergency medical help immediately.
P304+P340: IF INHALED: Remove person to fresh air and keep comfortable for breathing.
P305+P354+P338+P316: IF IN EYES: Immediately rinse with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Get emergency medical help immediately.
P363: Wash contaminated clothing before use.
P403+P233: Store in a well-ventilated place. Keep container tightly closed.
P405: Store locked up.
P501: Dispose of contents/container in accordance with local regulations.

Other hazards:

None known.

Toxicity:

Classification according to GHS: Not classified.

3. COMPOSITION / INFORMATION ON INGREDIENTS

Substance / Mixture: Mixture.

Chemical name	CAS	Conc. (m/v %)	Classification EC 1272/2008
Phosphorous acid flake	13598-36-2	41%	Acute Toxicity 4 (H302) Skin Corrosion 1A (H314)
Potassium carbonate	584-08-7	<25%	Skin irritation 2 (H315) Eye irritation 2 (H319) Specific target organ toxicity single exposure 3 (H335)
Potassium hydroxide flake	1310-58-3	<20%	Acute Toxicity 4 (H302) Skin Corrosion 1A (H314)

4. FIRST AID MEASURES

Remove the victim from the area of exposure. Wash off remaining material with plenty of water. In the event of any complaints or symptoms, avoid further exposure.

Inhalation: Remove person from contaminated area to fresh air and assist breathing as needed. Seek medical

PHOSPHITE 400 SL

SAFETY DATA SHEET

attention if irritation occurs. Remove person to fresh air and keep comfortable for breathing.

Skin: Remove contaminated clothing and shoes. Gently wipe off excess chemical. Wash skin gently and thoroughly with water and non-abrasive soap. **Get emergency medical help immediately.**

Eyes: Flush eyes with clean water for at least 15 – 20 minutes. Lift eyelids to facilitate irrigation. If present, remove contact lenses after 5 minutes and continue rinsing. **Get emergency medical help immediately.**

Ingestion: Seek medical attention or call a poison control centre for treatment advice. Do not induce vomiting unless instructed to do so by a poison control centre or doctor. Do not give anything by mouth to an unconscious person. If the person is alert, rinse mouth thoroughly with water.

Anticipated acute effects:

Causes severe skin burns and eye damage.

May cause respiratory irritation

Anticipated delayed effects: None known.

Most important symptoms / effects: None known.

Advice to physician: Treat symptomatically and supportively. No specific antidote known.

5. FIRE-FIGHTING MEASURES

Suitable Extinguishing Media: Use carbon dioxide or dry chemical for small fires and water fog or foam for large fires.

Unsuitable Extinguishing Media: High volume water jet. Use a water jet only to cool heated containers.

Specific hazards: On heating toxic fumes, such as sulphur dioxide and oxides of nitrogen may be produced.

Special fire-fighting procedures: Remove spectators from surrounding area. Isolate the fire area and evacuate all personnel downwind of the fire. Fight fire from maximum distance and use unmanned hose holder or monitor nozzles. Remain upwind of fire. Avoid inhaling hazardous vapours and fumes from burning materials. Remove container from fire area if possible and without risk. Do not use high volume water jet, due to contamination risk. Do not scatter the burning material. Water can be used to cool unaffected containers but must be contained for later disposal. Contain fire control agents for later disposal.

Personal protective equipment: Wear NIOSH / MSHA approved self-contained breathing apparatus and full protective gear.

6. ACCIDENTAL RELEASE MEASURES

Personal precautions: Avoid contact with eyes and skin. Do not breathe in spray mist / fumes or vapours. Ventilate area of spill or leak, especially in contained areas.

Protective equipment: Refer to Section 8 for personal protective equipment to be worn during containment and clean-up of a spill involving this product.

Emergency procedures: Alert firefighting personnel, evacuate unprotected personnel and animals.

Environmental Precautions: Prevent spilled product from entering sewers, waterways, or ground water.

Methods and Materials for Containment: Contain spilled product by diking area with sand or earth.

Methods and Materials for Clean-up: Cover contained spill with an inert absorbent material such as sand, vermiculite, earth or other appropriate material. Vacuum, scoop, or sweep up material and place the material into a clean, dry, sealable container. Label containers with the contents and dispose of according to local regulations. Do not place spilled material back in original container. Do not re-use spilled material. Collect washings and add to the drums already collected. Do not flush spilled material or washings into drains or waterways. To decontaminate the spill area, tools and equipment, wash with water and suitable detergent. See section 13 for disposal considerations.

7. HANDLING AND STORAGE

Handling:

Precautions for safe handling: Do not breathe mists, vapours and spray. Avoid contact with eyes and skin. Ensure adequate ventilation during handling and use. Do not handle broken packages without protective equipment. Immediately clean up spills that occur during handling. Keep containers closed when not in use. In the case of contact with the product refer to First Aid Measures – Section 4.

General occupational hygiene: Practice good hygiene when using this product. Wash hands before eating, drinking, chewing gum, smoking, using the toilet or applying cosmetics. Worker should shower at the end of each workday. Launder all clothing before it is re-used.

Storage:

Conditions for safe storage: Keep under lock and key and out of reach of unauthorised persons, children, and animals. Store in its original, labelled container, tightly closed in an isolated, dry, cool, and well-ventilated area. Avoid excess heat. Not to be stored next to foodstuffs, feed and water supplies. Avoid cross contamination with other pesticides and fertilisers.

Incompatible substances and mixtures: Refer to product label.

Packaging material: Plastic containers.

8. EXPOSURE CONTROLS AND PERSONAL PROTECTION

Permissible concentration

Permissible concentration: No occupational exposure limits have been determined for the significant ingredients in this product.

Engineering Controls:

It is essential to provide adequate ventilation. The measures appropriate for a particular worksite depend on

PHOSPHITE 400 SL

SAFETY DATA SHEET

how this material is used and on the extent of exposure. Local Exhaust: Provide general or local exhaust ventilation systems to maintain airborne concentrations below OELs or other specified exposure limits. Local exhaust ventilation is preferred. Ensure that control systems are properly designed and maintained. Comply with occupational safety, environmental, fire and other applicable regulations.

Personal Protective Equipment:

Respiratory Protection: For most well-ventilated conditions, no respiratory protection should be needed. If used in a poorly ventilated area (airborne concentrations exceed exposure limits), use a NIOSH approved, air-purifying respirator with cartridges / canisters approved for organic vapours.

Hand Protection: Employees must wear protective impervious gloves to prevent skin burns.

Eye Protection: Employees must wear safety goggles and face-shield to prevent eye damage. Contact lenses are not protective eye devices.

Skin and Body Protection: Employees must wear appropriate protective impervious clothing, rubber boots, hat to prevent repeated or prolonged skin contact with this product. Do not wear leather clothing.

Emergency eyewash: Where there is any possibility that an employee's eyes may be exposed to this product, the employer should provide an eye wash fountain or appropriate alternative within the immediate work area for emergency use.

9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance: Clear colourless water-based solution.

Odour: Characteristic odour.

Odour threshold: Not available.

pH (1% aqueous dilution): 6.9 in 1% aqueous solution.

Melting point: Not available.

Freezing Point: Not available.

Boiling Point: Not available.

Flash Point: 86.5 °C.

Flammability: Not flammable & not combustible.

Upper / lower explosion limits: Not available.

Vapour Pressure (mm Hg): Not available.

Relative Vapour Density: Not available.

Density / Relative density: 1.35 ± 0.05 g/ℓ.

Solubility: Forms a solution in water.

n-octanol / water partition coefficient: Not available.

Auto-ignition temperature: Not available.

Decomposition temperature: Not available.

Viscosity: Not available.

10. STABILITY AND REACTIVITY

Chemical stability: The product is stable for two years at ambient temperature and pressure, under normal storage and handling conditions. Avoid storage under extreme temperatures and conditions. Store below 50 °C,

preferably below 30 °C, and not for prolonged periods in direct sunlight.

Reactivity: None known.

Possibility of hazardous reactions: None known.

Conditions to avoid: Keep the product in a cool, dry place, at below 30 °C. Protect from sunlight, open flame and sources of heat. Avoid contact with caustic soda, chlorates, nitrates, calcium carbide, mild steel, aluminium alloy, brass, tin & galvanized material. Incompatible with strong oxidizing agents.

Incompatible materials: None known.

Hazardous decomposition products: Will react with metal with evolution of hydrogen.

Thermal decomposition products include highly toxic oxides of phosphorous, flammable hydrogen and phosphine gases.

11. TOXICOLOGICAL INFORMATION

ACUTE TOXICITY:

Calculated according to GHS

Oral LD₅₀ (24) > 5000 mg/kg rats.

Dermal LD₅₀ (24h) Not classified.

Inhalation LC₅₀ (4h) Not classified.

Skin corrosion and eye damage: Causes severe skin burns and eye damage.

Skin Sensitization: Not classified.

Respiratory Sensitization: Not classified.

Reproductive cell mutagenicity: Not classified.

Carcinogenicity: Not classified.

Reproductive toxicity: Not classified.

Specific target organ toxicity – single exposure: May cause respiratory irritation.

Specific target organ toxicity – repeated exposure: Not classified.

Aspiration hazard: Not classified.

Chronic Effects: Not available.

POTENTIAL ADVERSE EFFECTS:

Skin: Causes severe skin burns and eye damage.

Other information: None.

12. ECOLOGICAL INFORMATION

This product is not expected to be harmful to aquatic organisms.

ECOTOXICITY DATA:

Phosphorous acid

Birds:

Acute oral LD ₅₀	bobwhite quail	2250 mg/kg.
Dietary LC ₅₀	bobwhite quail and mallard ducks	>5620mg/kg per diet.

Bees:

LD50 (contact) >71.9 µg/bee

LD50 (oral) >50.3 µg/bee

PHOSPHITE 400 SL

SAFETY DATA SHEET

ENVIRONMENTAL EFFECTS

Plants: Not available.

Persistence and degradability: DT₅₀ in soil 16 w.

Bio-accumulative potential: Not determined.

Mobility in soil: Not determined.

Other adverse effects: Not determined.

13. DISPOSAL CONSIDERATIONS

Waste: Open dumping or burning of this pesticide is prohibited. Waste resulting from the use of this product cannot be reused or re-processed. Never pour untreated waste or surplus product into public sewers or where there is any danger of run-off or seepage into water systems. Do not contaminate rivers, dams or any other water sources with the product or used containers. Comply with local legislation applying to waste disposal. The product may be taken to a registered waste disposal site or incineration plant.

Container: Emptied containers retain product residues. Do not re-use the empty container for any other purpose. Invert the empty container over the spray or mixing tank and drain for at least 30 seconds after the flow has slowed down to dripping. Thereafter rinse the empty container three times in succession with one quarter of the container volume fresh water and decant the rinsate into the spray or mixing tank. Puncture the triple rinsed container and dispose of via an approved collector or recycler (www.croplife.co.za). Do not bury, burn or donate the container to any other parties that may use it as a container for food or beverages. Observe all labelled safeguards until container is destroyed.

14. TRANSPORT INFORMATION

UN Number: 3264

Road Transport ADR / ORD:

Class: 8

Packaging group: III

UN Proper Shipping Name: Corrosive liquid, acidic, inorganic N.O.S. (phosphorous acid 400 g/l)

Maritime Transport IMDG / IMO:

Class: 8

Packaging group: III

UN Proper Shipping Name: Corrosive liquid, acidic, inorganic N.O.S. (phosphorous acid 400 g/l)

Marine pollutant (Y/N): No

Air Transport IATA / ICAO:

Class: 8

Packaging group: III

UN Proper Shipping Name: Corrosive liquid, acidic, inorganic N.O.S. (phosphorous acid 400 g/l)

Special / Environmental Precautions: Wedge drums tightly to avoid movement.

Transport in bulk: Refer to MARPOL 73/78, Annex II and the IBC code.

15. REGULATORY INFORMATION

Safety, health and environmental regulations / legislation for the mixture:

OHS 1993 Regulations for Hazardous Chemical Substances.

Relevant information regarding restrictions: None.

EU regulation: Regulation EC1272/2008 (EU-GHS/CLP)

Other national regulations: None.

Chemical Safety Assessment carried out? No

16. OTHER INFORMATION

Packaging: Packed in 1, 5, 10, 20, 25 and 50 litres plastic containers and labelled according to South African regulations and guidelines.

Other hazard statements, abbreviations and explanations:

H302: Harmful if swallowed.

H315: Causes skin irritation.

H319: Causes serious eye irritation.

IATA: International Air Transport Association.

IBC: International Bulk Chemical.

ICAO: International Civil Aviation Organization.

IMDG: International Maritime Dangerous Goods

IMO: International Maritime Organization.

LD₅₀ value: The median lethal dose or the amount of a toxic agent that is sufficient to kill 50 percent of a population within a certain period of time.

OEL/RL: Occupational exposure limit-recommended limit.

TWA: Time-weighted average – The average exposure over a specified period, usually a nominal eight hours.

ST/STEL: Short-term exposure limits.

Disclaimer: The information on this sheet is not a specification; it does not guarantee specific properties. The information is intended to provide general guidance as to health and safety based upon our knowledge of the handling, storage and use of the product. It is not applicable to unusual or non-standard uses of the product nor where instructions or recommendations are not followed. All information is given in good faith but without guarantee in respect of accuracy, and no responsibility is accepted for errors and omissions or the consequence thereof.

END OF DOCUMENT

Compiled: June 2022

Reviewed: January 2024

Revision no.: (1)

Next revision date: January 2029

For detailed information on revisions, contact the Registration holder.