

# VILLA UNIZEB 750 WDG

# SAFETY DATA SHEET

## 1. CHEMICAL PRODUCT AND COMPANY IDENTIFICATION

**Product name:** VILLA UNIZEB 750 WDG  
**Other identifier:** Mancozeb 750 WDG  
**Recommended use:** Fungicide  
**Restrictions on use:** Agriculture & small-scale farming

**Supplier:** Villa Crop Protection (Pty) Ltd  
**Co. Reg. No.:** 1992/002474/07  
 PO Box 10413,  
 Aston Manor, 1630, South Africa  
**Telephone:** (011) 396 2233  
**Fax:** (011) 396 4666  
**Website:** [www.villacrop.co.za](http://www.villacrop.co.za)

**Emergency telephone numbers:**  
**24 Hr Transport / Spill emergency no:**  
 (Hazcall24) +27 86 044 4411  
 (Client: Villa Crop Protection)  
 Griffon Poison Information Centre +27 82 446 8946  
 (Client: Villa Crop Protection)  
**Poisoning Emergency telephone numbers:**  
 Griffon Poison Information Centre +27 82 446 8946  
 Poisons Information Centre +27 861 555 777

## 2. HAZARDS IDENTIFICATION

UN GHS, Regulation EC 1272/2008 [EU-GHS/CLP] EU & SANS 10234:2008		
Hazard classes	Hazard categories	H-statements
<b>Health</b>		
Oral	Acute toxicity 5	H303
Dermal	Skin Sensitisation 1	H317
Eye	Eye Damage 1	H318
Carcinogenicity	Carcinogenicity 2	H351
Reproductive	Reproductive toxicity 1B	H360D
Specific target organ toxicity – repeated exposure	STOT RE 2	H373
<b>Environment</b>		
Aquatic acute	Aquatic acute 1	H400
Aquatic chronic	Aquatic chronic 1	H410

### The most important adverse effects:

#### Human health effects:

May be harmful if swallowed.

Causes serious eye damage.  
 May cause an allergic skin reaction.  
 Suspected of causing cancer.  
 May damage fertility or the unborn child.  
 May cause damage to organs (thyroid, nervous system) through prolonged or repeated exposure.

#### Label elements:



**Signal word:** Danger

#### Hazard statements:

H303: May be harmful if swallowed.  
 H317: May cause an allergic skin reaction.  
 H318: Causes serious eye damage.  
 H351: Suspected of causing cancer.  
 H360D: May damage fertility or the unborn child.  
 H373: May cause damage to organs (thyroid, nervous system) through prolonged or repeated exposure.  
 H400: Very toxic to aquatic life.  
 H410: Very toxic to aquatic life with long lasting effects.

#### Precautionary statements:

P203: Obtain, read and follow all safety instructions before use.  
 P260: Do not breathe dust and spray.  
 P264+P265: Wash hands thoroughly after handling. Do not touch eyes.  
 P272: Contaminated work clothing should not be allowed out of the workplace.  
 P273: Avoid release into the environment.  
 P280: Wear impervious rubber gloves and boots, protective clothing and chemical safety goggles.  
 P301+P305+P317: IF SWALLOWED OR IN EYES: Get medical help.  
 P302+P352: IF ON SKIN: Wash with plenty of water and non-abrasive soap.  
 P305+P354+P338: IF IN EYES: Immediately rinse with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.  
 P318: IF exposed or concerned, get medical advice.  
 P319: Get medical help if you feel unwell.

## VILLA UNIZEB 750 WDG

## SAFETY DATA SHEET

P333+P317: If skin irritation or rash occurs: Get medical help.  
P391: Collect spillage.  
P405: Store locked up.  
P501: Dispose of contents/container in accordance with local regulations.

### Other hazards:

None known.

### Toxicity:

Classification according to GHS: Category 5

### 3. COMPOSITION / INFORMATION ON INGREDIENTS

#### Mixture:

Chemical name	CAS	Conc. (m/m %)	Classification EC 1272/2008
Mancozeb TC	8018-01-7	88.8 %	Skin Sensitisation 1 (H317) Carcinogenicity 2 (H351) Reproductive toxicity 1B (H360D) STOT RE 2 (H373) Aquatic Acute 1 (H400) Aquatic Chronic 1 (H410)
Sodium alkyl naphthalene sulfonate salt	1322-93-6	< 10 %	Acute Toxicity 4 (H302) Acute Toxicity 5 (H313) Acute Toxicity 4 (H332) Eye Damage 1 (H318) STOT SE 3 (Inhalation) (H335)

### 4. FIRST AID MEASURES

Remove the victim from the area of exposure. Wash off remaining material with plenty of water. In the event of any complaints or symptoms, avoid further exposure.

**Inhalation:** Remove person from contaminated area to fresh air and assist breathing as needed. Seek medical attention if irritation occurs.

**Skin:** Remove contaminated clothing and shoes. Gently wipe off excess chemical. Wash skin gently and thoroughly with water and non-abrasive soap.

**Obtain medical attention if irritation occurs.**

**Eyes:** Flush eyes with clean water for at least 15 – 20 minutes. Lift eyelids to facilitate irrigation. If present, remove contact lenses after 5 minutes and continue rinsing. **Seek medical attention.**

**Ingestion:** **Seek medical attention** or call a poison control centre for treatment advice. Do not induce vomiting unless instructed to do so by a poison control centre or doctor. Do not give anything by mouth to an unconscious person. If the person is alert, rinse mouth thoroughly with water.

**Anticipated acute effects:** May be harmful if swallowed. Causes serious eye damage. May cause an allergic skin reaction.

**Anticipated delayed effects:** Suspected of causing cancer. May damage fertility or the unborn child. May cause damage to organs (thyroid, nervous system) through prolonged or repeated exposure.

**Most important symptoms / effects:** None known.

**Advice to physician:** Treat symptomatically and supportively. No specific antidote known.

### 5. FIRE-FIGHTING MEASURES

**Suitable Extinguishing Media:** Use carbon dioxide or dry chemical for small fires and water fog or foam for large fires.

**Unsuitable Extinguishing Media:** High volume water jet. Use a water jet only to cool heated containers.

**Specific hazards:** None known.

**Special fire-fighting procedures:** Remove spectators from surrounding area. Isolate the fire area and evacuate all personnel downwind of the fire. Fight fire from maximum distance and use unmanned hose holder or monitor nozzles. Remain upwind of fire. Avoid inhaling hazardous vapours and fumes from burning materials. Remove container from fire area if possible and without risk. Do not use high volume water jet, due to contamination risk. Do not scatter the burning material. Water can be used to cool unaffected containers but must be contained for later disposal. Contain fire control agents for later disposal. Avoid pollution of waterways by run-off from the site.

## VILLA UNIZEB 750 WDG

## SAFETY DATA SHEET

**Personal protective equipment:** Wear NIOSH / MSHA approved self-contained breathing apparatus and full protective gear.

### 6. ACCIDENTAL RELEASE MEASURES

**Personal precautions:** Avoid contact with skin and eyes. Do not breathe in spray mist or dust. Ventilate area of spill or leak, especially in contained areas.

**Protective equipment:** Refer to Section 8 for personal protective equipment to be worn during containment and clean-up of a spill involving this product.

**Emergency procedures:** Alert firefighting personnel, evacuate unprotected personnel and animals.

**Environmental Precautions:** Prevent spilled product from entering sewers, waterways or ground water. This product is classified as very toxic to aquatic organisms and may cause long-term adverse effects in the aquatic environment. Any spillages or uncontrolled discharges into watercourses should be reported immediately to the police and the Department of Water / Environmental Affairs.

**Methods and Materials for Containment:** Contain spilt product by diking area with sand or earth.

**Methods and Materials for Clean-up:** Contain spilt product by picking up with an electrically protected vacuum cleaner or by wet-brushing and transfer to a container for disposal. Do not create a powder cloud by using a brush or compressed air. Label containers with the contents and dispose of according to local regulations. Do not place spilt material back in original container. Do not re-use spilt material. To decontaminate the spill area, tools and equipment, wash with water and suitable detergent. Collect washings and add to the drums already collected. Do not flush spilt material or washings into drains or waterways. See section 13 for disposal considerations.

### 7. HANDLING AND STORAGE

#### Handling:

**Precautions for safe handling:** May be harmful if swallowed. Avoid contact with skin and eyes. Ensure adequate ventilation during handling and use. Do not handle broken packages without protective equipment. Immediately clean up spills that occur during handling. Keep containers closed when not in

use. In the case of contact with the product refer to First Aid Measures – Section 4.

**General occupational hygiene:** Practice good hygiene when using this material. Wash hands before eating, drinking, chewing gum, smoking, using the toilet or applying cosmetics. Worker should shower at the end of each workday. Launder all clothing before it is re-used.

#### Storage:

**Conditions for safe storage:** Keep under lock and key and out of reach of unauthorised persons, children and animals. Store in its original, labelled container, tightly closed in an isolated, dry, cool and well-ventilated area. Avoid excess heat. Not to be stored next to foodstuffs, feed and water supplies. Avoid cross contamination with other pesticides and fertilisers.

**Incompatible substances and mixtures:** Refer to product label.

**Packaging material:** 3 ply paper bags & plastic containers.

### 8. EXPOSURE CONTROLS AND PERSONAL PROTECTION

#### Permissible concentration

Components	Exposure limits	Type of exposure limit	Source
Kaolin	15 mg/m <sup>3</sup>	OSHA PEL	"Hazardous Chemical Substances Regulations, 1995" or "www.osha.gov"

#### Engineering Controls:

It is essential to provide adequate ventilation. The measures appropriate for a particular worksite depend on how this material is used and on the extent of exposure. Local Exhaust: Provide general or local exhaust ventilation systems to maintain airborne concentrations below OELs or other specified exposure limits. Local exhaust ventilation is preferred. Ensure that control systems are properly designed and maintained. Comply with occupational safety, environmental, fire and other applicable regulations.

#### Personal Protective Equipment:

**Respiratory Protection:** For most well-ventilated conditions, no respiratory protection should be needed. If used in a poorly ventilated area (airborne concentrations exceed exposure limits), use a NIOSH

## VILLA UNIZEB 750 WDG

## SAFETY DATA SHEET

approved, air-purifying respirator with cartridges / canisters approved for organic vapours

**Hand Protection:** Employees must wear chemically protective impervious gloves to prevent against skin contact.

**Eye Protection:** Employees must wear chemical safety goggles to prevent against eye contact. Contact lenses are not protective eye devices.

**Skin and Body Protection:** Employees must wear appropriate protective impervious clothing, rubber boots, hat and equipment to prevent repeated or prolonged skin contact with this substance.

**Emergency eyewash:** Where there is any possibility that an employee's eyes may be exposed to this substance, the employer should provide an eye wash fountain or appropriate alternative within the immediate work area for emergency use.

### 9. PHYSICAL AND CHEMICAL PROPERTIES

**Appearance:** Yellow to Olive brown, free flowing micro granules.

**Odour:** Musty odour.

**Odour threshold:**

**pH (1% aqueous dilution):** 6.5 – 7.5

**Melting point:** Not available.

**Freezing Point:** 0 °C.

**Boiling Point:** Not available.

**Flash Point:** Not applicable

**Flammability:** Not applicable.

**Upper / lower explosion limits:** Not applicable

**Vapour Pressure (mm Hg):** Not available.

**Relative Vapour Density:** Not available.

**Density / Relative density:** 0.623 gm/ml.

**Solubility:** Not available.

**n-octanol / water partition coefficient:** Not available.

**Auto-ignition temperature:** Not available.

**Decomposition temperature:** Not available.

**Viscosity:** Not available.

### 10. STABILITY AND REACTIVITY

**Chemical stability:** The product is stable for two years at ambient temperature and pressure, under normal storage and handling conditions. Avoid storage under extreme temperatures and conditions. Store below 50 °C, preferably below 30 °C, and not for prolonged periods in direct sunlight.

**Reactivity:** None known.

**Possibility of hazardous reactions:** Unlikely to occur.

**Conditions to avoid:** Extreme heat or exposure to flames.

**Incompatible materials:** Strong oxidizers, strong bases, strong reducing agents.

**Hazardous decomposition products:** Alcohols. carbon monoxide and carbon dioxide may form under burning conditions or with incomplete combustion.

### 11. TOXICOLOGICAL INFORMATION

#### ACUTE TOXICITY:

Calculated according to GHS

**Oral LD<sub>50</sub>:** (24h) > 3500 mg/kg (rat)

**Dermal LD<sub>50</sub>:** > 5000 mg/kg (rabbit)

**Inhalation LC<sub>50</sub>:** (4h) > 5 mg/l (rat)

**Skin Irritation / Corrosion** Not classified.

**Eye Damage / Irritation:** Causes serious eye damage.

**Skin Sensitization:** May cause an allergic skin reaction

**Respiratory Sensitization:** Not classified.

**Reproductive cell mutagenicity:** Not classified.

**Carcinogenicity:** Suspected of causing cancer.

**Reproductive toxicity:** May damage fertility or the unborn child.

**Specific target organ toxicity – single exposure:** Not classified.

**Specific target organ toxicity – repeated exposure:** May cause damage to organs (thyroid, nervous system) through prolonged or repeated exposure.

**Aspiration hazard:** Not classified.

**Chronic Effects:** Not available.

#### POTENTIAL ADVERSE EFFECTS:

**Ingestion:** May be harmful if swallowed.

**Eyes:** Causes serious eye damage.

**Skin:** May cause an allergic skin reaction.

**Other information:** None known

### 12. ECOLOGICAL INFORMATION

This product is very toxic to aquatic life with long lasting effects.

#### ECOTOXICITY DATA:

**Active ingredient / inert name**



## VILLA UNIZEB 750 WDG

## SAFETY DATA SHEET

### Fish:

LC <sub>50</sub> (96 h)	Rainbow trout	0.074 mg/ℓ
	Bluegill sunfish	0.083 mg/ℓ

### Daphnia:

EC <sub>50</sub> (48 h)		0.073 mg/ℓ
-------------------------	--	------------

### Algae:

EC <sub>50</sub> (120 h)	<i>Selenastrum capricornutum</i>	0.044 mg/ℓ
--------------------------	----------------------------------	------------

### Birds:

Acute oral LD <sub>50</sub> (10 d)	Mallard ducks	> 5500 mg/kg
------------------------------------	---------------	--------------

	Japanese quail	> 5500 mg/kg
	English sparrow	> 1290 mg/kg
	European starlings	> 2400 mg/kg

Dietary LD <sub>50</sub> (8d)	Mallard ducks	>5200 mg/kg diet
-------------------------------	---------------	------------------

	Bobwhite quail	>5200 mg/kg diet
--	----------------	------------------

### Bees:

LD <sub>50</sub> contact		162 µg/bee
LD <sub>50</sub> oral		141 µg/bee

### Worms:

LC <sub>50</sub>	<i>Eisenia fetida</i>	>1000 mg/kg
------------------	-----------------------	-------------

### ENVIRONMENTAL EFFECTS

#### Based on information for the active ingredient

**Plants:** Extensively metabolised in plants, forming ethylenethiourea, ethylenethiuram monosulfide, ethylenethiuram disulfide and sulfur as transitory intermediates. Terminal metabolites are natural products, especially those derived from glycine.

**Persistence and degradability:** Rapidly degraded in the environment by hydrolysis, oxidation, photolysis and metabolism. Soil DT<sub>50</sub> <1 d (ave., 20 °C).

**Bio-accumulative potential:** Poorly absorbed and rapidly excreted in animals.

**Mobility in soil:** Koc 998 ml/g (ave., 4 soils).

**Other adverse effects:** Not determined

### 13. DISPOSAL CONSIDERATIONS

**Waste:** Open dumping or burning of this pesticide is prohibited. Waste resulting from the use of this product cannot be reused or re-processed. Never pour untreated waste or surplus product into public sewers or where there is any danger of run-off or seepage into water systems. Do not contaminate rivers, dams or any other water sources with the product or used containers. Comply with local legislation applying to waste disposal. The product

may be taken to a registered waste disposal site or incineration plant.

**Container:** Emptied containers retain product residues. Do not re-use the empty container for any other purpose. Empty containers by inverting the empty container over the spray or mixing tank. Thereafter, rinse the container three times with a volume of water equal to a quarter of that of the container. Puncture the triple rinsed container and dispose of via an approved collector or recycler ([www.croplife.co.za](http://www.croplife.co.za)). Do not bury, burn or donate the container to any other parties that may use it as a container for food or beverages. Observe all labelled safeguards until container is destroyed.

### 14. TRANSPORT INFORMATION

**UN Number: 3077**

**Road Transport ADR/IRD:**

Class: 9  
Packaging group: III  
UN Proper Shipping Name: ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID, N.O.S. (Mancozeb 750 g/kg)

**Maritime Transport IMDG/IMO:**

Class: 9  
Packaging group: III  
UN Proper Shipping Name: ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID, N.O.S. (Mancozeb 750 g/kg)

**Marine Pollutant (Y): Yes**

**Air Transport IATA/ICAO:**

Class: 9  
Packaging group: III  
UN Proper Shipping Name: ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID, N.O.S. (Mancozeb 750 g/kg)

**Special/Environmental Precautions:** None known.

**Transport in bulk** (according to MARPOL 73/78, Annex II and the IBC code): Not available.

### 15. REGULATORY INFORMATION

**Safety, health and environmental regulations / legislation for the mixture:**

OHSA 1993 Regulations for Hazardous Chemical Substances.

**Relevant information regarding restrictions:** None.

**EU regulation:** Regulation EC1272/2008 (EU-GHS/CLP)

## VILLA UNIZEB 750 WDG

## SAFETY DATA SHEET

Other national regulations: None.

Chemical Safety Assessment carried out? No

### 16. OTHER INFORMATION

**Packaging:** Packed in 20g, 50g, 100g, 200g, 250g, 1 kg, 2 kg, 2.5 kg, 5 kg, 6 kg, 10 kg, 20 kg, 25 kg & 50 kg 3 ply paper bags & plastic containers labelled according to South African regulations and guidelines.

**Other hazard statements, abbreviations and explanations:**

**H302:** Harmful if swallowed.

**H313:** May be harmful in contact with skin.

**H332:** Harmful if inhaled.

**H335:** May cause respiratory irritation.

**IATA:** International Air Transport Association.

**IBC:** International Bulk Chemical.

**ICAO:** International Civil Aviation Organization.

**IMDG:** International Maritime Dangerous Goods

**IMO:** International Maritime Organization.

**LD<sub>50</sub> value:** The median lethal dose or the amount of a toxic agent that is sufficient to kill 50 percent of a population within a certain period of time.

**OEL/RL:** Occupational exposure limit-recommended limit.

**TWA:** Time-weighted average – The average exposure over a specified period, usually a nominal eight hours.

**ST/STEL:** Short-term exposure limits.

**Disclaimer:** The information on this sheet is not a specification; it does not guarantee specific properties. The information is intended to provide general guidance as to health and safety based upon our knowledge of the handling, storage and use of the product. It is not applicable to unusual or non-standard uses of the product nor where instructions or recommendations are not followed. All information is given in good faith but without guarantee in respect of accuracy, and no responsibility is accepted for errors and omissions or the consequence thereof.

### END OF DOCUMENT

**Compiled:** September 2019

**Reviewed:** May 2022

**Revision no.:** (2)

**Next revision:** May 2027

For detailed information on revisions, contact the Registration holder.