

# METHOMYL 90 SP

# SAFETY DATA SHEET

## 1. CHEMICAL PRODUCT AND COMPANY IDENTIFICATION

**Product Name:** METHOMYL 90 SP  
**Other identifier:** methomyl  
**Recommended use:** Insecticide  
**Restrictions on use:** (Agriculture); May only be sold and used by a registered pest control operator.

**Supplier:** Villa Crop Protection (Pty) Ltd  
**Co. Reg. No.:** 1992/002474/07  
PO Box 10413,  
Aston Manor, 1630, South Africa  
**Telephone:** (011) 396 2233  
**Fax:** (011) 396 4666  
**Website:** [www.villacrop.co.za](http://www.villacrop.co.za)


**Emergency telephone numbers:**  
**24 Hr Transport / Spill emergency no:**  
(Hazcall24) +27 86 044 4411  
(Client: Villa Crop Protection)  
Griffon Poison Information Centre +27 82 446 8946  
(Client: Villa Crop Protection)  
**Poisoning Emergency telephone numbers:**  
Griffon Poison Information Centre +27 82 446 8946  
Poisons Information Centre +27 861 555 777

## 2. HAZARDS IDENTIFICATION

UN GHS, Regulation EC 1272/2008 [EU-GHS/CLP] EU & SANS 10234:2008		
Hazard classes	Hazard categories	H-statements
<b>Health</b>		
Oral	Acute Toxicity 2	H300
Dermal	Acute Toxicity 5	H313
Inhalation	Acute Toxicity 2	H330
<b>Environment</b>		
Aquatic acute	Aquatic acute 1	H400
Aquatic chronic	Aquatic chronic 1	H410

**The most important adverse effects:**  
**Physiochemical effects:** None known  
**Human health effects:**  
Fatal if swallowed.  
Fatal if inhaled.  
May be harmful in contact with skin.

### Label elements:



**Signal word:** Danger

### Hazard statements:

H300: Fatal if swallowed.  
H313: May be harmful in contact with skin.  
H330: Fatal if inhaled.  
H400: Very toxic to aquatic life.  
H410: Very toxic to aquatic life with long lasting effects.

### Precautionary statements:

P260: Do not breathe dust or spray mist.  
P264: Wash hands and face thoroughly after handling.  
P270: Do not eat, drink or smoke when using this product.  
P271: Use only outdoors or in a well-ventilated area.  
P273: Avoid release into the environment.  
P284: In case of inadequate ventilation, wear respiratory protection.  
P301+P310: IF SWALLOWED: Immediately call a POISON CENTER.  
P302+P317: IF ON SKIN: Get medical help.  
P304+P316+P340: IF INHALED: Remove person to fresh air and keep comfortable for breathing. Get emergency medical help immediately.  
P330: Rinse mouth.  
P391: Collect spillage.  
P403+P233: Store in a well-ventilated place. Keep container tightly closed.  
P405: Store locked up.  
P501: Dispose of content/container to suitable landfill in accordance with local regulations.

### Other hazards:

None known.

### Toxicity:

Classification according to GHS: Category 2

## 3. COMPOSITION / INFORMATION ON INGREDIENTS

**Substance / Mixture:** Mixture

Composition:

Chemical name	CAS	Conc. (m/m %)	Classification EC 1272/2008
Methomyl	16752-77-5	90 %	Acute Toxicity 2 (H300) Aquatic Acute 1 (H400) Aquatic Chronic 1 (H410)

## 4. FIRST AID MEASURES

Remove the victim from the area of exposure. Wash off remaining material with plenty of water. In the event of any complaints or symptoms, **immediately consult a doctor.**

## METHOMYL 90 SP

## SAFETY DATA SHEET

**Inhalation:** Remove person from contaminated area to fresh air and assist breathing as needed. **Get emergency medical help immediately.**

**Skin:** Remove contaminated clothing and shoes. Gently wipe off excess chemical. Wash skin gently and thoroughly with water and non-abrasive soap. Obtain medical attention if irritation persists.

**Eyes:** Flush eyes with clean water for at least 15 – 20 minutes. Lift eyelids to facilitate irrigation. If present, remove contact lenses after 5 minutes and continue rinsing. Obtain medical attention if irritation persists.

**Ingestion: Immediately seek medical attention or call a poison control centre for treatment advice.** Do not induce vomiting unless instructed to do so by a poison control centre or doctor. Do not give anything by mouth to an unconscious person. If the person is alert, rinse mouth thoroughly with water.

**Anticipated acute effects:** Fatal if swallowed. Fatal if inhaled. May be harmful in contact with skin.

**Anticipated delayed effects:** None known.

**Most important symptoms / effects:** None known.

**Advice to physician:** Treat symptomatically and supportively. No specific antidote known.

### 5. FIRE-FIGHTING MEASURES

**Suitable Extinguishing Media:** Extinguish fires with carbon dioxide, dry powder, or alcohol-resistant foam. Water spray can be used for cooling of unaffected stock. Contain water used for firefighting for later disposal. Do not get water inside the containers. Runoff to sewers could create fire or explosion hazard.

**Unsuitable Extinguishing Media:** High volume water jet.

**Specific hazards:** Slight fire hazard when exposed to heat or flame. Dust-air mixtures may ignite or explode.

**Special fire-fighting procedures:** Remove spectators from surrounding area. Isolate the fire area and evacuate all personnel downwind of the fire. Fight fire from maximum distance and use unmanned hose holder or monitor nozzles. Remain upwind of fire. Avoid inhaling hazardous vapours and fumes from burning materials. Remove container from fire area if possible and without risk. Do not use high volume water jet, due to contamination risk. Do not scatter the burning material. Water can be used to cool unaffected containers but must be contained for later disposal. Contain fire control agents for later disposal. Avoid pollution of waterways by run-off from the site.

**Personal protective equipment:** Wear NIOSH / MSHA approved self-contained breathing apparatus and full protective gear.

### 6. ACCIDENTAL RELEASE MEASURES

**Personal precautions: Do not breathe in spray mist or dust.** Ventilate area of spill or leak, especially in contained areas.

**Protective equipment:** Refer to Section 8 for personal protective equipment to be worn during containment and clean-up of a spill involving this product.

**Emergency procedures:** Alert firefighting personnel, evacuate unprotected personnel and animals.

**Environmental Precautions:** Prevent spilled product from entering sewers, waterways or ground water. This product is classified as very toxic to aquatic organisms and may cause long-term adverse effects in the aquatic environment. Any spillages or uncontrolled discharges into watercourses should be reported immediately to the police and the Department of Water / Environmental Affairs.

**Methods and Materials for Containment:** Contain spilled product by diking area with sand or earth.

**Methods and Materials for Clean-up:** Contain spilled product by picking up with an electrically protected vacuum cleaner or by wet-brushing and transfer to a container for disposal. Do not create a powder cloud by using a brush or compressed air. Label containers with the contents and dispose of according to local regulations. Do not place spilled material back in original container. Do not re-use spilled material. To decontaminate the spill area, tools and equipment, wash with water and suitable detergent. Collect washings and add to the drums already collected. Do not flush spilled material or washings into drains or waterways. See section 13 for disposal considerations.

### 7. HANDLING AND STORAGE

**Handling:**

**Precautions for safe handling:** Fatal if swallowed. Fatal if inhaled. Avoid contact with skin and eyes. Ensure adequate ventilation during handling and use. Do not handle broken packages without protective equipment. Immediately clean up spills that occur during handling. Keep containers closed when not in use. In the case of contact with the product refer to First Aid Measures – Section 4.

**General occupational hygiene:** Practice good hygiene when using this material. Wash hands before eating, drinking, chewing gum, smoking, using the toilet or applying cosmetics. Worker should shower at the end of each workday. Launder all clothing before it is re-used.

**Storage:**

**Conditions for safe storage:** Keep under lock and key and out of reach of unauthorised persons, children and animals. Store in its original, labelled container, tightly closed in an isolated, dry, cool and well-ventilated area. Avoid excess heat. Not to be stored next to foodstuffs, feed and water supplies. Avoid cross contamination with other pesticides and fertilisers.

## METHOMYL 90 SP

## SAFETY DATA SHEET

**Incompatible substances and mixtures:** Refer to product label.

**Packaging material:** Aluminium foil bag.

### 8. EXPOSURE CONTROLS AND PERSONAL PROTECTION

#### Permissible concentration

No occupational exposure limits have been determined for the significant inert ingredients in this product. The active ingredient in this formulation (methomyl) may be fatal if inhaled.

#### Engineering Controls:

It is essential to provide adequate ventilation. The measures appropriate for a particular worksite depend on how this material is used and on the extent of exposure. Local Exhaust: Provide general or local exhaust ventilation systems to maintain airborne concentrations below OELs or other specified exposure limits. Local exhaust ventilation is preferred. Ensure that control systems are properly designed and maintained. Comply with occupational safety, environmental, fire and other applicable regulations.

#### Personal Protective Equipment:

**Respiratory Protection:** Use a NIOSH approved, air-purifying respirator with cartridges / canisters approved for organic vapours.

**Hand Protection:** The use of chemically protective gloves is recommended to prevent against skin contact.

**Eye Protection:** The use of chemical safety goggles is recommended to prevent against eye contact. Contact lenses are not protective eye devices.

**Skin and Body Protection:** Employees must wear appropriate protective clothing, boots, hat and equipment to prevent repeated or prolonged skin contact with this substance.

**Emergency eyewash:** Where there is any possibility that an employee's eyes may be exposed to this substance, the employer should provide an eye wash fountain or appropriate alternative within the immediate work area for emergency use.

### 9. PHYSICAL AND CHEMICAL PROPERTIES

**Appearance:** White soluble powder.

**Odour:** Slightly sulphurous.

**Odour threshold:** Not available

**pH (1% aqueous dilution):** Not available.

**Melting point:** Not available.

**Freezing Point:** Not available.

**Boiling Point:** Not available.

**Flash Point:** Not available

**Flammability:** Not available.

**Upper / lower explosion limits:** Not available.

**Vapour Pressure (mm Hg):** Not available.

**Relative Vapour Density:** Not available.

**Density / Relative density:** Not available.

**Solubility:** Soluble in water.

**n-octanol / water partition coefficient:** Not available.

**Auto-ignition temperature:** Not available.

**Decomposition temperature:** Not available.

**Viscosity:** Not available.

### 10. STABILITY AND REACTIVITY

**Chemical stability:** The product is stable for two years at ambient temperature and pressure, under normal storage and handling conditions. Avoid storage under extreme temperatures and conditions. Store below 50 °C, preferably below 30 °C, and not for prolonged periods in direct sunlight.

**Reactivity:** None known.

**Possibility of hazardous reactions:** Unlikely to occur.

**Conditions to avoid:** Extreme heat or exposure to flames.

**Incompatible materials:** Strong oxidizers, strong bases, strong reducing agents. Corrosive to iron.

**Hazardous decomposition products:** Alcohols. carbon monoxide and carbon dioxide may form under burning conditions or with incomplete combustion.

### 11. TOXICOLOGICAL INFORMATION

#### ACUTE TOXICITY:

Calculated according to GHS

**Oral LD<sub>50</sub> (24h)** >32 mg/kg (rat)

**Dermal LD<sub>50</sub>** >2150 mg/kg (rabbit)

**Inhalation LC<sub>50</sub> (4h)** >0.27 mg/l (rat)

**Skin Irritation / Corrosion** Not an irritant.

**Eye Damage / Irritation:** Not an irritant.

**Skin Sensitization:** Product is not a skin sensitizer.

**Respiratory Sensitization:** Not classified.

**Reproductive cell mutagenicity:** Not classified.

**Carcinogenicity:** Not classified.

**Reproductive toxicity:** Not classified.

**Specific target organ toxicity – single exposure:** Not classified.

**Specific target organ toxicity – repeated exposure:** Not classified.

**Aspiration hazard:** Not classified.

**Chronic Effects:** Not available.

#### POTENTIAL ADVERSE EFFECTS:

**Inhalation:** Fatal if inhaled.

**Ingestion:** Fatal if swallowed.

### 12. ECOLOGICAL INFORMATION

This product is very toxic to aquatic organisms.

#### ECOTOXICITY DATA:

**Active ingredient (Methomyl)**

##### Fish:

LC <sub>50</sub> (96 h)	Rainbow trout	2.49 mg/l
	Bluegill sunfish	0.63 mg/l

## METHOMYL 90 SP

## SAFETY DATA SHEET

### Daphnia:

LC<sub>50</sub> (48 h) 0.017 mg/ℓ

### Algae:

EC<sub>50</sub> (72 h) Green algae >100 mg/ℓ

### Birds:

Acute oral LD<sub>50</sub> Bobwhite quail 24.2 mg/kg

Dietary LD<sub>50</sub> (8d) Mallard ducks 1780 mg/kg diet

Bobwhite quail 5620 mg/kg diet

### Bees:

LD<sub>50</sub> contact 0.16 µg/bee

LD<sub>50</sub> oral 0.28 µg/bee

### Worms:

LC<sub>50</sub> (14 d) *Eisenia fetida* 21 mg/kg

## ENVIRONMENTAL EFFECTS

**Based on information for the active ingredient.**

**Plants:** After foliar application of **methomyl**, DT<sub>50</sub> was approximately 3 to 5 days. **methomyl** was rapidly degraded to CO<sub>2</sub> and acetonitrile, with incorporation into natural plant components.

**Persistence and degradability:** Rapidly degraded in soil. DT<sub>50</sub> 4-8 d at 20 °C and soil moisture pF 2-2.5 in soils with pH from 5.1 to 7.8 and with 1.2 to 3.6% o.m. DT<sub>50</sub> in groundwater samples <0.2 d.

**Bio-accumulative potential:** Not determined.

**Mobility in soil:** K<sub>oc</sub> 72.

**Other adverse effects:** Not determined.

## 13. DISPOSAL CONSIDERATIONS

**Waste:** Open dumping or burning of this pesticide is prohibited. Waste resulting from the use of this product cannot be reused or re-processed. Never pour untreated waste or surplus product into public sewers or where there is any danger of run-off or seepage into water systems. Do not contaminate rivers, dams or any other water sources with the product or used containers. Comply with local legislation applying to waste disposal. The product may be taken to a registered waste disposal site or incineration plant.

**Container:** Emptied containers retain product residues. Do not re-use the empty container for any other purpose. Invert the empty container over the spray or mixing tank and drain for at least 30 seconds after the flow has slowed down to dripping. Thereafter rinse the empty container three times in succession with one quarter of the container volume fresh water and decant the rinsate into the spray or mixing tank. Puncture the triple rinsed container and dispose of via an approved collector or recycler ([www.croplife.co.za](http://www.croplife.co.za)). Do not bury, burn or donate the container to any other parties that may use it as a container for food or beverages. Observe all labelled safeguards until container is destroyed.

## 14. TRANSPORT INFORMATION

UN Number: 2757

### Road Transport ADR / ORD:

Class: 6.1

Packaging group: II

UN Proper Shipping Name: CARBAMATE

PESTICIDE, SOLID, TOXIC (methomyl 90 g/kg)

### Maritime Transport IMDG / IMO:

Class: 6.1

Packaging group: II

UN Proper Shipping Name: CARBAMATE

PESTICIDE, SOLID, TOXIC (methomyl 90 g/kg)

**Marine pollutant (Y/N): Yes**

### Air Transport IATA / ICAO:

Class: 6.1

Packaging group: II

UN Proper Shipping Name: CARBAMATE

PESTICIDE, SOLID, TOXIC (methomyl 90 g/kg)

**Special / Environmental Precautions:** Wedge drums tightly to avoid movement.

**Transport in bulk:** Refer to MARPOL 73/78, Annex II and the IBC code.

## 15. REGULATORY INFORMATION

**Safety, health and environmental regulations / legislation for the mixture:**

OHSA 1993 Regulations for Hazardous Chemical Substances.

**Relevant information regarding restrictions:** None.

**EU regulation:** Regulation EC1272/2008 (EU-GHS/CLP)

**Other national regulations:** None.

**Chemical Safety Assessment carried out?** No

## 16. OTHER INFORMATION

**Packaging:** Packed in 1 kg aluminium foil bags containing 10 x 100 g water-soluble sachets, labelled according to South African regulations and guidelines.

**Other hazard statements, abbreviations and explanations:**

**IATA:** International Air Transport Association.

**IBC:** International Bulk Chemical.

**ICAO:** International Civil Aviation Organization.

**IMDG:** International Maritime Dangerous Goods

**IMO:** International Maritime Organization.

**LD<sub>50</sub> value:** The median lethal dose or the amount of a toxic agent that is sufficient to kill 50 percent of a population within a certain period of time.

**OEL/RL:** Occupational exposure limit-recommended limit.

**TWA:** Time-weighted average – The average exposure over a specified period, usually a nominal eight hours.

**ST/STEL:** Short-term exposure limits.

**Disclaimer:** The information on this sheet is not a specification; it does not guarantee specific properties. The information is intended to provide general guidance as to health and safety based upon our knowledge of the handling, storage and use of the product. It is not applicable to unusual or non-standard uses of the product nor where instructions or recommendations are not

## METHOMYL 90 SP

## SAFETY DATA SHEET

followed. All information is given in good faith but without guarantee in respect of accuracy, and no responsibility is accepted for errors and omissions or the consequence thereof.

---

### END OF DOCUMENT

**Compiled:** January 2020

**Reviewed:** January 2025

**Revision no.:** (2)

**Next revision date:** January 2030

For detailed information on revisions, contact the Registration holder.