

# SOLSTAR 200 EC

# SAFETY DATA SHEET

## 1. CHEMICAL PRODUCT AND COMPANY IDENTIFICATION

**Product name:** SOLSTAR 200 EC  
**Other identifier:** Fluroxypyr-meptyl  
**Recommended use:** Herbicide  
**Restrictions on use:** Agriculture

**Supplier:** Meridian Agrochemical Company (Pty) Ltd  
**Co. Reg. No.:** 2000/010819/07  
PO Box 801,  
Kempton Park, 1620, South Africa  
**Telephone:** (011) 396 2233  
**Fax:** (011) 396 4666  
**Website:** [www.villacrop.co.za](http://www.villacrop.co.za)

### Emergency telephone numbers:

**24 Hr Transport / Spill emergency no:**  
(Hazcall24) +27 86 044 4411

(Client: Villa Crop Protection)  
Griffon Poison Information Centre +27 82 446 8946  
(Client: Villa Crop Protection)

### Poisoning Emergency telephone numbers:

Griffon Poison Information Centre +27 82 446 8946  
Poisons Information Centre +27 861 555 777

## 2. HAZARDS IDENTIFICATION

UN GHS, Regulation EC 1272/2008 [EU-GHS/CLP] EU & SANS 10234:2008		
Hazard classes	Hazard categories	H-statements
<b>Health</b>		
Aspiration hazard	Aspiration Toxicity 1	H304
Dermal	Acute Toxicity 5	H313
	Skin Irritation 3	H316
Eye	Eye Damage 1	H318
Inhalation	Acute Toxicity 3	H331
<b>Environment</b>		
Aquatic acute	Aquatic Acute 1	H400
Aquatic chronic	Aquatic Chronic 1	H410

### The most important adverse effects:

**Physiochemical effects:** None known

**Human health effects:** May be fatal if swallowed and enters airways.

May be harmful in contact with skin.

Causes mild skin irritation.

Causes serious eye damage.

Toxic if inhaled.

### Label elements:



**Signal word:** Danger

### Hazard statements:

H304: May be fatal if swallowed and enters airways.

H313: May be harmful in contact with skin.

H316: Causes mild skin irritation.

H318: Causes serious eye damage.

H331: Toxic if inhaled.

H400: Very toxic to aquatic life.

H410: Very toxic to aquatic life with long lasting effects.

### Precautionary statements:

P261: Avoid breathing fumes, mists, vapours or spray.

P264+P265: Wash hands thoroughly after handling. Do not touch eyes.

P271: Use only outdoors or in a well-ventilated area.

P273: Avoid release to the environment.

P280: Wear impervious rubber gloves and boots, protective clothing and chemical safety goggles.

P301+P316: IF SWALLOWED: Get emergency medical help immediately.

P302+P317: IF ON SKIN: Get medical help.

P304+P316+P340: IF INHALED: Remove person to fresh air and keep comfortable for breathing. Get emergency medical help immediately.

P305+P317+P354+P338: IF IN EYES: Immediately rinse with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Get medical help.

P331: Do NOT induce vomiting.

P332+P317: If skin irritation occurs: get medical help.

P391: Collect spillage.

P403+P233: Store in a well-ventilated place. Keep container tightly closed.

P405: Store locked up.

P501: Dispose of content/container in accordance with local regulations.

### Other hazards:

None known.

## SOLSTAR 200 EC

## SAFETY DATA SHEET

### Toxicity:

Classification according to GHS: Category 3

### 3. COMPOSITION / INFORMATION ON INGREDIENTS

Substance / Mixture: Mixture

Composition:

Chemical name	CAS	Conc. (m/v %)	Classification EC 1272/2008
Fluroxypyr-meptyl	81406-37-3	27.43 %	Aquatic Acute 1 (H400) Aquatic chronic 1 (H410)
Phenylsulphonate Salt	68953-96-8	<5 %	Acute Toxicity 4 (H312) Skin irritation 2 (H315) Eye Damage 1 (H318) Aquatic Chronic 2 (H411)
Ethoxylated Fatty Alcohol	68954-94-9	<5 %	Acute Toxicity. 4 (H302) Eye Damage. 1 (H318)
Aromatic solvent	64742-94-5	<70 %	Aspiration Toxicity 1 (H304)

### 4. FIRST AID MEASURES

Remove the victim from the area of exposure. Wash off remaining material with plenty of water. In the event of any complaints or symptoms, avoid further exposure.

**Inhalation:** Remove person from contaminated area to fresh air and assist breathing as needed. Seek medical attention if irritation occurs. **Seek medical advice immediately.**

**Skin:** Remove contaminated clothing shoes and leather goods. Gently wipe off excess chemical. Wash skin gently and thoroughly with water and non-abrasive soap. **SOLSTAR 200 EC** causes mild skin irritation. **Obtain medical attention if irritation persists.**

**Eyes:** Flush eyes with clean water for at least 15 – 20 minutes. Lift eyelids to facilitate irrigation. If present,

remove contact lenses after 5 minutes and continue rinsing. **Seek medical attention.**

**Ingestion:** Have victim rinse mouth thoroughly with water. **Do not induce vomiting, due to the aromatic solvent. Seek medical advice immediately.** If the person is alert and respiration is not depressed, give large quantity of water to drink. Never give anything by mouth to an unconscious person. Establish and maintain airway. Treat respiratory difficulty with artificial respiration and oxygen. Qualified medical personnel should perform administration of oxygen.

**Anticipated acute effects:** May be fatal if swallowed and enters airways. May be harmful in contact with skin. Causes mild skin irritation. Causes serious eye damage. Toxic if inhaled.

**Anticipated delayed effects:** None known.

**Most important symptoms / effects:** None known.

**Advice to physician:** Keep patient prone and quiet. Start artificial respiration immediately, if patient is not breathing. Treat symptomatically and supportively. No specific antidote known.

### 5. FIRE-FIGHTING MEASURES

**Suitable Extinguishing Media:** Use carbon dioxide or dry chemical for small fires. Use water spray, fog or foam for large fires.

**Unsuitable Extinguishing Media:** High volume water jet. Use a water jet only to cool heated containers.

**Specific hazards:** None known.

**Special fire-fighting procedures:** Remove spectators from surrounding area. Isolate the fire area and evacuate all personnel downwind of the fire. Fight fire from maximum distance and use unmanned hose holder or monitor nozzles. Remain upwind of fire. Avoid inhaling hazardous vapours and fumes from burning materials. Remove container from fire area if possible and without risk. Do not use high volume water jet, due to contamination risk. Do not scatter the burning material. Water can be used to cool unaffected containers but must be contained for later disposal. Contain fire control agents for later disposal. Avoid pollution of waterways by run-off from the site.

**Personal protective equipment:** Wear NIOSH / MSHA approved self-contained breathing apparatus and full protective gear.

### 6. ACCIDENTAL RELEASE MEASURES

## SOLSTAR 200 EC

## SAFETY DATA SHEET

**Personal precautions: Do not breathe in spray mist, fumes or vapours.** Avoid contact with skin and eyes. Ventilate area of spill or leak, especially in contained areas.

**Protective equipment:** Refer to Section 8 for personal protective equipment to be worn during containment and clean-up of a spill involving this product.

**Emergency procedures:** Alert firefighting personnel. Evacuate unprotected personnel and animals.

**Environmental Precautions:** Prevent spilled product from entering sewers, waterways, or ground water. This product is classified as very toxic to aquatic organisms and may cause long-term adverse effects in the aquatic environment. Any spillages or uncontrolled discharges into watercourses should be reported immediately to the police and the Department of Water / Environmental Affairs.

**Methods and Materials for Containment:** Contain spilt product by diking area with sand or earth.

**Methods and Materials for Clean-up:** Cover contained spill with an inert absorbent material such as sand, vermiculite, earth or other appropriate material. Vacuum, scoop, or sweep up material and place the material into a clean, dry, sealable container. Label containers with the contents and dispose of according to local regulations. Do not place spilt material back in original container. Do not re-use spilt material. Collect washings and add to the drums already collected. Do not flush spilt material or washings into drains or waterways. To decontaminate the spill area, tools and equipment, wash with water and suitable detergent. See section 13 for disposal considerations.

### 7. HANDLING AND STORAGE

#### Handling:

**Precautions for safe handling:** Toxic if inhaled. Avoid contact with skin and eyes. Ensure adequate ventilation during handling and use. Do not inhale spray mist or vapours. Do not handle broken packages without protective equipment. Immediately clean up spills that occur during handling. Keep containers closed when not in use. In the case of contact with the product refer to **First Aid Measures – Section 4**.

**General occupational hygiene:** Practice good hygiene when using this product. Wash hands before eating, drinking, chewing gum, smoking, using the toilet or applying cosmetics. Worker should shower at

the end of each workday. Launder all clothing before it is re-used.

#### Storage:

**Conditions for safe storage:** Keep under lock and key and out of reach of unauthorised persons, children, and animals. Store in its original, labelled container, tightly closed in an isolated, dry, cool and well-ventilated area. Do not store near heat, open flame, sources of ignition or hot surfaces. Avoid excess heat. Not to be stored next to foodstuffs, feed and water supplies. Avoid cross contamination with other pesticides and fertilisers.

**Incompatible substances and mixtures:** Refer to product label.

**Packaging material:** Fluorinated plastic containers.

### 8. EXPOSURE CONTROLS AND PERSONAL PROTECTION

**Permissible concentration:** No occupational exposure limits have been determined for the significant ingredients in this product.

#### Engineering Controls:

It is essential to provide adequate ventilation. The measures appropriate for a particular worksite depend on how this material is used and on the extent of exposure. **Local Exhaust:** Provide general or local exhaust ventilation systems to maintain airborne concentrations below OELs or other specified exposure limits. Local exhaust ventilation is preferred. Ensure that control systems are properly designed and maintained. Comply with occupational safety, environmental, fire and other applicable regulations.

#### Personal Protective Equipment:

**Respiratory Protection:** For most well-ventilated conditions, no respiratory protection should be needed. If used in a poorly ventilated area (airborne concentrations exceed exposure limits), use a NIOSH approved, air-purifying respirator with cartridges / canisters approved for organic vapours.

**Hand Protection:** The use of chemically protective impervious gloves is recommended to prevent against skin contact.

**Eye Protection:** Employees must wear chemical safety goggles to prevent against eye contact. Contact lenses are not protective eye devices.

**Skin and Body Protection:** Employees must wear appropriate protective impervious clothing, rubber boots, hat and equipment to prevent repeated or prolonged skin contact with this product. Do not wear leather clothing.

## SOLSTAR 200 EC

## SAFETY DATA SHEET

**Emergency eyewash:** Where there is any possibility that an employee's eyes may be exposed to this product, the employer should provide an eye wash fountain or appropriate alternative within the immediate work area for emergency use.

### 9. PHYSICAL AND CHEMICAL PROPERTIES

**Appearance:** Brown liquid.  
**Odour:** Characteristic odour.  
**Odour threshold:** Not available.  
**pH (1% aqueous dilution):** 5.0 to 7.0  
**Melting point:** Not available.  
**Freezing Point:** Not available.  
**Boiling Point:** Not available.  
**Flash Point:** Not available.  
**Flammability:** Not available.  
**Upper / lower explosion limits:** Not available.  
**Vapour Pressure (mm Hg):** Not available.  
**Relative Vapour Density:** Not available.  
**Density / Relative density:** 1.07 g/ml.  
**Solubility:** emulsifies in water (active ingredient has solubility of about 1 mg/L at 25°C).  
**n-octanol / water partition coefficient:** 4.5 (Fluroxypyr-meptyl)  
**Auto-ignition temperature:** Not available.  
**Decomposition temperature:** Not available.  
**Viscosity:** Not available.

### 10. STABILITY AND REACTIVITY

**Chemical stability:** The product is stable for two years at ambient temperature and pressure, under normal storage and handling conditions. Avoid storage under extreme temperatures and conditions. Store below 50 °C, preferably below 30 °C, and not for prolonged periods in direct sunlight.

**Reactivity:** None known.

**Possibility of hazardous reactions:** Unlikely to occur.

**Conditions to avoid:** Extreme heat or exposure to flames.

**Incompatible materials:** The product is incompatible with strong oxidising agents.

**Hazardous decomposition products:** Thermal decomposition may emit toxic fumes of CO<sub>2</sub>, NO and smoke. Occasionally hydrogen cyanide gas in reduced atmospheres. Nitrogen and its compounds, and under some circumstances, oxides of nitrogen. Hydrogen chloride gas and other compounds of

chlorine. Hydrogen fluoride gas and other compounds of fluorine. Water.

### 11. TOXICOLOGICAL INFORMATION

#### ACUTE TOXICITY:

Calculated according to GHS

**Oral LD<sub>50</sub> (24h)** >60000.00 mg/kg (rat)

**Dermal LD<sub>50</sub> (24h)** >2000.00 mg/kg (rat/rabbit).

**Inhalation LC<sub>50</sub> (4h)** >0.73 mg/l (rat)

**Skin Irritation / Corrosion:** Causes mild skin irritation.

**Eye Damage / Irritation:** Causes serious eye damage.

**Skin Sensitization:** Not classified.

**Respiratory Sensitization:** Not classified.

**Reproductive cell mutagenicity:** Not classified.

**Carcinogenicity:** Not classified.

**Reproductive toxicity:** Not classified.

**Specific target organ toxicity – single exposure:** Not classified.

**Specific target organ toxicity – repeated exposure:** Not classified.

**Aspiration hazard:** May be fatal if swallowed and enters airways.

**Chronic Effects:** Not available.

#### POTENTIAL ADVERSE EFFECTS:

**Dermal:** May be harmful in contact with skin. Causes mild skin irritation.

**Inhalation:** Toxic if inhaled.

**Ingestion:** May be fatal if swallowed and enters airways.

**Other information:** None known.

### 12. ECOLOGICAL INFORMATION

This product is very toxic to aquatic life with long lasting effects.

#### ECOTOXICITY DATA:

##### Fluroxypyr-meptyl

##### Fish:

LC <sub>50</sub> (96 h)	Rainbow trout	>0.225 mg/l
-------------------------	---------------	-------------

##### Daphnia:

EC <sub>50</sub> (48 h)		>0.183 mg/l
-------------------------	--	-------------

##### Algae:

EC <sub>50</sub> (120 h)	<i>Skeletonema costatum</i>	0.208 mg/l
--------------------------	-----------------------------	------------



## SOLSTAR 200 EC

## SAFETY DATA SHEET

### Birds:

Acute oral LD <sub>50</sub>	Mallard ducks and bobwhite quail	>2000 mg/kg
Dietary LD <sub>50</sub> (8d)	Bobwhite quail	>5000 mg/kg diet

### Bees:

LD <sub>50</sub> oral and contact (48h)		>100 µg/bee
---	--	-------------

### Worms:

LC <sub>50</sub> (14h)	earthworms	>1000 mg/kg soil
------------------------	------------	------------------

### Plants:

Hydrolysed to the parent acid, fluroxypyr.

### ENVIRONMENTAL EFFECTS

**Persistence and degradability:** In laboratory soils, the ester is rapidly converted to fluroxypyr in all soil types, with DT<sub>50</sub> <7 d. In soil/water slurries, DT<sub>50</sub> 2 – 5 h (pH 6 – 7, 22 – 24°C). Total DT<sub>50</sub> for fluroxypyr-meptyl and fluroxypyr acid: soil, aerobic 23 d; aquatic, aerobic 14 d; aquatic, anaerobic 8 d; field dissipation 36.3 d.

**Bio-accumulative potential:** Extensively metabolised and rapidly excreted.

**Mobility in soil:** Not determined.

**Other adverse effects:** Not determined.

### 13. DISPOSAL CONSIDERATIONS

**Waste:** Open dumping or burning of this pesticide is prohibited. Waste resulting from the use of this product cannot be reused or re-processed. Never pour untreated waste or surplus product into public sewers or where there is any danger of run-off or seepage into water systems. Do not contaminate rivers, dams or any other water sources with the product or used containers. Comply with local legislation applying to waste disposal. The product may be taken to a registered waste disposal site or incineration plant.

**Container:** Emptied containers retain product residues. Do not re-use the empty container for any other purpose. Triple rinse empty containers by inverting the empty container over the spray or mixing tank and drain for at least 30 seconds after the flow has slowed down to dripping. Thereafter rinse the empty container three times in succession with one quarter of the container volume fresh water and decant the rinsate into the spray or mixing tank. Puncture the triple rinsed container and dispose of via an approved collector or recycler

([www.croplife.co.za](http://www.croplife.co.za)). Do not bury, burn or donate the container to any other parties that may use it as a container for food or beverages. Observe all labelled safeguards until container is destroyed.

### 14. TRANSPORT INFORMATION

**UN Number:** 2902

**Road Transport ADR / ORD:**

Class: 6.1

Packaging group: II

UN Proper Shipping Name: PESTICIDE, LIQUID, TOXIC, N.O.S. (Fluroxypyr -meptyl 200g/l)

**Maritime Transport IMDG / IMO:**

Class: 6.1

Packaging group: II

UN Proper Shipping Name: PESTICIDE, LIQUID, TOXIC, N.O.S. (Fluroxypyr -meptyl 200g/l)

**Marine pollutant (Y/N):** Yes

**Air Transport IATA / ICAO:**

Class: 6.1

Packaging group: II

UN Proper Shipping Name: PESTICIDE, LIQUID, TOXIC, N.O.S. (Fluroxypyr -meptyl 200g/l)

**Special / Environmental Precautions:** Wedge drums tightly to avoid movement

**Transport in bulk:** Refer to MARPOL 73/78, Annex II and the IBC code.

### 15. REGULATORY INFORMATION

**Safety, health and environmental regulations / legislation for the mixture:**

OHSA 1993 Regulations for Hazardous Chemical Substances.

**Relevant information regarding restrictions:** None.

**EU regulation:** Regulation EC1272/2008 (EU-GHS/CLP)

**Other national regulations:** None.

**Chemical Safety Assessment carried out?** No

### 16. OTHER INFORMATION

**Packaging:** Packed in 1, 2, 5, 10, 20, 25 and 50 litre fluorinated plastic containers and labelled according to South African regulations and guidelines.

**Other hazard statements, abbreviations and explanations:**

**H302:** Harmful if swallowed.

## SOLSTAR 200 EC

## SAFETY DATA SHEET

**H312:** Harmful in contact with skin.  
**H315:** Causes skin irritation.  
**H411:** Toxic to aquatic life with long lasting effects.  
**IATA:** International Air Transport Association.  
**IBC:** International Bulk Chemical.  
**ICAO:** International Civil Aviation Organization.  
**IMDG:** International Maritime Dangerous Goods  
**IMO:** International Maritime Organization.  
**LD<sub>50</sub> value:** The median lethal dose or the amount of a toxic agent that is sufficient to kill 50 percent of a population within a certain period of time.  
**TWA:** Time-weighted average – The average exposure over a specified period, usually a nominal eight hours.  
**ST/STEL:** Short-term exposure limits.  
**Disclaimer:** The information on this sheet is not a specification; it does not guarantee specific properties. The information is intended to provide general guidance as to health and safety based upon our knowledge of the handling, storage and use of the product. It is not applicable to unusual or non-standard uses of the product nor where instructions or recommendations are not followed. All information is given in good faith but without guarantee in respect of accuracy, and no responsibility is accepted for errors and omissions or the consequence thereof.

### END OF DOCUMENT

**Compiled:** June 2010  
**Reviewed:** May 2025  
**Revision no.:** (3)  
**Next revision:** May 2030

For detailed information on revisions, contact the Registration holder.